

# Price Guide 2023-2024



**Analytical, Lab Equipment,  
Environment &  
Water Analysis Range**

*Authorised Distributors In India*

EUTECH

**Thermo**  
SCIENTIFIC

**F** fisher scientific

accumet®

**JEIO TECH**

**Lab Companion**

**Palintest**  
Water Analysis Technologies

Wagtech

**VELP**  
SCIENTIFICA

**AQUAREAD**



**PRICE GUIDE 2023-2024\***  
**EFFECTIVE 15<sup>th</sup> APRIL 2023**  
**PRICES IN INR , EX-GODOWN**

**EUTECH**

**Thermo**  
SCIENTIFIC

## Thermo Scientific Eutech Elite Series Pocket Testers

### Enhancements

- Improved keypad with single purpose power, calibration, menu, and enter buttons make the Elite Series user interface easier to operate and more intuitive
- One push calibration: user immerses the sensor in the calibration solution and presses the “Cal” button
- Large 4 digit double line display ,wide viewing angle for easier reading and recording of measurements
- Battery life, ready, and calibration indicators simplify measurement and pocket tester maintenance
- Simultaneous display pH, conductivity/TDS/salinity, ORP with temperature (°C or °F)
- Backlighting



Large double line LCD display with backlight



Wide, stable base allows the tester to stand independently



Carry soft-case kit for accessory organization



Order Code	Description	Price (INR)
<b>Waterproof Elite Pocket Testers</b>		
ELITEPH	Elite pH pocket tester with soft case, lanyard and batteries	17100.00
ELITECTSPIN	Elite CTS pin-sensor pocket tester with soft case, lanyard and batteries	17100.00
ELITECTSCUP	Elite CTS cup-sensor pocket tester with soft case, lanyard and batteries	18450.00
ELITEORP	Elite ORP pocket tester with soft case, lanyard and batteries	24300.00
ELITEPCTS	Elite PCTS pocket tester with soft case, lanyard and batteries	29700.00
ELITEPHSPEAR	Elite pH spear pocket tester with lanyard and batteries	39600.00

<b>Accessories</b>		
01X001535	Replacement Sensor, ELITEPH	8100.00
01X001538	Replacement Sensor, ELITEPHSPEAR	23400.00
01X001524	Replacement Sensor, ELITEORP	9900.00
01X001526	Replacement Sensor, ELITECTSPIN	7200.00
01X001528	Replacement Sensor, ELITECTSCUP	8100.00
01X001530	Replacement Sensor, ELITEPCTS	10800.00

<b>Waterproof pH Pocket Testers</b>		
ECOPHTEST1	Waterproof EcoTestr pH 1 Tester without ATC, 1 point Calibration	7020.00
ECOPHTEST2	Waterproof EcopHTestr 2 Tester with ATC; 3 point Calibration	7920.00
EXPERTPH	Waterproof Expert pH pocket tester with ATC and temperature display, 3 point Calibration, ±0.1 pH accuracy	8910.00
<b>Waterproof pH Testers</b>		
PHTEST10	Waterproof pHTestr 10 Tester with ATC; ±0.1 pH accuracy	9900.00
PHTEST20	Waterproof pHTestr 20 Tester with ATC; ±0.01 pH accuracy	13500.00
PHTEST30	Waterproof pHTestr 30 Tester with ATC and Temperature Readout; ±0.01 pH resolution	17100.00
<b>Waterproof pH Testers</b>		
PHTEST10BNC	Waterproof pHTestr 10 BNC Tester with MTC; BNC connector	14400.00



	sensor; $\pm 0.01$ pH resolution (meter only – electrode to be ordered separately)	
PHSPEAR	Waterproof pH Spear Tester with MTC; double-junction spear-tip electrode; $\pm 0.01$ pH accuracy	36000.00



Waterproof ORP / Redox Pocket Testers		
ORPTEST10	Waterproof ORPTestr 10 Large Dual Display Tester (-999 to +1000 mV)	21600.00
ORPTEST10BNC	Waterproof ORPTestr 10 Large Dual Display Tester; BNC connector sensor; (-999 to +1000 mV); (meter only – electrode to be ordered separately)	16100.00

Accessories		
PHSENSOR03DJ	Replacement Double Junction Sensor for pHTestr 10, 20, 30	6300.00
PHSENSORBNC	Replacement BNC Connector Sensor for pHTestr 10BNC and ORPTestr 10BNC	5400.00
PHSENSOR04	Replacement Double Junction Spear-tip Electrode for pHSpear	21600.00
ORPSENSORDJ	Replacement Double Junction Sensor for ORPTestr 10	7920.00

Accessories		
ECFC7252101B	General Purpose Plastic-body Single Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable length	6750.00
ECFC72521R01B	General Purpose Plastic-body Single Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	11700.00
ECFC7252201B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable length	9900.00
ECFC72522R01B	General Purpose Plastic-body Double Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	14400.00
ECFC7960101B	General Purpose Plastic-body Single Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable length	22500.00
ECFC7960201B	General Purpose Plastic-body Double Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable length	24300.00



Economy pH / ORP / Ion Handheld Meters		
ECION602PLUSK	Ion 6+ pH/Ion/ORP Meter with single junction pH electrode ECFC7252101B, ATC probe & pH carrying kit set	49500.00
ECPH602PLUSK	pH 6+ pH/ORP Meter with single junction pH electrode ECFC7252101B, ATC probe & pH carrying kit set	39600.00



Note: Ion 6+ , pH 6+ & pH 5+ pH Carrying Kit consists of a carrying case with 1 x pH 4.01, pH 7.00 buffer solutions, storage solution and 1 x deionised (rinse) water (60 ml each)



Waterproof pH / ORP / Ion Handheld Meters		
ECPHWP15002K	Meter with double-junction pH electrode ECFC7252201B and ATC probe, Grip-Clip™, two AA batteries, hard carry case, pH buffers, storage solution, rinse solution. ORP electrode to be ordered separately	44100.00
ECPHWP45002K	pH 450 meter Kit with double-junction pH electrode ECFC7252201B and ATC probe, Grip-Clip™, two AA batteries, hard carry case, USB cable, pH buffers, storage solution, rinse solution. ORP electrode and Ion Selective Electrode to be ordered separately.	58500.00

Waterproof pH / ORP / Ion Handheld Meters		
ECPHWP62042K	Waterproof CyberScan pH 620 pH/mV/Ion Meter with double junction pH electrode ECFC7252203B, ATC probe, DAS software, power adapter & pH carrying kit set	ON APPLICATION
ECPHWP61042K	Waterproof CyberScan pH 610 pH/mV Meter with double junction pH electrode ECFC7252203B, ATC probe, DAS software, power adapter & pH carrying kit set	ON APPLICATION
ECPHWP60042K	Waterproof CyberScan pH 600 pH/mV Meter with double junction pH electrode ECFC7252203B, ATC probe, DAS software, power adapter & pH carrying kit set	ON APPLICATION

Note: pH 620, pH 610 & pH 600 pH Carrying Kit consists of a carrying case with 1 x pH 4.01, pH 7.00 buffer solutions, storage solution and 1 x deionized (rinse) water (60 ml each)



Accessories		
ECPH5TEM01P	ATC probe (for Ion 6+, pH 6+, pH 5+, pH 110 & pH 11 only); 1m cable length	7650.00
PHWPTEM01W	ATC Probe ATC Probe (for pH 310, pH 300, PC300, PC510, PH 150, CON 150, PH 450, CON 450, PC 450) 1m cable length	12600.00
ECPHWPTM01J	ATC Probe ( for pH 620, 610, 600, PC650, PD650, PCD650 only); 1m cable length	12600.00
ECPHWPTM03J	ATC Probe ( for pH 620, 610, 600, PC650, PD650, PCD650 only); 3m cable length	12600.00
ECFC7252101B	General Purpose Plastic-body Single Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable length	6750.00
ECFC7252201B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable length	9900.00
ECFC7252203B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 3m cable length	17100.00
60X030130	100 /240VAC SMPS Power Adapter with US/UK/EUR/Japan plug ,9V,6W, CENTRE +ve ( for Cyberscan 11 / 110 / 510/1100 / 2100 series )	4950.00
60X426401	100 /240VAC SMPS Power Adapter , 9V,6W (150, 450 and 2700 series)	9000.00

01X030132	Universal SMPS,100 /240VAC,9V,6W, CENTRE +ve Power Adapter with US/UK/EUR/Japan plug ( for Cyberscan 600 series )	13500.00
01X447602	USB / IrDA Interface Adapter (for 600 Series Meter to PC Communication)	27000.00
AN-270	Dot Matrix Printer, Brand Antech	36000.00
ECFC72521R01B	General Purpose Plastic-body Single Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	11700.00
ECFC72522R01B	General Purpose Plastic-body Double Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	14400.00
ECFC7252205B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 5m cable length	22500.00
ECFC7352901B	General Purpose Plastic-body "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC connector, 1m cable length (for pH 5/6, Ion 6, pH 11/110, pH 510 & pH 1100/2100)	11700.00
ECFC7352901W	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 6 pin connector, 1m cable length ( for pH 310, 300, PC300 & PC510)	15300.00
ECFC7352901J	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 8 pin connector, 1m cable length ( for pH 620, 610, 600, PC650, PD650, PCD650 only)	15300.00
ECFG7350401B	General Purpose Glass-body Single Junction Refillable pH Combination Electrode, annular ceramic reference junction with protective sensor guard, 12x110mm, BNC connector, 1m cable length & 10ml refilling electrolyte	9990.00
ECFC7960101B	General Purpose Plastic-body Single Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable length	22500.00
ECFC7960201B	General Purpose Plastic-body Double Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable length	24300.00

#### pH / ORP / Ion Bench Meters

ECION70040S	Eutech Ion 700 Meter With Integral Electrode Holder & 100/240 VAC Adapter. pH and Ion Electrodes to be ordered separately	58500.00
ECPH70042S	pH 700 meter with single junction pH electrode ECFC7252101B, ATC Probe PH5TEMB01P, integral electrode holder and 100/240 VAC Adapter	41400.00
ECPH70042GS	pH 700 meter with glass body, open pore pH electrode EC620131, ATC Probe PH5TEMB01P, integral electrode holder and 100/240 VAC Adapter	55800.00
ECION270042GS	Eutech ION 2700 Meter With pH Electrode (ECFG7370101B), ATC Probe (PH5TEMB01P), Integral Electrode Holder, 100/240 VAC Adapter, RS232 cable, & pH Electrode Refill Solution. Ion Electrodes to be ordered separately	ON APPLICATION
ECPH270042GS	pH 2700 Meter with pH Electrode (ECFG7370101B), ATC Probe (PH5TEMB01P), Integral Electrode Holder, 100/240 VAC Adapter, RS232 cable	76500.00
ECPH27005E	pH 2700 meter with glass body, open pore pH electrode EC620131, ATC Probe PH5TEMB01P, integral electrode holder , 100/240 VAC Adapter and RS232 cable	75600.00



ECPH27005E-P	pH 2700 meter with glass body, open pore pH electrode EC620131, ATC Probe PH5TEMB01P, integral electrode holder , 100/240 VAC Adapter, RS232 cable and AN-270 Dot Matrix Printer	108000.00
ECPH51042S-I	CyberScan pH 510 pH/mV Meter with indigenous glass pH electrode AN-786-1 , BNC connector, 1m cable length, indigenous ATC probe , integral electrode holder & power adapter	37800.00
ECPH51042S	CyberScan pH 510 pH/mV Meter with single junction pH electrode ECFC7252101B, ATC probe , integral electrode holder & power adapter	39600.00
ECPHTUTOR-I	CyberScan pH Tutor Meter with indigenous glass pH electrode AN-786-1 , BNC connector, 1m cable length, indigenous electrode stand and power adapter. ATC probe to be ordered separately	20700.00
ECPHTUTOR-D	CyberScan pH Tutor Meter with Plastic-body "3-in-1" pH/Temp.(ATC in-built) Combination Electrode, 12x90mm, BNC connector, 1m cable length, indigenous electrode stand and power adapter	28800.00
ECPHTUTOR-S	CyberScan pH Tutor Meter with single junction pH electrode ECFC7252101B , 12x90mm, BNC connector, 1m cable length, indigenous electrode stand and power adapter. ATC probe to be ordered separately	25200.00
ECPHTUTOR-DS	CyberScan pH Tutor Meter with Plastic-body "3-in-1" pH/Temp.(ATC in-built) Combination Electrode, 12x90mm, BNC connector, 1m cable length, Integrated Electrode Stand with Swivel Arm and power adapter	33300.00

<b>Accessories</b>		
EC620130	Glass body, refillable, open pore (10ml electrolyte 620-430 included)	31500.00
ECPH5TEMB01P	ATC Probe (for Tutor, Ion 510, pH 510, pH 700, Ion 700, pH 1100, pH 2100, pH 2700, & Ion 2700), 1m cable length	8550.00
ECFG7370101B	Glass body double junction Ag/AgCl refillable pH electrode, 12 x 110 mm, BNC connector, 1m cable (for pH 2700, PC 2700, Ion 2700)	29700.00
ECFC7252101B	General Purpose Plastic-body Single Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable length	6750.00
ECFG7350401B	General Purpose Glass-body Single Junction Refillable pH Combination Electrode, annular ceramic reference junction with protective sensor guard, 12x110mm, BNC connector, 1m cable length & 10ml refilling electrolyte	9990.00
AN-786-1	General Purpose glass-body Refillable Indigenous pH Combination Electrode, BNC connector,1m cable length, Brand Antech	2340.00
AN-ST-770	Indian Electrode Stand, Brand Antech	2160.00
ECPHELSTDC	Electrode Stand with Swivel Arm	11700.00
ECELSTDCNEW	Electrode Stand with Swivel Arm (for pH Tutor)	8550.00
01 X 321801	Electrode Stand with ACCUFLEX Arm (for 700 and 2700 series)	ON APPLICATION
60X030130	100 /240VAC SMPS Power Adapter with US/UK/EUR/Japan plug ,9V,6W, CENTRE +ve ( for Cyber scan Tutor, 11 / 110 /510/ 700/1100 / 2100 series )	4950.00
60X426401	100 /240VAC SMPS Power Adapter , 9V,6W (150, 450 and 2700 series)	9000.00



ECFC72522R01B	General Purpose Plastic-body Double Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	14400.00
ECFC7352901B	General Purpose Plastic-body "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC connector, 1m cable length (for pH 5/6, Ion 6, pH 11/110, pH 510 & pH 1100/2100)	11700.00
ECFC7960201B	General Purpose Plastic-body Double Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable length	24300.00
AN-270	Dot Matrix Printer, Brand Antech	36000.00

### Specialty pH Electrodes

ECFG7350401B	General Purpose Glass-body Single Junction Refillable pH Combination Electrode, annular ceramic reference junction with protective sensor guard, 12x110mm, BNC connector, 1m cable length & 10ml refilling electrolyte	9990.00
ECFG7451901B	Glass-body pH Combination Electrode, reference Ag/AgCl Sealed , 12x110mm, BNC connector, 1m cable length .Ideal for High temp. measurements and photographic samples	29700.00
ECFG6350601B	Glass-body pH Combination Electrode, reference Ag/AgCl Refillable , 8x55mm, BNC connector, 1m cable length .Ideal for High viscosity solutions such as emulsions, suspensions, paints and varnishes where frequent cleaning of the reference is necessary, aqueous pH measurements. Quality control, general laboratory and aquarium water	29700.00
ECFG6351101B	Glass-body pH Combination Electrode, reference Ag/AgCl Sealed , 8x55mm, BNC connector, 1m cable length .Ideal for Solid or semi-solid samples such as cheese, meats, fruits, bread, or other similar sample	29700.00
ECFG7351101B	Glass-body pH Combination Electrode, reference Ag/AgCl Refillable , 12x110 mm, BNC connector, 1m cable length .Ideal for High viscosity solutions such as emulsions, suspensions, paints and varnishes where frequent cleaning of the reference is necessary	38700.00
ECFG4390401B	Glass-body pH Combination Micro-Electrode, reference Calomel Refillable ,4x55 mm, BNC connector, 1m cable length .Ideal for Micro sample, such as semi-micro cuvettes and NMR tube, Research measurements, fruit juices, beer, milk and yogurt,Tris buffers, clinical, and biological media containing proteins, creams, fats and cosmetics	33300.00
ECFG7252001B	General Purpose, Flat-surface, Glass-body Single Junction Refillable pH Combination Electrode, 12x110mm, BNC connector, 1m cable length. Used for surface measurements such as paper, skin, textile, leather, agar	33300.00
EC620185	Glass-body pH Combination Electrode, reference double junction ,Ag/AgCl Refillable , 10x102 mm, BNC connector, 1m cable length .Ideal for Tris buffers, clinical, and biological media containing proteins, creams, fats,Rugged use; ruggedized electrode tip, Aqueous media, Reference contamination problems which require a double junction reference, such as media containing sulfides, bromides, iodides,and cyanides.  T Rugged use; ruggedized electrode tip. Aqueous media in general	58500.00
EC620130	Glass body, refillable, open pore ,reference double junction ,Ag/AgCl Refillable,12x160 mm, BNC connector, 1m cable length(10ml electrolyte 620-430 included).Ideal for Tris buffers,	31500.00



	clinical, and biological media containing proteins, creams, fats,Reference contamination problems which require a double junction reference, such as media containing sulfides, bromides, iodides,and cyanides , Aqueous media in general,Low ionic strength solutions, such as high purity water	
EC620131	Glass-body pH Combination Electrode, reference double junction ,Ag/AgCl Sealed , 12x120 mm, BNC connector, 1m cable length .Ideal for Tris buffers, clinical, and biological media containing proteins, creams, fats,Reference contamination problems which require a double junction reference, such as media containing sulfides, bromides, iodides,and cyanides , Aqueous media in general,High viscosity solutions such as emulsions, suspensions, paints and varnishes where frequent cleaning of the reference is necessary	22500.00
EC620132	Plastic-body pH Combination Electrode, reference double junction ,Ag/AgCl Sealed , 12x105 mm, BNC connector, 1m cable length .Ideal for Tris buffers, clinical, and biological media containing proteins, creams, fats,Reference contamination problems which require a double junction reference, such as media containing sulfides, bromides, iodides,and cyanides , Aqueous media in general,Low ionic strength solutions, such as high purity water	21600.00
EC620133	Glass body pH combination, polymer, spear tip, double pore Electrode, reference double junction ,Ag/AgCl Sealed , 6 x 80 mm, BNC connector, 1m cable length .Ideal for Solid or semi-solid samples such as cheese, meats, fruits, bread, or other similar sample ,Tris buffers, clinical, and biological media containing proteins, creams, fats,Reference contamination problems which require a double junction reference, such as media containing sulfides, bromides, iodides,and cyanides , Aqueous media in general	33300.00
ECFC7252101B	General Purpose Plastic-body Single Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable length	6750.00
ECFC7252201B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12X90mm, BNC connector, 1m cable length	9900.00
ECFC72521R01B	General Purpose Plastic-body Single Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	11700.00
ECFC72522R01B	General Purpose Plastic-body Double Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	14400.00
<b>"3-in-1" pH/Temp Electrodes</b>		
ECFC7352901B	General Purpose Plastic-body "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC connector, 1m cable length (for pH 5/6, Ion 6, pH 11/110, pH 510 & pH 1100/2100)	11700.00
ECFC7352901W	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 6 pin connector, 1m cable length ( for pH 310, 300, PC300 & PC510)	15300.00
<b>ORP Electrodes</b>		
ECFG7960101B	General Purpose Glass-body Single Junction Refillable ORP Electrode, 12x110mm, BNC connector, 1m cable length	23400.00
ECFC7960101B	General Purpose Plastic-body Single Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable length	22500.00
ECFC7960201B	General Purpose Plastic-body Double Junction Gel-Filled ORP	24300.00

Electrode, 12x90mm, BNC connector, 1m cable length

**Ion Selective Electrodes**  
**Epoxy body, Flush Reference Combined & Epoxy sealed**

Ammonia (NH <sub>3</sub> ) Ion Electrode	Ammonia Gas Sensor	ON APPLICATION
Ammonium (NH <sub>4</sub> <sup>+</sup> ) Ion Electrode	Ammonium Combination	ON APPLICATION
Bromide (Br <sup>-</sup> ) Ion Electrode	Bromide Combination	ON APPLICATION
Cadmium (Cd <sup>+2</sup> ) Ion Electrode	Cadmium Combination	ON APPLICATION
Calcium (Ca <sup>+2</sup> ) Ion Electrode	Calcium Combination	ON APPLICATION
Carbon Dioxide (CO <sub>2</sub> ) Ion Electrode	Carbon Dioxide Gas Sensor	ON APPLICATION
Chloride (Cl <sup>-</sup> ) Ion Electrode	Chloride Combination	ON APPLICATION
Copper (Cu <sup>+2</sup> ) Ion Electrode	Copper Combination	ON APPLICATION
Cyanide (CN <sup>-</sup> ) Ion Electrode	Cyanide Combination	ON APPLICATION
Fluoride (F <sup>-</sup> ) Ion Electrode	Fluoride Combination	ON APPLICATION
Fluoroborate (BF <sub>4</sub> <sup>-</sup> ) Ion Electrode	Fluoroborate Combination	ON APPLICATION
Iodide (I <sup>-</sup> ) Ion Electrode	Iodide Combination	ON APPLICATION
Lead (Pb <sup>+2</sup> ) Ion Electrode	Lead Combination	ON APPLICATION
Nitrate (NO <sub>3</sub> <sup>-</sup> ) Ion Electrode	Nitrate Combination	ON APPLICATION
Perchlorate (ClO <sub>4</sub> <sup>-</sup> ) Ion Electrode	Perchlorate Combination	ON APPLICATION
Potassium (K <sup>+</sup> ) Ion Electrode	Potassium Combination	ON APPLICATION
Silver (Ag <sup>+</sup> ) Ion Electrode	Silver Combination	ON APPLICATION
Sodium (Na <sup>+</sup> ) Ion Electrode	Sodium Combination	ON APPLICATION
Sulfide (S <sup>-2</sup> ) Ion Electrode	Sulfide Combination	ON APPLICATION

Surfactant (X <sup>+</sup> /X <sup>-</sup> ) Ion Electrode	Surfactant Combination	ON APPLICATION
Water Hardness (Ca <sup>+2</sup> /Mg <sup>+2</sup> ) Ion Electrode	Water Hardness Combination	ON APPLICATION
Note: All ISEs come with 1-meter cable length and BNC type connector		

### Calibration Standards And ISA For Ion Selective Electrodes (Indigenous, Brand Antech )

#### Ammonia Ion Electrode Solutions

AM-CAL1S	Standard 0.1M (500 ml)	6300.00
AM-CAL2S	Standard 1000 ppm (500 ml)	6300.00
AM-CAL3S	Standard 100 ppm (500 ml)	6930.00
AM-ISA1S	Ionic Strength Adjuster (500 ml)	6930.00

#### Ammonium Ion Electrode Solutions

AMM-CAL1S	Standard 0.1M (500 ml)	6300.00
AMM-CAL2S	Standard 1000 ppm (500 ml)	6300.00
AMM-CAL3S	Standard 100 ppm(500 ml)	6930.00
AMM-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00

#### Bromide Ion Electrode Solutions

BR-CAL1S	Standard 0.1M (500 ml)	6300.00
BR-CAL2S	Standard 1000 ppm (500 ml)	6300.00
BR-ISA1S	Ionic Strength Adjuster (500 ml)	6930.00

#### Cadmium Ion Electrode Solutions

CD-CAL1S	Standard 0.1M (500 ml)	6300.00
CD-CAL2S	Standard 1000 ppm (500 ml)	6300.00
CD-ISA1S	Ionic Strength Adjuster (500 ml)	6930.00

#### Calcium Ion Electrode Solutions

CA-CAL1S	Standard 0.1M (500 ml)	6300.00
CA-CAL2S	Standard 1000 ppm (500 ml)	6300.00
CA-CAL3S	Standard100 ppm (500 ml)	6930.00
CA-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00

#### Carbon Dioxide Ion Electrode Solutions

CO-CAL1S	Standard 0.1M (500 ml)	6300.00
CO-CAL2S	Standard 1000 ppm (500 ml)	6300.00
CO-CAL3S	Standard 100 ppm(500 ml)	6930.00
CO-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00

#### Chloride Ion Electrode Solutions

CL-CAL1S	Standard 0.1M (500 ml)	6300.00
----------	------------------------	---------

CL-CAL2S	Standard 1000 ppm (500 ml)	6300.00
CL-CAL3S	Standard 100 ppm (500 ml)	6930.00
CL-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00
<b>Copper Ion Electrode Solutions</b>		
CU-CAL1S	Standard 0.1M (500 ml)	6300.00
CU-CAL2S	Standard 1000 ppm (500 ml)	6300.00
CU-ISA1S	Ionic Strength Adjuster (500 ml)	6930.00
<b>Fluoride Ion Electrode Solutions</b>		
FL-CAL1S	Standard 0.1M (500 ml)	6300.00
FL-CAL2S	Standard 1000 ppm (500 ml)	6300.00
FL-CAL3S	Standard 100 ppm(500 ml)	6930.00
FL-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00
FL-ISA2S	Ionic Strength Adjuster(500 ml) (Low Concentration)	6930.00
<b>Fluoroborate Ion Electrode Solutions</b>		
FB-CAL2S	Standard 1000 ppm (500 ml)	10800.00
FB-CAL3S	Standard 100 ppm(500 ml)	10800.00
FB-ISA1S	Ionic Strength Adjuster(500 ml)	12600.00
<b>Lead Ion Electrode Solutions</b>		
PB-CAL1S	Standard 0.1M (500 ml)	12600.00
PB-CAL2S	Standard 1000 ppm (500 ml)	10800.00
PB-ISA1S	Ionic Strength Adjuster (500 ml)	12600.00
<b>Nitrate Ion Electrode Solutions</b>		
NT-CAL1S	Standard 0.1M (500 ml)	6750.00
NT-CAL2S	Standard 1000 ppm (500 ml)	6750.00
NT-CAL3S	Standard 100 ppm(500 ml)	6930.00
NT-ISA1S	Ionic Strength Adjuster (500 ml)	6930.00
<b>Perchlorate Ion Electrode Solutions</b>		
PC-CAL2S	Standard 1000 ppm (500 ml)	10800.00
PC-ISA1S	Ionic Strength Adjuster (500 ml)	12600.00
<b>Potassium Ion Electrode Solutions</b>		
KO-CAL1S	Standard 0.1M (500 ml)	6300.00
KO-CAL2S	Standard 1000 ppm (500 ml)	6930.00
KO-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00
<b>Silver / Sulfide Ion Electrode Solutions</b>		
SS-CAL1S	Standard 0.1M (500 ml)	12600.00
SS-CAL2S	Standard 1000 ppm (500 ml)	10800.00
SS-ISA1S	Ionic Strength Adjuster(500 ml)	10800.00
<b>Surfactant Ion Electrode Solutions</b>		

SF-CAL2S	Standard 1000 ppm (500 ml)	10800.00
SF-ISA1S	Ionic Strength Adjuster(500 ml)	12600.00
<b>Sodium Ion Electrode Solutions</b>		
NA-CAL1S	Standard 0.1M (500 ml)	6750.00
NA-CAL2S	Standard 1000 ppm (500 ml)	6750.00
NA-CAL3S	Standard 100 ppm(500 ml)	6930.00
NA-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00
<b>Iodide Ion Electrode Solutions</b>		
IO-CAL1S	Standard 0.1M (500 ml)	6750.00
IO-CAL2S	Standard 1000 ppm (500 ml)	6750.00
IO-CAL3S	Standard 100 ppm(500 ml)	6930.00
IO-ISA1S	Ionic Strength Adjuster(500 ml)	6930.00
<b>Water Hardness Ion Electrode Solutions</b>		
WH-CAL2S	Standard 1000 ppm (500 ml)	12600.00
WH-CAL3S	Standard 100 ppm (500 ml)	12600.00
WH-ISA1S	Ionic Strength Adjuster(500 ml)	12600.00

**Note: Calibration standards of specific strength can be provided on request**

<b>Waterproof Conductivity / TDS / Salinity Pocket Testers</b>		
ECOECTESTLOW	Waterproof EcoTestr EC Low Tester with ATC, 1 point Calibration	6930.00
ECOECTESTHIGH	Waterproof EcoTestr EC High Tester with ATC; 1 point Calibration	6930.00
ECTEST11	Waterproof ECTestr11 Dual Range Tester with ATC & temperature display (0 - 2000 $\mu$ S/cm; 0 -20.00 mS/cm)	10890.00
ECTEST11PLS	Waterproof ECTestr11+ Multi Range Tester with ATC & temperature display (0 - 200.0 $\mu$ S/cm; 0 - 2000 $\mu$ S/cm; 0 - 20.00 mS/cm)	17100.00
ECOTDSTESTLOW	Waterproof EcoTestr TDS Low Tester with ATC, 1 point Calibration	6930.00
ECOTDSTESTHIGH	Waterproof EcoTestr TDS High Tester with ATC; 1 point Calibration	6930.00
TDSTEST11	Waterproof TDSTestr11 Dual Range Tester with ATC & temperature display (0 - 1000 ppm; 0 -10.00 ppt)	10890.00
TDSTEST11PLS	Waterproof TDSTestr11+ Multi Range Tester with ATC & temperature display (0 - 100.0 ppm; 0 -1000 ppm; 0 - 10.00 ppt)	17100.00
SALTTEST11	Waterproof SaltTestr11 Tester with ATC & temperature display (0 - 10.00 ppt)	17100.00



Accessories		
ECTDSENSORPLUS	Replacement Sensor for ECTestr10+,TDSTestr10+ Series & ECTestr11+, TDSTestr11+ , Cup type	4680.00
ECTDSENSOR	Replacement Sensor for ECTestr, ECTestr10, TDSTestr, TDSTestr10 Series, ECTestr11, TDSTestr11 & all SaltTestr Series, 2-pin type	4680.00

Economy Conductivity / TDS / Salinity Handheld Meters		
ECCON603PLUSK	COND 6+ Conductivity Meter with electrode CONSEN91B & Conductivity carrying kit set	39600.00
ECTDS603PLUSK	TDS 6+ TDS Meter with electrode CONSEN91B & TDS carrying kit set	39600.00
ECSALT603PLUSK	Salt 6+ Salinity Meter with electrode CONSEN91B & Salinity carrying kit set	39600.00

Waterproof Conductivity / TDS / Salinity Handheld Meters		
ECCONWP15003K	CON 150 Meter Kit: Meter, conductivity cell CONSEN91W (K = 1.0),Grip-Clip™, two AA batteries, hard carry case, calibration solutions	49500.00
ECCONWP45003K	CON 450 Meter Kit: Meter, conductivity cell ,CONSEN91W (K = 1.0), Grip-Clip™, two AA batteries, hard carry case, USB cable, calibration solutions	75600.00



Waterproof Conductivity / TDS / Salinity /Resistivity Handheld Meters		
ECCONWP61043K	Waterproof CyberScan CON 610 Conductivity/TDS/ Resistivity/Salinity Meter with 3m cable 4-cell electrode CONSEN9203J K=0.530, DAS software, power adapter & Conductivity/TDS carrying kit set	ON APPLICATION
ECCONWP60043K	Waterproof CyberScan CON 600 Conductivity/TDS Meter with 3m cable 4-cell electrode CONSEN9203J K=0.530, DAS software, power adapter & Conductivity/TDS carrying kit set	ON APPLICATION

Accessories		
CONSEN91B	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, BNC connector, 1m cable length (for CON 6+, TDS 6+, SALT 6+)	27000.00
CONSEN91W	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, PC 300, CON 510 & PC 510 ,CON 150, CON 450, PC 450)	27000.00
CONSEN9203J	4 Cell Bulls-Eye Epoxy-body Electrode with ATC, K=0.530 12x120 mm, 8-pin connector, 3m cable length (for COND600, COND610, PC650, PCD650)	51300.00
01X030132	Universal SMPS,100 /240VAC,9V,6W, CENTRE +ve Power Adapter with US/UK/EUR/Japan plug (for Cyberscan 600 series )	13500.00
60X030130	100 /240VAC SMPS Power Adapter with US/UK/EUR/Japan plug ,9V,6W, CENTRE +ve ( for Cyberscan 11 / 110 / 1100 / 2100 series )	4950.00
60X426401	100 /240VAC SMPS Power Adapter , 9V,6W (150, 450 and 2700 series)	9000.00



01X447602	USB / IrDA Interface Adapter (for 600 Series Meter to PC Communication)	27000.00
CONSEN72W	2 stainless steel rings glass- body electrode with ATC, cell constant K=0.1, 16x110 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, PC 300, CON 510))	41400.00
CONSEN92W	2-Cell Conductivity/ATC Electrode, 10.0 cell constant, Platinum Sensor, Epoxy-Body (150 / 450 series)	27000.00
CONSEN73W	2 Platinum Rings Epoxy-body Electrode with ATC, cell constant K=10.0, 16x110 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, CON 510)	51300.00
CONSEN9103J	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 8-pin connector, 3m cable length (for COND600, COND610, PC650, PCD650)	29700.00
ECCONSEN93J	2 Cell Electrode with ATC, cell constant K=0.1 , 16x110 mm, 8-pin connector, 1m cable length (for CON600, COND610, PC650, PCD650)	51300.00

### Conductivity / TDS / Salinity / Resistivity Bench Meters



ECCON70043S	Eutech CON 700 Meter With Conductivity/ATC Probe CONSEN9501D ,K=1.0 , Integral Electrode Holder & 100/240 VAC Adapter	65700.00
ECCON270043S	Eutech CON 2700 Meter With 4-Cell Conductivity Probe CONSEN9201D K=0.530, Integral Electrode Holder & 100/240 VAC Adapter, RS232 cable	ON APPLICATION

### Accessories



CONSEN91W	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, PC 300, CON 510 & PC 510 ,CON 150, CON 450, PC 450)	27000.00
CONSEN72W	2 stainless steel rings glass- body electrode with ATC, cell constant K=0.1, 16x110 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, PC 300, CON 510)	41400.00
CONSEN73W	2 Platinum Plates Epoxy-body Electrode with ATC, cell constant K=10.0, 16x110 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, PC 300, CON 510 )	51300.00
93X546101	2-Cell Conductivity/ATC Electrode, 0.1 cell constant, SS Sensor, Epoxy-Body (700 & 2700 series)	34200.00
CONSEN9201D	4-Cell Conductivity/ATC Electrode K=0.530, Graphite Sensor, Epoxy-Body (2700 series)	54000.00
CONSEN9501D	2-Cell Conductivity/ATC Electrode K=1.0, stainless steel sensor, Ultem-body (700 or 2700 series)	27000.00

### Economy Dissolved Oxygen Handheld Meter

ECDO602PLUSK	Galvanic Dissolved Oxygen Meter with 3m cable electrode , 2 assembled membrane cap housing, 1 refilling electrolyte (10ml) & carrying kit set	75600.00
--------------	---	----------

### Waterproof Dissolved Oxygen Handheld Meters : RDO technology



ECDOWP45003K	DO 450 meter Kit, RDO electrode with sensor cap RDO3M, two AA batteries, hard carry case, USB cable, RDO stainless steel weight/guard, RDO calibration chamber	ON APPLICATION
--------------	--	----------------



### Waterproof Dissolved Oxygen Handheld Meters

ECDOWP60041K	Waterproof CyberScan DO 600 Dissolved Oxygen Meter with 10 ft cable electrode ECDOHANDYNEW, DAS software, power adapter & carrying kit set	ON APPLICATION
--------------	--	----------------

### Accessories

ECDO6HANDY3M	Galvanic Dissolved Oxygen Electrode with ATC, 3m cable length (for DO 6)	52800.00
ECDO6HANDY	Galvanic Dissolved Oxygen Electrode with ATC, 1m cable length (for DO 6)	51300.00
ECDOHANDYNEW	Galvanic Dissolved Oxygen Electrode with ATC, 10 ft cable length , 1 assembled membrane cap housing, 1 refilling electrolyte (60ml) and 1 scouring pad (for DO110, DO 300, PD 300, DO600, PD650, CD650, PCD650)	69300.00

### Accessories

01X211226	DO Refilling Electrolyte (60 ml) (for DO 6, DO100, DO110, DO 300, PD 300, DO 600, CD 650, PD 650 & PCD 650)	9000.00
01X241608	Assembled Membrane Cap Housing for ECDO6HANDY & ECDO6HANDY3M (1 unit) (for DO 6)	10800.00
01X623901	Assembled Membrane Cap Housing (for DO100, DO110, DO 300 & PD 300)	18000.00
01X241603	Membranes & O-rings (Pack of 5 units) (for DO100, DO110, DO 300 & PD 300)	18000.00
15X241502	Tool for ECDOHANDYNEW membrane housing	18000.00
ECDOZEROSOLN	Zero Oxygen Solution, 0 % DO, 480 ml	9000.00
60X030130	100 /240VAC SMPS Power Adapter with US/UK/EUR/Japan plug ,9V,6W, CENTRE +ve ( for Cyberscan 11 / 110 / 1100 / 2100 series )	4950.00
01X030132	Universal SMPS,100 /240VAC,9V,6W, CENTRE +ve Power Adapter with US/UK/EUR/Japan plug ( for Cyberscan 600 series )	13500.00
60X426401	100 /240VAC SMPS Power Adapter , 9V,6W (150, 450 and 2700 series)	9000.00
01X447602	USB / IrDA Interface Adapter (for 600 Series Meter to PC Communication)	27000.00
RDOCAP	Replacement RDO cap	18000.00
RDO3M	RDO probe 3 M / 10 ft	ON APPLICATION
RDO6M	RDO probe 6 M / 20 ft	ON APPLICATION
RDO15M	RDO probe 15 M / 50 ft	ON APPLICATION



RDOCALCHAMBER	RDO Calibration Chamber	ON APPLICATION
RDOWEIGHT	RDO Weight	ON APPLICATION

#### Dissolved Oxygen Bench Meters

ECDO70042S	Eutech DO 700 Meter With Dissolved Oxygen/ATC Probe (01X233913), Integral Electrode Holder & 100/240 VAC Adapter	ON APPLICATION
ECDO270042	DO 2700 Meter With Self-Stirring Dissolved Oxygen / BOD Electrode (EC620SSP), RS232C Cable & 100/240 VAC Adapter, RS232 cable	ON APPLICATION

#### Accessories

EC620SSP	DO/BOD electrode with self-stirring mechanism, 1m cable length	ON APPLICATION
ECDOZEROSOLN	Zero Oxygen Solution, 0 % DO, 480 ml	9000.00

#### Waterproof Multi-Parameter Pocket Testers

EXPERTCTS	Waterproof Expert CTS Conductivity/TDS/salinity pocket tester with ATC and temperature display (0.00-20.00mS/cm; 0.00 -20.00 ppt; 0.0 -10.0 ppt)	9900.00
PCTEST35	Waterproof PCTestr 35 pH/Conductivity/Temp Tester with ATC; ( $\pm 0.1$ pH resolution; 0 - 2000 $\mu$ S/cm; 0 - 20.00 mS/cm)	18900.00
PTTEST35	Waterproof PTTestr 35 pH/TDS/Temp Tester with ATC; ( $\pm 0.1$ pH resolution; 0 - 1000 ppm; 0 - 10.00 ppt)	18900.00
PCSTEST35	Waterproof PCSTestr 35 pH/Conductivity/TDS/Salinity/Temp Tester with ATC; ( $\pm 0.01$ pH resolution; 0 - 200.0 $\mu$ S/cm; 0 - 2000 $\mu$ S/cm; 0 - 20.00 mS/cm; 0 - 100.0 ppm; 0 - 1000 ppm; 0 - 10.00 ppt; 0 - 100.0 ppm; 0 - 1000 ppm; 0 - 10.00 ppt; 0 - 1.00%)	24300.00
PCSTEST35K	Waterproof PCSTestr 35 pH/Conductivity/TDS/Salinity/Temp Tester carrying kit with 1 x pH 4.01 , pH 7.00, 1413 $\mu$ S standard solutions and 1 x deionized rinse water (60 mL each)	28800.00



#### Accessories

PCSENSOR	Replacement pH/Conductivity/Temp Sensor for PCTestr 35, PTTestr 35, PCSTestr 35	9450.00
----------	---	---------

#### Waterproof Multi-Parameter Handheld Meters Handheld Meters

ECPCWP45004K	PC 450 Meter with separate pH & cond probes Kit with double-junction pH electrode ECFC7252201B, conductivity cell CONSEN91W (K = 1.0) , Grip-Clip™, two AA batteries, hard carry case, USB cable and calibration solutions	ON APPLICATION
ECPDWP45004K	PD 450 Meter Kit: Meter, pH electrode ECDA9350603B, RDO electrode with sensor cap RDO3M, two AA batteries, hard carry	ON APPLICATION

case, USB cable, RDO stainless steel weight/guard, RDO calibration chamber, calibration solutions



### Waterproof Multi-Parameter Handheld Meters

ECPCWP65043K	Waterproof CyberScan PC 650 pH/ mV/ Ion/ Conductivity/ TDS/ Resistivity/ Salinity Meter with double junction pH electrode ECFC7252203B, 4-cell Conductivity probe CONSEN9203J, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).	ON APPLICATION
--------------	--	----------------

Note: PC 650 pH/Conductivity Carrying Kit consists of a carrying case with 1 x pH 4.01, pH 7.00 buffer solutions, 1 x 12.88 mS KCl standard solution and 1 x deionised (rinse) water (60 ml each)

ECCDWP65043K	Waterproof CyberScan CD 650 Conductivity/ TDS/ Resistivity/ Salinity/ Dissolved Oxygen Meter with 4-cell Conductivity probe CONSEN9203J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable)	ON APPLICATION
--------------	--	----------------

Note: CD 650 Conductivity/DO Carrying Kit consists of a carrying case with 1 x 1413 uS, 12.88 mS KCl, 3000 ppm standard solutions and 1 x deionised (rinse) water (60 ml each)

ECPDWP65043K	Waterproof CyberScan PD 650 pH/ mV/ Ion/ Dissolved Oxygen Meter with double junction pH electrode ECFC7252203B, ATC probe ECPHWPTM03J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).	ON APPLICATION
--------------	---	----------------

Note: PD 650 pH/DO Carrying Kit consists of a carrying case with 1 x pH 4.01, pH 7.00 buffer solutions, 1 x Storage solution and 1 x deionised (rinse) water (60 ml each)

ECPCDWP65044K	Waterproof CyberScan PCD 650 pH/ mV/ Ion/ Conductivity/ TDS/ Resistivity/ Salinity/ Dissolved Oxygen Meter with double junction pH electrode ECFC7252203B, 4-cell Conductivity probe CONSEN9203J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).	ON APPLICATION
---------------	--	----------------

Note: PCD 650 pH/Conductivity/DO Carrying Kit consists of a carrying case with 1 x pH 4.01, pH 7.00 buffer solutions, 1 x 12.88 mS KCl standard solution and 1 x deionised (rinse) water (60 ml each)



### Accessories

ECFC7252201B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12X90mm, BNC connector, 1m cable length	9900.00
CONSEN91W	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, PC 300, CON 510 & PC 510 ,CON 150, CON 450, PC 450)	27000.00
CONSEN92W	2-Cell Conductivity/ATC Electrode, 10.0 cell constant, Platinum Sensor, Epoxy-Body (150 / 450 series)	27000.00
ECDOHANDYNEW	Galvanic Dissolved Oxygen Electrode with ATC, 3 m cable length , 1 assembled membrane cap housing, 1 refilling electrolyte (60ml) and 1 scouring pad (for DO110, DO 300, PD 300, DO600, PD650, CD650, PCD650)	69300.00
ECPHWPTM03J	ATC Probe ( for pH 620, 610, 600, PC650, PD650, PCD650 only); 3m cable length	12600.00
ECFC7252203B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 3m cable length	17100.00
CONSEN9203J	4 Cell Bulls-Eye Epoxy-body Electrode with ATC, 12x120 mm,	51300.00

	8-pin connector, 3m cable length (for COND600, COND610, PC650, PCD650)	
60X426401	100 /240VAC SMPS Power Adapter , 9V,6W (150, 450 and 2700 series)	9000.00
01X623901	Assembled Membrane Cap Housing (for DO100, DO110, DO 300 & PD 300)	18000.00
01X211226	DO Refilling Electrolyte (60 ml) (for DO 6, DO100, DO110, DO 300, PD 300, DO 600, CD 650, PD 650 & PCD 650)	9000.00
01X241603	Membranes & O-rings (Pack of 5 units) (for DO100, DO110, DO 300 & PD 300)	18000.00
01X030132	Universal SMPS,100 /240VAC,9V,6W, CENTRE +ve Power Adapter with US/UK/EUR/Japan plug ( for Cyberscan 600 series )	13500.00
01X447602	USB / IrDA Interface Adapter (for 600 Series Meter to PC Communication)	27000.00
PHWPTEM01W	ATC Probe ATC Probe (for pH 310, pH 300, PC300 ,PC510, PH 150, CON 150, PH 450, CON 450, PC 450) 1m cable length	12600.00
ECPHWPTEM01J	ATC Probe ( for pH 620, 610, 600, PC650, PD650, PCD650 only); 1m cable length	12600.00
ECFC72522R01B	General Purpose Plastic-body Double Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	14400.00
ECFC7352901W	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 6 pin connector, 1m cable length ( for pH 310, 300, PC300 & PC510)	15300.00
ECFC7352901J	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 8 pin connector, 1m cable length ( for pH 620, 610, 600, PC650, PD650, PCD650 only)	15300.00
CONSEN9103J	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 8-pin connector, 3m cable length (for COND600, COND610, PC650, PCD650)	29700.00
ECCONSEN93J	2 Cell Electrode with ATC, cell constant K=0.1 , 16x110 mm, 8-pin connector, 1m cable length (for CON600, COND610, PC650, PCD650)	51300.00

### Multi-Parameter Bench Meters

ECPC70043S	PC 700 Meter With pH Electrode (ECFC7252101B), Conductivity/ATC Probe (CONSEN9501D), Integral Electrode Holder & 100/240 VAC Adapter	90000.00
ECPC270043S	PC 2700 Meter With pH Electrode (ECFG7370101B), 4-Cell Conductivity/ATC Electrode, Graphite Sensor, Epoxy-Body(CONSEN9201D), Integral Electrode Holder & 100/240 VAC Adapter, RS232 cable, & pH Electrode Refill Solution	ON APPLICATION

### Accessories

EC620130	Glass body, refillable, open pore (10ml electrolyte 620-430 included)	31500.00
ECFC7252201B	General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable length	9900.00
CONSEN91W	2 Stainless Steel Rings Ultem-body Electrode with ATC, cell constant K=1.0, 16x144 mm, 6-pin connector, 1m cable length (for CON 110 , CON 11, CON 410 , CON 400, PC 300, CON 510 &	27000.00



	PC 510 ,CON 150, CON 450, PC 450)	
PHWPTEM01W	ATC Probe ATC Probe (for pH 310, pH 300, PC300 ,PC510, PH 150, CON 150, PH 450, CON 450, PC 450) 1m cable length	12600.00
ECFC7352901W	General Purpose Plastic-body Gel-Filled "3-in-1" pH/Temp. Combination Electrode, 12x90mm, BNC and 6 pin connector, 1m cable length ( for pH 310, 300, PC300 & PC510)	15300.00
ECFC72522R01B	General Purpose Plastic-body Double Junction Refillable pH Combination Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	14400.00
ECFG7350401B	General Purpose Glass-body Single Junction Refillable pH Combination Electrode, annular ceramic reference junction with protective sensor guard, 12x110mm, BNC connector, 1m cable length & 10ml refilling electrolyte	9990.00
ECFC7960201B	General Purpose Plastic-body Double Junction Gel-Filled ORP Electrode, 12x90mm, BNC connector, 1m cable length	24300.00
ECFC79602R01B	General Purpose Plastic-body Double Junction Refillable ORP Electrode, 12x90mm, BNC connector, 1m cable length & 10ml refilling electrolyte	27000.00
CONSEN9201D	4-Cell Conductivity/ATC Electrode K=0.530, Graphite Sensor, Epoxy-Body (2700 series)	54000.00
CONSEN9501D	2-Cell Conductivity/ATC Electrode K=1.0, stainless steel sensor, Ultem-body (700 or 2700 series)	27000.00
93X546101	Electrode, Conductivity, K=0.1, Platinum, 12mm x 110mm, 30K Thermistor, 8 pin din ( CON 700 / PC 700 / CON 2700 / PC 2700)	34200.00



#### Waterproof Turbidity Portable Meter

ECTN100IR	Waterproof TN-100 handheld turbidity meter with set of 4 calibration standards (800, 100, 20.0 & 0.02 NTU), sample vials, lint-free cloth, silicone oil, batteries, and hard carrying case	76500.00
-----------	--	----------

#### Accessories

TN100CALKIT	Calibration Kit Set for TN100IR (0.02, 20.0, 100, 800 NTU) , 4 x 60 ml	31500.00
ECTN100CUVKIT	Pack of 3 Sample Cuvettes (TN100IR )	9900.00
ECSILICONEOIL	Silicone Oil (10 ml) for TN100IR	3150.00
01X344318	10.0 NTU Calibration Standard (125 mL)	22500.00

#### Thermo Scientific Temperature Hand-Held Meters

##### Thermo Scientific Temp 300 Series Dual-Input Thermocouple Data logging Thermometers

TSTEMP300	Thermo Scientific Temp 300 dual-input thermocouple data logger with rubber armour/stand (Probe Not Included)	ON APPLICATION
-----------	--	----------------

##### Thermo Scientific Temp 10 Series Single-Input J , K, T Type Thermocouple Thermometer

TSTEMP10J	Thermo Scientific Temp 10 Type J Thermocouple Thermometer with Rubber Armour/Stand (Probe Not Included)	ON APPLICATION
TSTEMP10K	Thermo Scientific Temp 10 Type K Thermocouple Thermometer with Rubber Armour/Stand (Probe Not Included)	ON APPLICATION
TSTEMP10T	Thermo Scientific Temp 10 Type T Thermocouple Thermometer with Rubber Armour/Stand (Probe Not Included)	ON APPLICATION



**Thermo Scientific Temp 360 Precision RTD Data logging Thermometer**

TSTEMP360	Thermo Scientific RTD Data logger with rubber armour/stand (probe not included)	ON APPLICATION
-----------	---	----------------

**Thermo Scientific Temp16 Single-Input Precision RTD Thermometer**

TSTEMP16	Thermo Scientific Thermistor Thermometer with Rubber Armour / Stand (Probe Not Included)	ON APPLICATION
----------	--	----------------

**Thermo Scientific Temp14 Single-Input Precision RTD Thermometer**

TSTEMP14	Thermo Scientific Temp 14 Thermistor Thermometer (Probe Not Included)	ON APPLICATION
----------	---	----------------

**Accessories**

60X030134	100/240 VAC,9V,6W,CNT-VE, Power Adapter for 300 series	ON APPLICATION
30X379302	USB Cable for 300 series	ON APPLICATION

**Thermocouple Type J,K Or T Type Probes To Be Sourced Separately****RTD Pt 100 Probes To Be Sourced Separately****Specialty Meters**

ECPHSIMULATOR	Precision Hi-Low Impedance & Multiple Buffers pH Simulator (with BNC-BNC cable provided)	ON APPLICATION
---------------	--	----------------

**pH/ORP Calibration Standards****pH Buffer Solutions (480 ml Per Bottle)**

ECBU1BT	pH 1.68 Buffer Solution	2196.00
ECBU4BTC	pH 4.01 Buffer Solution (Colored)	2196.00
ECBU4BT	pH 4.01 Buffer Solution (Colorless)	2196.00
ECBU686BT	pH 6.86 Buffer Solution	2196.00
ECBU7BTC	pH 7.00 Buffer Solution (Colored)	2196.00
ECBU7BT	pH 7.00 Buffer Solution (Colorless)	2196.00
ECBU9BT	pH 9.00 Buffer Solution	2196.00
ECBU918BT	pH 9.18 Buffer Solution	2196.00
ECBU10BTC	pH 10.01 Buffer Solution (Colored)	2196.00
ECBU10BT	pH 10.01 Buffer Solution (Colorless)	2196.00
ECBU12BT	pH 12.45 Buffer Solution	2196.00

**pH Buffer Solutions (1 ltr Per Bottle)**

ECBU4BTC1LIT	pH 4.01 Buffer Solution (Red)	3780.00
ECBU7BTC1LIT	pH 7.00 Buffer Solution (Yellow)	3780.00
ECBU10BTC1LIT	pH 10.01 Buffer Solution (Blue)	3780.00

<b>pH Buffer Sachets (20 x 20 ml Per Box)</b>		
ECBU4BS	pH 4.01 Buffer Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECBU7BS	pH 7.00 Buffer Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECBU10BS	pH 10.01 Buffer Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECRINWT	pH Deionized Water Rinse Sachets (NIST Traceable ,20 x 20 ml Per Box)	10800.00
<b>ORP Solutions (480 ml Per Bottle)</b>		
ECORPPRE	Pre-treatment Solution (475 mV)	4500.00
ECORPQUIN	Quinhydrone 263 (263 mV, ±15mV to ±30mV @ 25°C)	4500.00
ECORPQUIN086	Quinhydrone 86 (86 mV)	4500.00
<b>Other Solutions (480 ml Per Bottle)</b>		
ECRE001	Saturated Potassium Chloride with Silver Chloride for Single Junction pH Electrodes	16200.00
ECRE002	Saturated Potassium Chloride for Double Junction pH Electrodes	17100.00
ECRE005	480 mL Storage Solution for pH electrodes	8100.00
ECDPCBT	480 mL Protein Cleaning Solution for pH electrode	8100.00
EC636430	Skylite refilling reference electrolyte for EC620130 pH electrode , 60ml	15300.00
<b>Conductivity/TDS Calibration Standards</b>		
<b>Conductivity Standard Solutions (480 ml Per Bottle)</b>		
ECCON84BT	84 µS/cm KCl Calibration Solution	2430.00
ECCON100BT	100 µS/cm KCl Calibration Solution	2430.00
ECCON500BT	500 µS/cm KCl Calibration Solution	2430.00
ECCON1413BT	1413 µS/cm KCl Calibration Solution	2430.00
ECCON2764BT	2764 µS/cm KCl Calibration Solution	2430.00
ECCON1288BT	12.88 mS/cm KCl Calibration Solution	2430.00
ECCON1118BT	111.8 mS/cm KCl Calibration Solution	2430.00
ECCON5000BT	5.0 mS/cm KCl Calibration Solution	2430.00
<b>Conductivity/Salinity Sachets (20 x 20 ml Per Box)</b>		
ECCON10BS	10 µS/cm KCl Conductivity Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECCON447BS	447 µS/cm KCl Conductivity Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECCON1413BS	1413 µS/cm KCl Conductivity Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECCON2764BS	2764 µS/cm KCl Conductivity Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECCON15000BS	15000 uS/cm KCl Conductivity Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
ECCON3000BS	3000 ppm KCL Salinity Calibration Sachets (NIST Traceable ,20 x 20 ml Per Box)	11700.00
<b>TDS 442 Standard Solutions (480 ml Per Bottle)</b>		
EC44250BT	50 ppm 442 Calibration Solution	2430.00

EC442300BT	300 ppm 442 Calibration Solution	2430.00
EC4421000BT	1000 ppm 442 Calibration Solution	2430.00
EC4423000BT	3000 ppm 442 Calibration Solution	2430.00
ECNACL5PPT	5 ppt Nacl Calibration Solution	2880.00
ECNACL25PPT	25 ppt Nacl Calibration Solution	2880.00
ECNACL45PPT	45 ppt Nacl Calibration Solution	2880.00




---

Order Code	Description	Price (INR)
<b>pH/ORP Controller</b>		
<b>Wall/Panel-mounted ¼ DIN Alpha pH 560 Controller*</b>		
TSPHCP0560	Alpha PH560 pH/ORP Controller with 2 relay outputs	ON APPLICATION
*Note: Operating voltage is 9 VDC and 12 to 24 VDC. Unit is packed with instrument, side thread rods/brackets for mounting		

pH/ORP Electrodes		
EC100GTSO05B	Ryton-body pH Combination Electrode with Pt 100 RTD (ATC) with 5m connecting cable with BNC and connector for PMP and Pt 100	ON APPLICATION
EC100GTSO10B	Ryton-body pH Combination Electrode with Pt 100 RTD (ATC) with 10m connecting cable with BNC and connector for PMP and Pt 100	ON APPLICATION
EC100GTSO20B	Ryton-body pH Combination Electrode with Pt 100 RTD (ATC) with 20m connecting cable with BNC and connector for PMP and Pt 100	ON APPLICATION
ECARTSOHF05B	Ryton-body pH Combination Electrode without ATC with 5m connecting cable with BNC connector. HF Resistant Glass. Ideal for application having hydrofluoric acid	ON APPLICATION
ECARGTSO05B	Ryton-body pH Combination Electrode without ATC with 5m connecting cable with BNC and connector for PMP	ON APPLICATION
ECARHTTSO05B	Ryton-body pH Combination Electrode without ATC with 5m connecting cable with BNC Connector. High temperature applications up to 110 oC	ON APPLICATION
ECARTSO05B	Ryton-body pH Combination Electrode without ATC with 5m connecting cable with BNC Connector	ON APPLICATION
ECHTAUTSO05B	Ryton-body ORP Gold Electrode without ATC with 5m connecting cable with BNC and connector for PMP	ON APPLICATION
ECHPTTTSO05B	Ryton-body ORP Platinum Electrode without ATC with 5m connecting cable with BNC and connector for PMP	ON APPLICATION
ECFC7252203B	General Purpose Plastic-body double junction pH Combination Electrode, 12x110 mm, 2m cable length (for pH field monitor)	17100.00
ECFC7252205B	General Purpose Plastic-body double junction pH Combination Electrode, 12x110 mm, 5m cable length (for pH field monitor)	22500.00
ECFC7960202B	General Purpose Epoxy-body double junction ORP Electrode, 12x110 mm, 2m cable length (for ORP field monitor)	ON APPLICATION





ECFC7960205B	General Purpose Epoxy-body double junction ORP Electrode, 12x110 mm, 5m cable length (for ORP field monitor)	ON APPLICATION
--------------	--	----------------

### Conductivity/ TDS / Resistivity Controller / Transmitters

#### Wall/Panel-mounted ¼ DIN Alpha COND 560 Controller\*

TSCONCP0560	Alpha COND560 Conductivity Controller with 2 relay outputs	ON APPLICATION
-------------	--	----------------

\*Note: Operating voltage is 9 VDC and 12 to 24 VDC. Unit is packed with instrument, side thread rods/brackets for mounting



### Conductivity/TDS Electrodes

ECCS10-0-01T	Conductivity/Resistivity Electrode with Pt100, Cell constant K=0.01, Titanium with 25-foot cable length, tinned open-ended. For Ultra-Pure Water. (With 1/2 Inch Nylon Plastic CapThreading)	ON APPLICATION
ECCS10-0-01TS	Conductivity/Resistivity Electrode with Pt100, Cell constant K=0.01 Titanium with 25-foot cable length, tinned open-ended. For Ultra-Pure Water. (With 1/2 Inch Stainless Steel CapThreading)	ON APPLICATION
ECCS10-0-01S	Conductivity/Resistivity Electrode with Pt100, Cell constant K=0.01, Stainless Steel with 25-foot cable length, tinned open-ended. For Pure, Boiler Feed water, Power Plant and Condensate Water. (With 1/2 Inch Nylon Plastic CapThreading)	ON APPLICATION
ECCS10-0-01SS	Conductivity/Resistivity Electrode with Pt100, Cell constant K=0.01, Stainless Steel with 25-foot cable length, tinned open-ended. For Pure, Boiler Feed water, Power Plant and Condensate Water. (With 1/2 Inch Stainless Steel CapThreading)	ON APPLICATION
ECCS10-0-1S	Conductivity Electrode with Pt100, Cell constant K=0.1, Stainless Steel with 25-foot cable length, tinned open-ended. For Boiler Feed water, Power Plant and Condensate Water. (With 1/2 Inch Nylon Plastic CapThreading)	ON APPLICATION
ECCS10-0-1SS	Conductivity Electrode with Pt100, Cell constant K=0.1, Stainless Steel with Teflon insert and 25-foot cable length, tinned open-ended. For Boiler Feed water, Power Plant and Condensate Water. (With 1/2 Inch Stainless Steel Cap Threading)	ON APPLICATION
ECCS10-0-1SSP	Conductivity Electrode with Pt100, Cell constant K=0.1, Stainless Steel with PEEK insert and 25-foot cable length, tinned open-ended. For Boiler Feed water, Power Plant and Condensate Water. (With 1/2 Inch Stainless Steel CapThreading)	ON APPLICATION
ECCS10-1-0S	Conductivity Electrode with Pt100, Cell constant K=1.0, Stainless Steel with 25-foot cable length, tinned open-ended. For General Purpose Applications. (With 1/2 Inch Nylon Plastic CapThreading)	ON APPLICATION
ECCS10-1-0SS	Conductivity Electrode with Pt100, Cell constant K=1.0, Stainless Steel with Teflon insert and 25-foot cable length, tinned open-ended. For General Purpose Applications. (With 1/2 Inch Stainless Steel Cap Threading)	ON APPLICATION
ECCS10-1-0SSP	Conductivity Electrode with Pt100, Cell constant K=1.0, Stainless Steel with PEEK insert and 25-foot cable length, tinned open-ended. For General Purpose Applications. (With 1/2 Inch Stainless Steel Cap Threading)	ON APPLICATION
ECCONSEN88X	Conductivity Graphite 2-Ring Epoxy-body Electrode with Pt100,	ON



	Cell constant K=1.0, tinned open-ended, 12 x 110mm, 7.5m cable length. For General Purpose Applications	APPLICATION
ECCONSEN89X	Conductivity Graphite 2-Ring Epoxy-body Electrode with Pt100, Cell constant K=0.1, tinned open-ended, 12 x 110mm, 7.5m cable length. For General Purpose Applications	ON APPLICATION

## Thermo Scientific Alpha Process Products

### Thermo Scientific Alpha pH 560 pH Controllers



Alpha pH 560 limit control meter simplifies the task of controlling several processes with two set-point relays. Separately adjustable high and low hysteresis ensures chatter-free signals, preventing false alarms and unnecessary down-times

### Thermo Scientific Alpha COND 560 Conductivity Controllers

The Alpha COND 560 controller simplifies process control with separately adjustable high/low hysteresis, and two switching contacts that act as set-point relays. Advanced control feature allows user to set alarm delay of up to 2000 seconds, preventing false alarms and unnecessary down-times



**FISHER SCIENTIFIC ACCUMET  
&  
THERMO FISHER SCIENTIFIC TITRATORS, SPECTROPHOTOMETERS  
LIST OF PRODUCTS \*  
CONTACT FOR PRICING**

accumet®

**Thermo**  
SCIENTIFIC

**f** fisher scientific

Order Code	Description	Price (INR)
<b>AB Series Meters</b>		
13-636-AB150	<b>AB150 Kit</b> Includes meter, TRIS compatible pH/ATC electrode (13-620-631), electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual	ON APPLICATION
13-636-AB200	<b>AB200 Meter Kit</b> Includes meter, TRIS compatible pH/ATC electrode (13-620-631), Conductivity/Temp probe (13-620-100), electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual	ON APPLICATION
13-636-AB250	<b>AB250 Kit</b> Includes meter, TRIS compatible pH/ATC electrode (13-620-631), electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual	ON APPLICATION
13-636-AB250A	<b>AB250 Meter Only</b> Includes meter, electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual. pH/ATC electrode to be ordered separately	ON APPLICATION
<b>XL Series Meters</b>		
13-636-XL150	<b>XL150 Kit</b> Includes meter, TRIS compatible accuTupH pH electrode (13-620-183A), ATC probe (13-620-19), electrode arm, RS-232 & USB cables, 110/220 V power supply, and manual	ON APPLICATION
13-636-XL200	<b>XL200 Kit</b> Includes meter, TRIS compatible accuTupH pH electrode (13-620-183A), ATC probe (13-620-19), Conductivity/Temp probe (13-620-100), electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual	ON APPLICATION
13-636-XL250	<b>XL250 Meter Kit</b> Includes meter, TRIS compatible accuTupH pH electrode (13-620-183A), ATC probe (13-620-19), electrode arm, RS-232 & USB cables, 110/220 V power supply, and manual	ON APPLICATION
13-636-XL250A	<b>XL250 Meter Only</b> Includes meter, electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual. pH/ATC probe to be ordered separately	ON APPLICATION
13-636-XL250F	<b>Fluoride Kit</b> Includes meter, 13-620-629 fluoride electrode, TRIS compatible accuTupH pH electrode (13-620-183A), ATC probe (13-620-19), electrode arm, RS-232 & USB cables, 110/220 V power supply, and manual	ON APPLICATION





13-636-XL600	<b>XL600 Kit</b> Includes meter, TRIS compatible accuTupH pH electrode (13-620-183A), ATC probe (13-620-19), Conductivity/Temp probe (13-620-100), electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual	ON APPLICATION
13-636-XL600D	<b>XL600 Deluxe Kit</b> Includes meter, self-stirring BOD probe (13-620-SSP), TRIS compatible accuTupH pH electrode (13-620-183A), ATC probe (13-620-19), Conductivity/Temp probe (13-620-100), electrode arm, RS-232 & USB cables, 100/240 V power supply, and manual	ON APPLICATION



### ORP Electrode

13-620-81	Platinum ORP Electrode Combo BNC	ON APPLICATION
-----------	----------------------------------	----------------

### pH/ATC Refillable Electrodes

13-620-183A	pH Electrode, double junction, glass body, refillable	ON APPLICATION
13-620-631	Electrode pH/ATC double junction	ON APPLICATION
13-620-19	Temperature probe, stainless steel	ON APPLICATION

### Stirring Probe

13-620-BSP	Bench Stirring Probe	ON APPLICATION
------------	----------------------	----------------

### Ion Selective Electrodes

13-620-536	Calcium Combo BNC Electrode	ON APPLICATION
13-620-534	Nitrate Combo BNC Electrode	ON APPLICATION
13-620-532	Potassium Combo BNC Electrode	ON APPLICATION
13-620-525	Bromide Combo BNC Electrode	ON APPLICATION
13-620-629	Fluoride Combo Electrode	ON APPLICATION
13-620-627	Chloride Combo Electrode	ON APPLICATION
13-620-551	Silver/Sulfide Combo BNC Electrode	ON APPLICATION
13-620-538	Cyanide Combo BNC Electrode	ON APPLICATION
13-620-509	Ammonia Combo BNC Electrode	ON APPLICATION
13-620-503A	Sodium With BNC Electrode	ON APPLICATION



Automated Titrators designed to make titrations easier, more reliable, and more reproducible than manual titrations



Order Code	Description	Price (INR)
<b>Potentiometric Titrators</b>		
START9102	Orion Star T910 pH titrator difficult sample kit, includes 8172BNWP ROSS Sure-Flow pH electrode, 927007MD ATC temperature probe, 20 mL burette, stirrer probe, dispenser probe, tubing kit, 1L plastic bottle, GL38 bottle cap with drying tube, computer cable, literature on USB drive, 110-240V power supplies	ON APPLICATION
START9201	Orion Star T920 redox titrator kit, includes 9778BNWP glass-body redox electrode, 20 mL burette, stirrer probe, dispenser probe, standard tubing kit, 1 L plastic bottle, GL38 bottle cap with drying tube, computer cable, literature on USB drive, 110-240 V power supplies	ON APPLICATION
START9402	Orion Star T940 All-in-one titrator Sure-Flow ROSS kit, includes 8172BNWP ROSS Sure-Flow pH electrode, 927007MD ATC probe, 20 mL burette, stirrer probe, dispenser probe, standard tubing kit, 1 L plastic bottle, GL38 bottle cap with drying tube, computer cable, literature on USB drive, 110-240 V power supplies	ON APPLICATION
<b>Accessories</b>		
START-B10	Star T900 Series 10ml Burette	ON APPLICATION
START-B20	Star T900 Series 20ml Burette	ON APPLICATION
START-B50	Star T900 Series 50ml Burette	ON APPLICATION
START-BT0	Star T900 Series Reagent Bottle Holder	ON APPLICATION
START-DS1	Star T900 Series Dispenser Probe	ON APPLICATION
START-DVK	Star T900 Series Dispense Verify Kit	ON APPLICATION
START-EH1	Star T900 Series Electrode Holder	ON APPLICATION
START-TB1	Star T900 Series Standard Tubing Kit	ON APPLICATION
START-TB2	Star T900 Series Light Block Tubing Kit	ON APPLICATION

START-TB3	Star T900 Series Drying Tube	ON APPLICATION
START-TB4	Star T900 Series Tubing W/ Blue Fitting	ON APPLICATION
START-TB5	Star T900 Series Tubing W/ White Fitting	ON APPLICATION
START-TB6	Star T900 Series Tubing W/ Black Fitting	ON APPLICATION
START-USB	Star T900 Series USB Computer Cable	ON APPLICATION
START-VK1	Star T900 Series Replacement Valve Kit	ON APPLICATION



## Thermo Scientific Orion AquaMate Vis/UV-Vis Spectrophotometers

Exceptional performance with a contemporary design,  
Improved usability  
260+ Pre-Programmed Methods  
Integrated printer in AQ8100



Order Code	Description	Price (INR)
<b>Spectrophotometers</b>		
AQ7100APAC	AquaMate 7100 Vis Spectrophotometer with pre-loaded methods, holder for vials and test tube from 12 to 25 mm OD, Indian Power cords	ON APPLICATION
AQ8100APAC	AquaMate 8100 UV-Vis spectrophotometer with pre-loaded methods, holder for vials and test tube from 12 to 25 mm OD, 10 mm square vial holder, printer, Indian Power cords	ON APPLICATION
AQX1LWLVH	Long path rectangular cell holder for 20-100 mm path length cuvettes	ON APPLICATION
AQ3140	AQUA fast AQ3140 COD Colorimeter with field case, batteries and literature AQ3140 AQUA fast COD colorimeter	ON APPLICATION
AQ3140 WITH ECO 25 COD PACKAGE	AQUAfast AQ3140 COD Colorimeter with field case, batteries and literature with ECO 25 Positions –Thermo Reactor	ON APPLICATION
<b>Thermo COD Reagents</b>		
CODL00	Aquafast COD 0-150 PPM tubes, 25 Pack	ON APPLICATION
CODH00	Aquafast COD 0-1500 PPM tubes, 25 Pack	ON APPLICATION
CODHP0	Aquafast COD 0-15000 PPM tubes, 25 Pack	ON APPLICATION



## LAB COMPANION, JEIOTECH LTD KOREA



Order Code	Description	Price (INR)
<b>Autoclaves</b>		
AAHL1015K	ST-50G Autoclave , 230V, 50/60Hz	ON APPLICATION
AAHL1025K	ST-65G Autoclave , 230V, 50/60Hz	ON APPLICATION
AAHL1035K	ST-85G Autoclave , 230V, 50/60Hz	ON APPLICATION
AAHL1045K	ST-105G Autoclave , 230V, 50/60Hz	ON APPLICATION
<b>Accessories for ST-50G/65G/85G/105 series</b>		
AAAL1501	Recorder set for ST Series (Dot type, 6 point with Temp. sensor)	ON APPLICATION
AAAL1502	Recorder set for ST Series (Thermal line type, with Temp. sensor)	ON APPLICATION
AAAL1511	Pressure sensor	ON APPLICATION
00ATC0000002	Basket for ST-50G	ON APPLICATION
00ATC0000003	Basket for ST-65G	ON APPLICATION
00ATC0000004	Basket for ST-85G	ON APPLICATION
00ATC0000126	Basket for ST-105G	ON APPLICATION
AAAL1521	Exhaust Tank (5L, 114x387x281mm)	ON APPLICATION
00ATC0000091	Drain Bucket (490 x 291 x 107mm)	ON APPLICATION
AAAL1531	Step Stool for ST-105G, Powder Coated Steel (500 x 400 x 250, mm)	ON APPLICATION



### Shaking Heating Bath

AAH44062K	BS-06 Shaking Heating Bath with Spring wire rack and Gable cover(17L) , 230V, 50Hz	ON APPLICATION
AAH44112K	BS-11 Shaking Heating Bath with Spring wire rack and Gable cover(25L) ,230V, 50Hz	ON APPLICATION
AAH44212K	BS-21 Shaking Heating Bath with Spring wire rack and Gable cover(37L) ,230V, 50Hz	ON APPLICATION



AAH44312K	BS-31 Shaking Heating Bath with Spring wire rack and Gable cover(55L) ,230V, 50Hz	ON APPLICATION
<b>Accessories for BS-06,BS-11,BS-21,BS-31</b>		
AAA44521	BSE-503 Universal Platform for BS-06	ON APPLICATION
AAA44522	BSE-513 Universal Platform for BS-11	ON APPLICATION
AAA44523	BSE-523 Universal Platform for BS-21	ON APPLICATION
AAA44524	BSE-533 Universal Platform for BS-31	ON APPLICATION
AAA44581	BSE-581 Test tube rack (A), 8 mm * 86 holes	ON APPLICATION
AAA44582	BSE-582 Test tube rack (A),10 mm * 86 holes	ON APPLICATION
AAA44583	BSE-583 Test tube rack (A),12 mm * 58 holes	ON APPLICATION
AAA44584	BSE-584 Test tube rack (A),14 mm * 58 holes	ON APPLICATION
AAA44585	BSE-585 Test tube rack (A),16 mm * 32 holes	ON APPLICATION
AAA44586	BSE-586 Test tube rack (A),25 mm * 19 holes	ON APPLICATION
AAA44531	BSE-531 Dedicated platform for BS-06 with Max. clamps (250ml)	ON APPLICATION
AAA44532	BSE-532 Dedicated platform for BS-06 with Max. clamps (500ml)	ON APPLICATION
AAA44541	BSE-541 Dedicated platform for BS-11 with Max. clamps (250ml)	ON APPLICATION
AAA44542	BSE-542 Dedicated platform for BS-11 with Max. clamps (500ml)	ON APPLICATION
AAA44551	BSE-551 Dedicated platform for BS-21 with Max. clamps (250ml)	ON APPLICATION
AAA44552	BSE-552 Dedicated platform for BS-21 with Max. clamps (500ml)	ON APPLICATION
AAA44561	BSE-561 Dedicated platform for BS-31 with Max. clamps (250ml)	ON APPLICATION
AAA44562	BSE-562 Dedicated platform for BS-31 with Max. clamps (500ml)	ON APPLICATION

<b>Heating Bath</b>		
AAH41305K	BW3-05G Heating Bath(3.5L) ,230V, 50/60Hz	98100.00
AAH41315K	BW3-10G Heating Bath(11.5L) ,230V, 50/60Hz	103005.00
AAH41325K	BW3-20G Heating Bath(20L) ,230V, 50/60Hz	107910.00
<b>Accessories for BW3-05G, 10G, 20G</b>		
AAA41531	BWE-531 Test tube rack (B), 8 mm * 50 holes for BW3-05G	ON APPLICATION
AAA41532	BWE-532 Test tube rack (B) ,10 mm * 50 holes for BW3-05G	ON APPLICATION
AAA41533	BWE-533 Test tube rack (B), 12 mm * 33 holes for BW3-05G	ON APPLICATION
AAA41534	BWE-534 Test tube rack (B), 14 mm * 33 holes for BW3-05G	ON APPLICATION



AAA41535	BWE-535 Test tube rack (B), 16 mm * 16 holes for BW3-05G	ON APPLICATION
AAA41539	BWE-539 Test tube rack (B), 25 mm * 10 holes for BW3-05G	ON APPLICATION
AAA45551	BEE-551 Test tube rack (C), 8 mm * 176 holes for BW3-10, 20G	ON APPLICATION
AAA45552	BEE-552 Test tube rack (C),10 mm * 176 holes for BW3-10, 20G	ON APPLICATION
AAA45554	BEE-544 Test tube rack (C),12 mm * 84 holes for BW3-10, 20G	ON APPLICATION
AAA45555	BEE-555 Test tube rack (C),14 mm * 84 holes for BW3-10, 20G	ON APPLICATION
AAA45556	BEE-556 Test tube rack (C),16 mm * 68 holes for BW3-10, 20G	ON APPLICATION
AAA45561	BEE-561 Test tube rack (C), 25 mm * 33 holes for BW3-10, 20G	ON APPLICATION
AAA45502	BEE-502 Spring wire rack for BW3-10G	ON APPLICATION
AAA45503	BEE-503 Spring wire rack for BW3-20G	ON APPLICATION
AAA45511	BEE-511 Half Shelf Adjuster for BW3-05G	ON APPLICATION
AAA45512	BEE-512 Half Shelf Adjuster for BW3-10G	ON APPLICATION
AAA45513	BEE-513 Half Shelf Adjuster for BW3-20G	ON APPLICATION
AAA45521	BEE-521 Opening cover with 2 holes for BW3-05G (80 mm)	ON APPLICATION
AAA45524	BEE-524 Opening cover with 1 holes for BW3-05G (110 mm)	ON APPLICATION
AAA45522	BEE-522 Opening cover with 4 holes for BW3-10G (80 mm)	ON APPLICATION
AAA45525	BEE-525 Opening cover with 2 holes for BW3-10G (110 mm)	ON APPLICATION
AAA45526	BEE-526 Opening cover with 1 holes for BW3-10G (185 mm)	ON APPLICATION
AAA45523	BEE-523 Opening cover with 8 holes for BW3-20G (80 mm)	ON APPLICATION
AAA45527	BEE-527 Opening cover with 6 holes for BW3-20G (110 mm)	ON APPLICATION
AAA45528	BEE-528 Opening cover with 2 holes for BW3-20G (185 mm)	ON APPLICATION
AAA45531	BEE-531 Plastic gable cover for BW3-05G	ON APPLICATION
AAA45532	BEE-532 Plastic gable cover for BW3-10G	ON APPLICATION
AAA45533	BEE-533 Plastic gable cover for BW3-20G	ON APPLICATION
AAA45541	BEE-541 Stainless steel Flat cover for BW3-05G	ON APPLICATION
AAA45542	BEE-542 Stainless steel Flat cover for BW3-10G	ON APPLICATION
AAA45543	BEE-543 Stainless steel Flat cover for BW3-20G	ON APPLICATION

<b>Heating Bath</b>		
AAH45115K	BW-05H Heating Bath(3.5L) ,230V, 50/60Hz	93195.00
AAH45125K	BW-10H Heating Bath(11.5L) ,230V, 50/60Hz	98100.00
AAH45135K	BW-20H Heating Bath(20L) ,230V, 50/60Hz	117720.00
AAH46012K	BW-05B Heating Bath(3.5L) ,230V, 50/60Hz	78480.00
AAH46022K	BW-10B Heating Bath(11.5L) ,230V, 50/60Hz	83385.00
AAH46032K	BW-20B Heating Bath(20L) ,230V, 50/60Hz	98100.00
AAH47115K	BW-0505H Double Heating Bath ,230V, 50/60Hz	156960.00
AAH47125K	BW-0510H Double Heating Bath ,230V, 50/60Hz	156960.00
AAH47135K	BW-1010H Double Heating Bath ,230V, 50/60Hz	176580.00
AAH47145K	BW-1020H Double Heating Bath ,230V, 50/60Hz	215820.00
<b>Accessories for BW-05, 10, 20 E/B/D/H series</b>		
AAA41531	BWE-531 Test tube rack (B), 8 mm * 50 holes for BW-05 B/H series	ON APPLICATION
AAA41532	BWE-532 Test tube rack (B) ,10 mm * 50 holes for BW-05 B/H series	ON APPLICATION
AAA41533	BWE-533 Test tube rack (B), 12 mm * 33 holes for BW-05 B/H series	ON APPLICATION
AAA41534	BWE-534 Test tube rack (B), 14 mm * 33 holes for BW-05 B/H series	ON APPLICATION
AAA41535	BWE-535 Test tube rack (B), 16 mm * 16 holes for BW-05 B/H series	ON APPLICATION
AAA41539	BWE-539 Test tube rack (B), 25 mm * 10 holes for BW-05 B/H series	ON APPLICATION
AAA45551	BEE-551 Test tube rack (C), 8 mm * 176 holes for BW-10 B/H series	ON APPLICATION
AAA45552	BEE-552 Test tube rack (C),10 mm * 176 holes for BW-10 B/H series	ON APPLICATION
AAA45554	BEE-544 Test tube rack (C),12 mm * 84 holes for BW-10 B/H series	ON APPLICATION
AAA45555	BEE-555 Test tube rack (C),14 mm * 84 holes for BW-10 B/H series	ON APPLICATION
AAA45556	BEE-556 Test tube rack (C),16 mm * 68 holes for BW-10 B/H series	ON APPLICATION
AAA45561	BEE-561 Test tube rack (C), 25 mm * 33 holes for BW-10 B/H series	ON APPLICATION
AAA45502	BEE-502 Spring wire rack for BW-10 B/H series	ON APPLICATION
AAA45503	BEE-503 Spring wire rack for BW-20 B/H series	ON APPLICATION
AAA45511	BEE-511 Half Shelf Adjuster for BW-05 B/H series	ON APPLICATION
AAA45512	BEE-512 Half Shelf Adjuster for BW-10 B/H series	ON APPLICATION
AAA45513	BEE-513 Half Shelf Adjuster for BW-20 B/H series	ON APPLICATION
AAA45521	BEE-521 Opening cover with 2 holes for BW-05 B/H series, (80 mm)	ON APPLICATION
AAA45524	BEE-524 Opening cover with 1 holes for BW-05 B/H series, (110 mm)	ON APPLICATION
AAA45522	BEE-522 Opening cover with 4 holes for BW-10 B/H series, (80 mm)	ON APPLICATION
AAA45525	BEE-525 Opening cover with 2 holes for BW-10 B/H series, (110	ON

	mm)	APPLICATION
AAA45526	BEE-526 Opening cover with 1 holes for BW-10 B/H series, (185 mm)	ON APPLICATION
AAA45523	BEE-523 Opening cover with 8 holes for BW-20 B/H series, (80 mm)	ON APPLICATION
AAA45527	BEE-527 Opening cover with 6 holes for BW-20 B/H series, (110 mm)	ON APPLICATION
AAA45528	BEE-528 Opening cover with 2 holes for BW-20 B/H series, (185 mm)	ON APPLICATION
AAA45531	BEE-531 Plastic gable cover for BW-05 B/H series	ON APPLICATION
AAA45532	BEE-532 Plastic gable cover for BW-10 B/H series	ON APPLICATION
AAA45533	BEE-533 Plastic gable cover for BW-20 B/H series	ON APPLICATION
AAA45541	BEE-541 Stainless steel Flat cover for BW-05 B/H series	ON APPLICATION
AAA45542	BEE-542 Stainless steel Flat cover for BW-10 B/H series	ON APPLICATION
AAA45543	BEE-543 Stainless steel Flat cover for BW-20 B/H series	ON APPLICATION

#### Heating Bath Circulators (Combined)

AAH52341K	CW3-05 Heating Bath Circulator including RS-232 interface and software(5L) ,230V, 50/60Hz	137340.00
AAH52351K	CW3-10 Heating Bath Circulator including RS-232 interface and software(10L) ,230V, 50/60Hz	147150.00
AAH52741K	CW3-05P Heating Bath Circulator (Programmable, 5L) 230V, 50/60Hz	166770.00
AAH52751K	CW3-10P Heating Bath Circulator (Programmable, 10L) 230V, 50/60Hz	186390.00



#### Accessories for CW3-05(P), 10(P)

AAA51531	[CW3/RW3-05(P)] Stainless steel flat type cover	ON APPLICATION
AAA51532	[CW3/RW3-10(P)] Stainless steel flat type cover	ON APPLICATION
AAA41531	BWE-531 Test tube rack (B), 8 mm * 50 holes for CW3-10/P	ON APPLICATION
AAA41532	BWE-532 Test tube rack (B) ,10 mm * 50 holes for CW3-10/P	ON APPLICATION
AAA41533	BWE-533 Test tube rack (B), 12 mm * 33 holes for CW3-10/P	ON APPLICATION
AAA41534	BWE-534 Test tube rack (B), 14 mm * 33 holes for CW3-10/P	ON APPLICATION
AAA41535	BWE-535 Test tube rack (B), 16 mm * 16 holes for CW3-10/P	ON APPLICATION
AAA41539	BWE-539 Test tube rack (B), 25 mm * 10 holes for CW3-10/P	ON APPLICATION

#### Refrigerated & Heating Bath Circulators (Combined)

AAH57042K	RW3-0525 Refrigerated & Heating Bath Circulator including RS-	ON
-----------	---	----

	232 interface and software(5L) ,230V, 50Hz	APPLICATION
AAH57052K	RW3-1025 Refrigerated & Heating Bath Circulator including RS-232 interface and software(10L) ,230V, 50Hz	ON APPLICATION
AAH57062K	RW3-2025 Refrigerated & Heating Bath Circulator including RS-232 interface and software(20L) ,230V, 50/60Hz	ON APPLICATION
AAH57072K	RW3-3025 Refrigerated & Heating Bath Circulator including RS-232 interface and software(30L) ,230V, 50Hz	ON APPLICATION
<b>Accessories for RW3 series</b>		
AAA51531	[CW3/RW3-05(P)] Stainless steel flat type cover	ON APPLICATION
AAA51532	[CW3/RW3-10(P)] Stainless steel flat type cover	ON APPLICATION
AAA51533	[CW3/RW3-20(P)] Stainless steel flat type cover	ON APPLICATION
AAA51534	[CW3/RW3-30(P)] Stainless steel flat type cover	ON APPLICATION
AAA51522	CWE-522 Spring wire rack for CW3-20, RW3-20 series	ON APPLICATION
AAA51523	CWE-523 Spring wire rack for CW3-30, RW3-30 series	ON APPLICATION
AAA41531	BWE-531 Test tube rack (B), 8 mm * 50 holes for RW3-1025/P, 1040/P	ON APPLICATION
AAA41532	BWE-532 Test tube rack (B) ,10 mm * 50 holes for RW3-1025/P, 1040/P	ON APPLICATION
AAA41533	BWE-533 Test tube rack (B), 12 mm * 33 holes for RW3-1025/P, 1040/P	ON APPLICATION
AAA41534	BWE-534 Test tube rack (B), 14 mm * 33 holes for RW3-1025/P, 1040/P	ON APPLICATION
AAA41535	BWE-535 Test tube rack (B), 16 mm * 16 holes for RW3-1025/P, 1040/P	ON APPLICATION
AAA41539	BWE-539 Test tube rack (B), 25 mm * 10 holes for RW3-1025/P, 1040/P	ON APPLICATION
AAA44581	BSE-581 Test tube rack (A), 8 mm * 86 holes for RW3-20/30 series	ON APPLICATION
AAA44582	BSE-582 Test tube rack (A),10 mm * 86 holes for RW3-20/30 series	ON APPLICATION
AAA44583	BSE-583 Test tube rack (A),12 mm * 58 holes for RW3-20/30 series	ON APPLICATION
AAA44584	BSE-584 Test tube rack (A),14 mm * 58 holes for RW3-20/30 series	ON APPLICATION
AAA44585	BSE-585 Test tube rack (A),16 mm * 32 holes for RW3-20/30 series	ON APPLICATION
AAA44586	BSE-586 Test tube rack (A),25 mm * 19 holes for RW3-20/30 series	ON APPLICATION

#### Viscometer Heating Baths

AAH43302K	VB-25G Viscometer Heating bath(25L) ,230V, 50/60Hz	ON APPLICATION
AAH43402K	VB-40G Viscometer Heating bath(40L) ,230V, 50/60Hz	ON APPLICATION
<b>Accessories for VB-25G, 40G</b>		
AAA43501	[CW3/RW3-05(P)] Stainless steel flat type cover	ON APPLICATION
AAH57052K	Cooling circulator for VB-25G(RW3-1025) ,230V, 50Hz	ON

		APPLICATION
AAH57062K	Cooling circulator for VB-40G(RW3-2025) ,230V, 50/60Hz	ON APPLICATION

### Cold Trap Bath

AAH62012K	CTB-10 Cold Trap Bath (230V, 50Hz)	412020.00
<b>Accessory for CTB-10</b>		
00FCA0001110	CE-500 U-type glass trap( 1EA ) for CTB	15696.00



### Desiccators

#### Round Type Vacuum Desiccators ( PC/PC, Polycarbonate Bottom and Polycarbonate Lid)

AAAD2011	VDR-20 Vacuum Desiccator	ON APPLICATION
AAAD2031	VDR-20U Vacuum Desiccator	ON APPLICATION
AAAD2021	VDR-20G Vacuum Desiccator with Gauge	32373.00
AAAD2041	VDR-20UG Vacuum Desiccator with Gauge	39240.00
AAAD2111	VDR-25 Vacuum Desiccator	ON APPLICATION
AAAD2131	VDR-25U Vacuum Desiccator	ON APPLICATION
AAAD2121	VDR-25G Vacuum Desiccator with Gauge	38259.00
AAAD2141	VDR-25UG Vacuum Desiccator with Gauge	46107.00
AAAD2211	VDR-30 Vacuum Desiccator	ON APPLICATION
AAAD2231	VDR-30U Vacuum Desiccator	ON APPLICATION
AAAD2221	VDR-30G Vacuum Desiccator with Gauge	45126.00
AAAD2241	VDR-30UG Vacuum Desiccator with Gauge	55917.00



#### Cubic Type Vacuum Desiccators

AAAD4031	VDC-41 Vacuum Desiccator	242307.00
AAAD4131	VDC-41U Vacuum Desiccator	255060.00
AAAD4011	VDC-31 Vacuum Desiccator	195219.00
AAAD4111	VDC-31U Vacuum Desiccator	205029.00
AAAD4021	VDC-21 Vacuum Desiccator	154017.00
AAAD4121	VDC-21U Vacuum Desiccator	156960.00
AAAD4001	VDC-11 Vacuum Desiccator	120663.00
AAAD4101	VDC-11U Vacuum Desiccator	132435.00

#### Cylinder Type Vacuum Desiccators

AAAD3011	VDP-25 Vacuum Desiccator	ON APPLICATION
AAAD3111	VDP-25G Vacuum Desiccator with Gauge	ON APPLICATION
AAAD3211	VDP-25U Vacuum Desiccator	ON APPLICATION
AAAD3311	VDP-25UG Vacuum Desiccator with Gauge	ON APPLICATION
AAAD3021	VDP-30 Vacuum Desiccator	ON

		APPLICATION
AAAD3121	VDP-30G Vacuum Desiccator with Gauge	ON APPLICATION
AAAD3221	VDP-30U Vacuum Desiccator	ON APPLICATION
AAAD3321	VDP-30UG Vacuum Desiccator with Gauge	ON APPLICATION

#### Optional Accessories for VDR/VDC/VDP Series

AAAD1501	VDE-501 Drying Agent Tray for VDR-20 Series	ON APPLICATION
AAAD1502	VDE-502 Drying Agent Tray for VDR/VDP-25 Series	ON APPLICATION
AAAD1503	VDE-503 Drying Agent Tray for VDR/VDP-30 Series	ON APPLICATION
00VDC0000005	Drying Agent Tray for VDC-41/31/21 Series	ON APPLICATION
00VDC0000037	Drying Agent Tray for VDC-11 Series	ON APPLICATION
AAAD1511	VDE-511 Perforated Sample Tray for VDR-20 Series	ON APPLICATION
AAAD1512	VDE-512 Perforated Sample Tray for VDR-25 Series	ON APPLICATION
AAAD1513	VDE-513 Perforated Sample Tray for VDR-30 Series	ON APPLICATION
AAAD3511	VDE-3511 Perforated Sample Tray for VDP-25 Series	ON APPLICATION
AAAD3512	VDE-5512 Perforated Sample Tray for VDP-30 Series	ON APPLICATION
00VDC0000003	Perforated Sample Tray for VDC-41/31/21 Series	ON APPLICATION
00VDC0000035	Perforated Sample Tray for VDC-11	ON APPLICATION
00VDR0000001	Vacuum Seal for VDR-20 Series	ON APPLICATION
00VDR0000002	Vacuum Seal for VDR-25 Series	ON APPLICATION
00VDR0000055	Vacuum Seal for VDR-30 Series	ON APPLICATION
00VDC0000034	Vacuum Seal for VDC-41/41U	ON APPLICATION
00VDC0000015	Vacuum Seal for VDC-31/31U	ON APPLICATION
00VDC0000033	Vacuum Seal for VDC-21/21U	ON APPLICATION
00VDC0000032	Vacuum Seal for VDC-11/11U	ON APPLICATION
00VDR0000015	Flange Locker for VDR-20 Series	ON APPLICATION
00VDR0000016	Flange Locker for VDR-25 Series	ON APPLICATION
00VDR0000017	Flange Locker for VDR-30 Series	ON APPLICATION
00EDA0004302	Vacuum gauge for VDR/VDP Series	ON APPLICATION
00EDA0004301	Vacuum gauge for VDC Series	ON APPLICATION
AAAD1521	Stopcock Assy for VDR Series	ON

		APPLICATION
AAAD4501	Stopcock Assy for VDC Series	ON APPLICATION
AAAD3501	Stopcock Assy for VDP Series	ON APPLICATION

Desiccators		
AAAD5011	SDC-30 Desiccator	ON APPLICATION
AAAD5111	SDC-30U Desiccator	ON APPLICATION
AAAD5021	SDC-45 Desiccator	ON APPLICATION
AAAD5121	SDC-45U Desiccator	ON APPLICATION

Heating & Cooling Blocks		
Heating Block		
AAHJ5015K	CCB-350 Heating & Cooling Block ,230V, 50/60Hz	176580.00
Accessories for CCB-350		
00CHB0000034	Block for CCB-350 (ø10 x 35 holes)	19620.00
00CHB0000035	Block for CCB-350 (ø12 x 24 holes)	19620.00
00CHB0000036	Block for CCB-350 (ø13 x 24 holes)	19620.00
00CHB0000037	Block for CCB-350 (ø15 x 20 holes)	19620.00
00CHB0000038	Block for CCB-350 (ø16 x 16 holes)	19620.00
00CHB0000039	Block for CCB-350 (ø18 x 12 holes)	19620.00
00CHB0000040	Block for CCB-350 (ø20 x 12 holes)	19620.00
00CHB0000029	Block for CCB-350 (0.5ml x 48 holes)	19620.00
00CHB0000045	Block for CCB-350 (1.5ml x 30 holes)	19620.00
00CHB0000031	Block for CCB-350 (15ml x 15 holes)	19620.00
00CHB0000032	Block for CCB-350 (50ml x 6 holes, small)	21582.00
00CHB0000033	Block for CCB-350 (50ml x 6 holes, Large)	27468.00



Heating & Cooling Blocks		
Heating Block		
AAHJ1015K	CHB-350S Heating Block , 230V, 50/60Hz	117720.00
AAHJ1115K	CHB-350T Heating Block ,230V, 50/60Hz	127530.00
Accessories for CHB-350S/T		
00CHB0000029	Block for CHB-350S (0.5ml x 48 holes)	19620.00
00CHB0000045	Block for CHB-350S (1.5ml x 30)	19620.00
00CHB0000028	Block for CHB-350S (1.5ml x 48)	32373.00
00CHB0000030	Block for CHB-350S (96 well tube)	34335.00
00CHB0000031	Block for CHB-350T (15ml x 15 holes)	19620.00
00CHB0000032	Block for CHB-350T (50ml x 6 holes, small)	21582.00
00CHB0000033	Block for CHB-350T (50ml x 6 holes, Large)	27468.00
00CHB0000034	Block for CHB-350T (ø10 x 35 holes)	19620.00
00CHB0000035	Block for CHB-350T (ø12 x 24 holes)	19620.00
00CHB0000036	Block for CHB-350T (ø13 x 24 holes)	19620.00
00CHB0000037	Block for CHB-350T (ø15 x 20 holes)	19620.00
00CHB0000038	Block for CHB-350T (ø16 x 16 holes)	19620.00

00CHB0000039	Block for CHB-350T (ø18 x 12 holes)	19620.00
00CHB0000040	Block for CHB-350T (ø20 x 12 holes)	19620.00

<b>Hoods</b>		
<b>Clean Bench(Advanced)</b>		
AAHA5012K	BC-01H Clean Bench ,230V, 50/60Hz	ON APPLICATION
AAHA5022K	BC-11H Clean Bench ,230V, 50/60Hz	ON APPLICATION
AAHA5032K	BC-21H Clean Bench ,230V, 50/60Hz	ON APPLICATION
<b>Clean Bench(Basic)</b>		
AAHA6012K	BC-01B Clean Bench , 230V, 50/60Hz	ON APPLICATION
AAHA6022K	BC-11B Clean Bench , 230V, 50/60Hz	ON APPLICATION
AAHA6032K	BC-21B Clean Bench , 230V, 50/60Hz	ON APPLICATION
<b>Accessories for BC-H, B series</b>		
AAAB1601	HEPA Filter for BC-01H/B	ON APPLICATION
AAAB1602	HEPA Filter for BC-11H/B	ON APPLICATION
AAAB1603	HEPA Filter for BC-21H/B	ON APPLICATION
AAAB1611	Pre Filter for BC-01H/B	ON APPLICATION
AAAB1612	Pre Filter for BC-11H/B	ON APPLICATION
AAAB1613	Pre Filter for BC-21H/B	ON APPLICATION
AAAB1621	Stand with casters for BC-01H/B	ON APPLICATION
AAAB1622	Stand with casters for BC-11H/B	ON APPLICATION
AAAB1623	Stand with casters for BC-21H/B	ON APPLICATION
AAAB1631	UV lamp for BC-01H/B	ON APPLICATION
AAAB1633	UV lamp for BC-11H/B	ON APPLICATION
AAAB1635	UV lamp for BC-21H/B	ON APPLICATION
AAAB1561	BCE-561 Gas cock for BC-01/11/21H/B	ON APPLICATION
AAAB1571	Analog type Differential pressure gauge for BC-01/11/21B/OFC	ON APPLICATION



<b>Ductless Hume Hoods</b>		
AAHB2002K	DLH-01G Ductless Hume Hood ,230V, 50/60Hz	ON APPLICATION
AAHB2012K	DLH-11G Ductless Hume Hood ,230V, 50/60Hz	ON APPLICATION



		APPLICATION
<b>Optional Accessories for DLH-01G, 11G</b>		
AAAB2521	Stand with casters for DLH-01G	ON APPLICATION
AAAB2522	Stand with casters for DLH-11G	ON APPLICATION
AAAB2543	Complex Carbon Filter for DLH-01G	ON APPLICATION
AAAB2544	Complex Carbon Filter for DLH-11G	ON APPLICATION
AAAB2545	Acid filter for DLH-01G	ON APPLICATION
AAAB2546	Acid filter for DLH-11G	ON APPLICATION
AAAB2547	Formaldehyde filter for DLH-01G	ON APPLICATION
AAAB2548	Formaldehyde filter for DLH-11G	ON APPLICATION
AAAB2549	Ammonia/Amines filter for DLH-01G	ON APPLICATION
AAAB2550	Ammonia/Amines filter for DLH-11G	ON APPLICATION
00EDA0009193	HEPA filter for DLH-01G	ON APPLICATION
00EDA0009194	HEPA filter for DLH-11G	ON APPLICATION
00EDA0009196	Pre filter for DLH-01G	ON APPLICATION
00EDA0009198	Pre filter for DLH-11G	ON APPLICATION
AAAB2501	Working table(SUS #304) for DLH-01G	ON APPLICATION
AAAB2502	Working table(SUS #304) for DLH-11G	ON APPLICATION
AAAB2503	Working table(SUS #316) for DLH-01G	ON APPLICATION
AAAB2504	Working table(SUS #316) for DLH-11G	ON APPLICATION
AAAB2505	Working table(Ceramite) for DLH-01G	ON APPLICATION
AAAB2506	Working table(Ceramite) for DLH-11G	ON APPLICATION
AAAB2507	Working table(Polypropylene) for DLH-01G	ON APPLICATION
AAAB2508	Working table(Polypropylene) for DLH-11G	ON APPLICATION
AAAB2509	Working table(Bakelite) for DLH-01G	ON APPLICATION
AAAB2510	Working table(Bakelite) for DLH-11G	ON APPLICATION
AAAB2511	Working table(PVC) for DLH-01G	ON APPLICATION
AAAB2512	Working table(PVC) for DLH-11G	ON APPLICATION
AAAB2531	Gas Detector(KITAGAWA AP-20)	ON APPLICATION
00EAA0001550	Gas Detecting tube(benzene, GASTEC-121SP(0.5-10ppm))	ON APPLICATION

00EAA0001551	Gas Detecting tube(toluene, GASTEC-122L(1-100ppm)	ON APPLICATION
00EAA0001552	Gas Detecting tube(acetic acid, GASTEC-81L(0.125-25ppm)	ON APPLICATION
00EAA0001553	Gas Detecting tube(chloroform, GASTEC-137(4-400ppm)	ON APPLICATION
00EAA0001554	Gas Detecting tube(formaldehyde, GASTEC-91LL(0.05-1ppm)	ON APPLICATION
00EAA0001555	Gas Detecting tube(ammonia, GASTEC-3L(0.5-60ppm)	ON APPLICATION

<b>PCR Workstation</b>		
AAHB3002K	PW-01 PCR Workstation ,230V, 50/60Hz	ON APPLICATION
AAHB3012K	PW-11 PCR Workstation ,230V, 50/60Hz	ON APPLICATION
AAHB3022K	PW-21 PCR Workstation ,230V, 50/60Hz	ON APPLICATION
<b>Optional Accessories for PW Series</b>		
AAAB3511	Pre filter for PW-01	ON APPLICATION
AAAB3512	Pre filter for PW-11	ON APPLICATION
AAAB3513	Pre filter for PW-21	ON APPLICATION
00EDA0009219	HEPA filter for PW-01	ON APPLICATION
00EDA0009220	HEPA filter for PW-11	ON APPLICATION
00EDA0009221	HEPA filter for PW-21	ON APPLICATION
00CHE0004436	Lighting Lamp for PW-01	2747.00
00CHE0004426	Lighting Lamp for PW-11	2747.00
00CHE0004428	Lighting Lamp for PW-21	ON APPLICATION
00CHE0004431	UV Lamp for PW-01	21582.00
00CHE0004427	UV Lamp for PW-11	21582.00
00CHE0004423	UV Lamp for PW-21	ON APPLICATION



<b>UV Cabinet</b>		
AAHB4002K	UVC-01 UV Cabinet ,230V, 50/60Hz	166770.00
AAHB4012K	UVC-11 UV Cabinet ,230V, 50/60Hz	206010.00
AAHB4022K	UVC-21 UV Cabinet ,230V, 50/60Hz	215820.00
<b>Optional Accessories for UVC Series</b>		
00CHE0004435	Lighting Lamp for UVC-01	2747.00
00CHE0004436	Lighting Lamp for UVC-11	2747.00
00CHE0004426	Lighting Lamp for UVC-21	2747.00
00CHE0004434	UV Lamp for UVC-01	21582.00
00CHE0004431	UV Lamp for UVC-11	21582.00

00CHE0004427	UV Lamp for UVC-21	21582.00
--------------	--------------------	----------

## Incubators

### General Incubators

AAH21162K	IB-05G Incubator including RS-232 interface and software(60L) ,230V, 50/60Hz	186390.00
AAH21172K	IB-15G Incubator including RS-232 interface and software(102L) ,230V, 50/60Hz	ON APPLICATION
AAH21182K	IB-25G Incubator including RS-232 interface and software(151L) ,230V, 50/60Hz	ON APPLICATION
AAH26015K	IB-01E Incubator(65L) ,230V, 50/60Hz	166770.00
AAH26025K	IB-11E Incubator(150L) ,230V, 50/60Hz	186390.00
AAH26035K	IB-21E Incubator(205L) ,230V, 50/60Hz	ON APPLICATION
AAH2A115K	IB-02G-2C Incubator (2-Chamber, 2X60L) , 230V, 50/60Hz	ON APPLICATION
AAH2A015K	IB-02G-4C Incubator (4-Chamber, 4X60L) , 230V, 50/60Hz	ON APPLICATION

### Accessories for IB-G, E Series

00EDA0008136	Wire shelf for ON-02G, OF-02G/P, OF-01E, IB-05G, ON-01E, IB-01E	11772.00
00EDA0008135	Wire shelf for ON-12G, OF-12G/P, OF-11E, IB-15G, ON-11E	11772.00
00EDA0008137	Wire shelf for ON-22G, OF-21E, IB-25G, ON-21E	11772.00
00EDA0008220	Wire shelf for IB-11E, IL3-25(A), GC-300	11772.00
00EDA0008219	Wire shelf for IB-21E, IL3-15(A)	11772.00
AAA12531	OE-531 Perforated shelf for ON-02G, OF-02G/P, OF-01E, IB-05G, ON-01E, IB-01E	15696.00
AAA12532	OE-532 Perforated shelf for ON-12G, OF-12G/P, OF-11E, IB-15G, ON-11E	16677.00
AAA12535	OE-535 Perforated shelf for ON-22G, OF-21E, IB-25G, ON-21E	21582.00
AAA22522	BE-522 Perforated shelf for IB-11E, IL3-25(A), GC-300	21582.00
AAA22521	BE-521 Perforated shelf for IB-21E, IL3-15(A)	21582.00
AAA21521	Stacking kits for stackable chambers (IB-05G)	2747.00
AAA21522	Stacking kits for stackable chambers (IB-15G)	2747.00
AAA21523	Stacking kits for stackable chambers (IB-25G)	2747.00
AAA26501	Stacking kits for stackable chambers (IB-01E)	2747.00
AAA26502	Stacking kits for stackable chambers (IB-11E)	2747.00
AAA26503	Stacking kits for stackable chambers (IB-21E)	2747.00

## Low Temp. Incubators

AAH220412K	L3-15 Low Temperature Incubator including RS-232 interface and software ,230V, 50/60Hz	ON APPLICATION
AAH220512K	IL3-25 Low Temperature Incubator including RS-232 interface and software ,230V, 50/60Hz	ON APPLICATION
AAH220612K	IL3-15A Low Temperature Incubator including RS-232 interface and software ,230V, 50/60Hz	ON APPLICATION
AAH220712K	IL3-25A Low Temperature Incubator including RS-232 interface and software ,230V, 50/60Hz	ON APPLICATION
AAH28112K	IL-11-2C Low Temperature Incubator(2-Chamber) ,230V, 50Hz	ON APPLICATION
AAH28012K	IL-11-4C Low Temperature Incubator(4-Chamber) ,230V, 50Hz	ON APPLICATION

### Accessories for IL3-15(A), IL3-25(A), IL-11-4C



00EDA0008219	Wire shelf for IB-21E, IL3-15(A), IL-11-4C	11772.00
00EDA0008220	Wire shelf for IB-11E, IL3-25(A), GC-300	11772.00
AAA22521	BE-521 Perforated shelf for IB-21E, IL3-15(A), IL-11-4C	21582.00
AAA22522	BE-522 Perforated shelf for IB-11E, IL3-25(A), GC-300	21582.00

<b>Incubated Shakers</b>		
AAH23422K	IST-3075 Incubated Shaker(53L) ,230V, 50/60Hz	ON APPLICATION
AAH23522K	IST-3075R Incubated Shaker(53L) ,230V, 50/60Hz	ON APPLICATION
AAA23501-V3	SE-501 Universal platform for IST-3075 series(needed for mounting accessories)	27468.00
AAH23622K	IST-4075 Incubated Shaker(83L) ,230V, 50/60Hz	ON APPLICATION
AAH23722K	IST-4075R Incubated Shaker(83L) ,230V, 50/60Hz	ON APPLICATION
AAA23502-V3	SA-502 Universal platform for IST-4075 series(needed for mounting accessories)	34335.00



<b>Incubated Shakers</b>		
AAH23432K	ISS-3075 Incubated Shaker(80L) ,230V, 50/60Hz	ON APPLICATION
AAH23532K	ISS-3075R Incubated Shaker(80L) ,230V, 50/60Hz	ON APPLICATION
AAA23501-V3	SE-501 Universal platform for ISS-3075 series(needed for mounting accessories)	27468.00
AAH23632K	ISS-4075 Incubated Shaker(150L) ,230V, 50/60Hz	ON APPLICATION
AAH23732K	ISS-4075R Incubated Shaker(150L) , 230V, 50/60Hz	ON APPLICATION
AAA23502-V3	SA-502 Universal platform for ISS-4075 series(needed for mounting accessories)	34335.00



<b>Incubated Shakers</b>		
AAH238132K	ISS-7100 Incubated Shaker ,230V, 50/60Hz	ON APPLICATION
AAH239132K	ISS-7200 Incubated Shaker ,230V, 50/60Hz	ON APPLICATION
AAH238232K	ISS-7100R Incubated Shaker ,230V, 50/60Hz	ON APPLICATION
AAH239232K	ISS-7200R Incubated Shaker ,230V, 50/60Hz	ON APPLICATION
AAA23507	Universal platform for ISS-7000 series(Rail type, needed for mounting accessories)	ON APPLICATION
AAH23342K	ISF-7100 Incubated Shaker , 230V, 50/60Hz	ON

		APPLICATION
AAH23442K	ISF-7200 Incubated Shaker , 230V, 50/60Hz	ON APPLICATION
AAH23541K	ISF-7100R Incubated Shaker , 230V, 50/60Hz	ON APPLICATION
AAH23641K	ISF-7200R Incubated Shaker , 230V, 50/60Hz	ON APPLICATION
AAA23503-V3	SA-503 Universal platform for ISF-7000 series(needed for mounting accessories)	ON APPLICATION
<b>Accessories for IST, ISS, ISF Series</b>		
00EDA0008235	Wire shelves for ISS-3075/R	ON APPLICATION
00EDA0008233	Wire shelves for ISS-4075/R	ON APPLICATION
AAA23511-V1	SA-511 Universal attachment for IST-3075/OS-3000/ISS-3075 Series	43164.00
AAA23512-V1	SA-512 Universal attachment for IST-4075/OS-4000/ISS-4075 Series	55917.00
AAA23505	SA-513-1 Universal attachment for ISF- 7000 series	103005.00
AAA23517	SE-513 Universal attachment for ISS- 7000 series (Rail Type)	ON APPLICATION
AAA23521-V1	SE-521 Spring wire rack for IST-3075 series	ON APPLICATION
AAA31521-V1	SA-521 Spring wire rack for OS-3000/ISS-3075 Series	52974.00
AAA23522-V2	SE-522 Spring wire rack for IST-4075 series	ON APPLICATION
AAA31522-V1	SA-522 Spring wire rack for OS-4000/ISS-4075 Series	64746.00
AAA23514	SE-523-1 Spring wire rack for ISF/OS-7000 series	86328.00
AAA23527	SE-526 Spring wire rack for ISS-7000 series	ON APPLICATION
AAA23531	SE-531 Rubber mat for IST-3075 series	ON APPLICATION
AAA23531-V1	SA-531 Rubber mat for OS-3000/ISS-3075 Series	27468.00
AAA23532	SE-532 Rubber mat for IST-4075 series	ON APPLICATION
AAA23532-V1	SA-532 Rubber mat for OS-4000/ISS-4075 Series	43164.00
AAA23534	SE-533-1 Rubber mat for ISF/OS-7000 series	63765.00
AAA23537	SE-535 Rubber mat for ISS-7000 series	ON APPLICATION
AAA23541	SE-541 Transparent Acryl door for IST-3075 series	ON APPLICATION
AAA23542	SE-542 Transparent Acryl door for IST-4075 series	ON APPLICATION
AAA23550	SE-550 Clamp for 50ml Round flask	ON APPLICATION
AAA23551	SE-551 Clamp for 100ml Round flask	ON APPLICATION
AAA23552	SE-552 Clamp for 250ml Round flask	ON APPLICATION
AAA23556	SE-556 Clamp for 300ml Round flask	ON APPLICATION
AAA23553	SE-553 Clamp for 500ml Round flask	ON APPLICATION
AAA23554	SE-554 Clamp for 1000ml Round flask	ON APPLICATION
AAA23555	SE-555 Clamp for 2000ml Round flask	ON APPLICATION
AAA23557	SE-557 Clamp for 2800ml Round flask	ON

		APPLICATION
AAA23558	SE-558 Clamp for 4000ml Round flask	ON APPLICATION
AAA23559	SE-559 Clamp for 6000ml Round flask	ON APPLICATION
AAA23562	SE-562 Clamp for 250ml Separate funnel	ON APPLICATION
AAA23563	SE-563 Clamp for 500ml Separate funnel	ON APPLICATION
AAA23564	SE-564 Clamp for 1000ml Separate funnel	ON APPLICATION
AAA23565	SE-565 Clamp for 2000ml Separate funnel	ON APPLICATION
AAA23581	SE-581 Test tube rack, 8 mm * 86 holes	ON APPLICATION
AAA23582	SE-582 Test tube rack, 10 mm * 86 holes	ON APPLICATION
AAA23583	SE-583 Test tube rack, 12 mm * 58 holes	ON APPLICATION
AAA23584	SE-584 Test tube rack, 14 mm * 58 holes	ON APPLICATION
AAA23585	SE-585 Test tube rack, 16 mm * 32 holes	ON APPLICATION
AAA23586	SE-586 Test tube rack, 25 mm * 19 holes	ON APPLICATION
AAA23587	SE-587 Test tube rack, 30 mm * 10 holes	ON APPLICATION
AAA23594	SE-594 Test tube rack, 35 mm * 10 holes	ON APPLICATION
AAA23593	SE-593 Test tube rack, 50 mm * 4 holes	ON APPLICATION
AAA23611-V1	SE-611-1 Dedicated Platform for IST-3075/ISS-3075 series with Max. clamps (250ml)	63765.00
AAA23612-V1	SE-612 Dedicated Platform for IST-3075/ISS-3075 series with Max. clamps (500ml)	ON APPLICATION
AAA23623-V1	SE-621 Dedicated Platform for IST-4075 series with Max. clamps (250ml)	ON APPLICATION
AAA23621-V1	SE-621-1 Dedicated Platform for ISS-4075 series with Max. clamps (250ml)	98100.00
AAA23622-V1	SE-622-1 Dedicated Platform for IST/ISS-4075 series with Max. clamps (500ml)	86328.00
AAA23634	SE-631-1 Dedicated Platform for ISF/OS-7000 series with Max. clamps (250ml)	127530.00
AAA23635	SE-632-1 Dedicated Platform for ISF/OS-7000 series with Max. clamps (500ml)	127530.00
AAA23637	SE-637 Dedicated Platform for ISS-7000 series with Max. clamps (250ml)	ON APPLICATION
AAA23636	SE-636 Dedicated Platform for ISS--7000 series with Max. clamps (500ml)	ON APPLICATION
AAA30551	SA-6051 Lab Sticker (200 * 200)	ON APPLICATION
AAA23651	SE-651 Micro-plate Holder, (Tower)	24525.00
AAA23652	SE-652 Micro-plate Holder, (Flat-A)-4EA	24525.00
AAA23653	SE-653 Micro-plate Holder, (Flat-B)-3EA	21582.00
AAA23654	SE-654 Micro-plate Holder, (Single)	5200.00
AAA23811	Stacking kit for ISS-3075	ON APPLICATION
AAA23812	Stacking kit for ISS-4075	ON APPLICATION

AAA23801	Retractable Foot Caster for ISS-3075	ON APPLICATION
AAA23802	Retractable Foot Caster for ISS-4075	ON APPLICATION
AAA23571	Stand 1 with Stacking kits for ISS-7000 series (for stacking 1 unit)	ON APPLICATION
AAA23572	Stand 2 with Stacking kits for ISS-7000 series (for stacking 2 units)	ON APPLICATION
AAA23573	Stacking kits for ISS-7000 series	ON APPLICATION



<b>Mini Incubator</b>		
AAH24315K	IM-10 Mini Incubator ,230V, 50/60Hz	137340.00
<b>Accessories</b>		
00EDA0008244	Wire shelf for IM-10	11772.00
AAA24511	Perforated shelf for IM-10	16677.00

<b>Magnetic Drive</b>		
BEA511001	Magnetic Drive(TS 24/40)	131454.00
BEA511002	Magnetic Drive(TS 29/42)	137340.00
BEA511003	Magnetic Drive(TS 34/45)	147150.00

<b>Mixers</b>		
<b>Vortex Mixer</b>		
AAH360215K	VM-96A Vortex Mixer KR Plug , 100~240VAC, 50/60Hz	39240.00
<b>Optional Accessories for VM-96 series</b>		
00VMS0000063	VMS-0011 Rubber (Pop-Off) Platform	4316.00
00VMS0000058	VMS-0058 Standard Rubber Platform	4316.00
00VMS0000008JT	VMS-0008 Micro plate Tray	4316.00
AAA36520	VME-520 Soft Platform with Insert Retainer	4316.00
AAA36521	VME-521 Tube Holder with Insert Retainer(10mm)	4316.00
AAA36522	VME-522 Tube Holder with Insert Retainer(12mm)	4316.00
AAA36523	VME-523 Tube Holder with Insert Retainer(15mm)	4316.00
AAA36524	VME-524 Tube Holder with Insert Retainer(20mm)	4316.00
AAA36525	VME-525 Tube Holder with Insert Retainer(25mm)	4316.00
AAA36526	VMS-526 Tube Holder with Insert Retainer (Φ8mm x 18ea & Φ10mm x 28ea)	4316.00



<b>Ovens</b>		
<b>Natural Convection Ovens</b>		
AAH11135K	ON-02G Natural Convection Oven(52L) ,230V, 50/60Hz	176580.00
AAH11235K	ON-02GW, Natural Convection Oven with Window (52L) ,230V, 50/60Hz	186390.00
AAH15015K	ON-01E Natural Convection Oven(52L) , 230V, 50/60Hz	156960.00

AAH15025K	ON-11E Natural Convection Oven(100L) , 230V, 50/60Hz	176580.00
-----------	--	-----------

### Forced Convection Ovens

AAH14225K	OF4-05SW Standard Forced Convection Oven (Window, 61L, 230V, 50/60Hz), KR Plug	ON APPLICATION
AAH12965K	OF4-05PW Programmable Forced Convection Oven (Window, 61L, 230V, 50/60Hz), KR Plug	ON APPLICATION
AAH12835K	OF4-10VW Advanced Forced Convection Oven (Window, 112L, 230V, 50/60Hz), KR Plug	ON APPLICATION
AAH12845K	OF4-15VW Advanced Forced Convection Oven (Window, 147L, 230V, 50/60Hz), KR Plug	ON APPLICATION

### Vacuum Ovens

AAH13315K	OV4-30 Vacuum Oven (28L) including safety cover and silicone hose(2EA, Φ8) 230V, 50/60Hz, KR Plug	441450.00
AAH13325K	OV4-65 Vacuum Oven (65L) including safety cover and silicone hose(2EA, Φ8) 230V, 50/60Hz, KR Plug	559170.00



### Accessories for vacuum oven OV4-30, 65

00FAA0005146	OVE-503 Gasket Silicon packing for OV4-30	11772.00
00FAA0005147	OVE-504 Gasket Silicon packing for OV4-65	12753.00
00FAA0005187	OVE-505 Gasket Viton packing for OV4-30	27468.00
00FAA0005188	OVE-506 Gasket Viton packing for OV4-65	27468.00
BEH73205K	W2V10, Rotary Vacuum Pump, 100L/min, KR Plug ,230VAC, 50/60Hz	225630.00
BEA700351	[W2V10 / 20 / 40] Oil Mist Trap, WOF-150 (PC)	27468.00
BEA700355	[W2V10 / 20 / 41] Oil Mist Trap, WOF-150 (Metal)	51993.00
AAH62012K	CTB-10 Cold Trap Bath (230V, 50Hz)	412020.00
00FCA0001110	CE-500 U-type glass trap( 1EA ) for CTB	15696.00

### Plant Growth Chambers

AAHA1012K	GC-300TL Plant Growth Chamber(300L) ,230V, 50/60Hz	ON APPLICATION
AAHA1022K	GC-300TLH Plant Growth Chamber(300L) ,230V, 50/60Hz	ON APPLICATION
AAHA1032K	GC-1000TLH Plant Growth Chamber(1000L) ,230V, 50Hz	ON APPLICATION

### Accessories for GC-300, 1000 series

AAAA1501	GCE-501 Recorder 6 Point with Temperature Sensor (GC-300TL/TLH)	ON APPLICATION
AAAA1502	GCE-502 Recorder 6 Point with Temperature Sensor (GC-1000TL/TLH)	ON APPLICATION
AAA22522	BE-522 Perforated shelf for IB-11E, IL-21(A), GC-300	21582.00
AAAA1512	GCE-512 Perforated Shelf for GC-1000 series	ON APPLICATION
00EDA0008220	Wire shelf for IB-11E, IL3-25(A), GC-300	11772.00
00EDA0008222	BE-502 Wire self for GC-1000 series	ON APPLICATION
AAAA1521	GCE-521 Co2 control system	ON APPLICATION





### Freezers (-15 ~ -25°C)

AAHE2202K	FMG-150 Laboratory Freezer (Solid, Single Door) , 230V, 50/60Hz	ON APPLICATION
AAHE2212K	FMG-300 Laboratory Freezer (Solid, Single Door) , 230V, 50/60Hz	ON APPLICATION
AAHE2222K	FMG-650 Laboratory Freezer (Solid, Single Door) , 230V, 50/60Hz	ON APPLICATION

### Freezers (-25 ~ -35°C)

AAHE2302K	FCG-150 Laboratory Freezer (Solid, Single Door) ,230V, 50Hz	ON APPLICATION
AAHE2312K	FCG-300 Laboratory Freezer (Solid, Single Door) ,230V, 50Hz	ON APPLICATION
AAHE2322K	FCG-650 Laboratory Freezer (Solid, Single Door) ,230V, 50Hz	ON APPLICATION

### Optional Accessories for FG Series

AAAE1511	Wire Sheleves for FG-150/300 (Flat type, Included Shelf Bracket)	ON APPLICATION
AAAE1512-1	Wire Sheleves for FG-650 (Flat type, Included Shelf Bracket)	ON APPLICATION
AAAE1515-1	Wire Sheleves for FG-650 (Slide type, Included Guide Rail)	ON APPLICATION
AAAE1518-1	Drawer Sheleves for FG-650 (Slide type, Included Guide Rail)	ON APPLICATION
AAAE1562	[FG] Dot type Recorder (6 Ch) with Temp. sensor for Refrigerators, Freezers	ON APPLICATION
AAAE1501	[FG] Recorder (Chart type, 6", 24hr/7day) (CLG/FG models)	ON APPLICATION
AAAE1502	[FG] Chart Recorder Paper (6", 60 ea) (CLG/FG models)	ON APPLICATION
AAAE1504	Thermal line type Recorder Paper (3ea per pack)	ON APPLICATION
AAA8T509	Dot type recorder paper	ON APPLICATION
AAAE1563	[FG] Thermal line Recorder with Temp. sensor for Refrigerators, Freezers	ON APPLICATION
AAAE1551	[FG] Auto Dialing Remote System for medical cooling	ON APPLICATION
AAAE1542	FHG/FMG/FCG/FDG-150 Stand with caster	ON APPLICATION
AAAQ1011	LC Greenbox (2.4GHz, 100~240V, 50/60Hz)	ON APPLICATION

### Shakers

#### Orbital or Reciprocating Shakers(OS Series)

AAH3D1115K	OS-2000 Shaker(Orbital/Reciprocating, 0.75") ,230V, 50/60Hz	176580.00
AAA3A501-V2	SA-A501 Universal platform for OS-2000 Series(needed for mounting accessories)	27468.00
AAH3D1215K	OS-3000 Shaker(Orbital/Reciprocating, 0.75") ,230V, 50/60Hz	225630.00



AAA23501-V3	SE-501 Universal platform for OS-3000 series(needed for mounting accessories)	27468.00
AAH3D1315K	OS-4000 Shaker(Orbital/Reciprocating, 0.75" ),230V, 50/60Hz	274680.00
AAA23502-V3	SA-502 Universal platform for OS-4000 series(needed for mounting accessories)	34335.00
<b>Accessories for OS-2000, OS-3000,OS-4000</b>		
AAA3A532	SA-A532 Dimpled mat for OS-2000	5395.00
AAA3A541	SA-A541 Dual Stacking Tray for OS-2000 (Microplate)	15696.00
AAA3A542	SA-A542 Large Tray for OS-2000 (Microplate)	11772.00
AAA3A511-V1	SA-A511 Universal attachment for OS-2000	34335.00
AAA23511-V1	SA-511 Universal attachment for OS-3000/ISS-3075 Series	43164.00
AAA23512-V1	SA-512 Universal attachment for OS-4000/ISS-4075 Series	55917.00
AAA3A521	SA-A521 Spring wire rack for OS-2000	29430.00
AAA31521-V1	SA-521 Spring wire rack for OS-3000/ISS-3075 Series	52974.00
AAA31522-V1	SA-522 Spring wire rack for OS-4000/ISS-4075 Series	64746.00
AAA3A531-V1	SA-A531 Rubber mat for OS-2000	21582.00
AAA23531-V1	SA-531 Rubber mat for OS-3000/ISS-3075 Series	27468.00
AAA23532-V1	SA-532 Rubber mat for OS-4000/ISS-4075 Series	43164.00
AAA23611-V1	SE-611-1 Dedicated Platform for OS-3000 Series with Max. clamps (250ml)	63765.00
AAA23613-V1	SA-552 Dedicated Platform for OS-3000 Series with Max. clamps (500m)	63765.00
AAA23621-V1	SE-621-1 Dedicated Platform for OS-4000 Series with Max. clamps (250ml)	98100.00
AAA23622-V1	SE-622-1 Dedicated Platform for OS-4000/ISS-4075 Series with Max. clamps (500ml)	86328.00
AAA23651	SE-651 Micro-plate Holder, (Tower)	24525.00
AAA23652	SE-652 Micro-plate Holder, (Flat-A)-4EA	24525.00
AAA23653	SE-653 Micro-plate Holder, (Flat-B)-3EA	21582.00
AAA23654	SE-654 Micro-plate Holder, (Single)	5200.00
AAA31541-V1	SA-541 Stage rack for OS-3000 (4 STEPS	117000.00
AAA31542-V1	SA-542 Stage rack for OS-4000 (4 STEPS)	153000.00

### Rocking Shaker

AAH391115K	CRS-350 Rocking Shaker KR Plug ,100~240VAC, 50/60Hz	117720.00
------------	---	-----------

### Waving Shaker

AAH381115K	CWS-350 Waving Shaker KR Plug ,100~240VAC, 50/60Hz	117720.00
------------	--	-----------

### Accessories for CRS/CWS-350

AAA38501	CE-501 Rubber Mat	5396.00
AAA38502	CE-502 Dimpled Mat	5396.00
AAA38503	Universal Harness	7358.00

### Mini Shaker

AAH3B1115K	CMS-350 Mini Shaker KR Plug ,100~240VAC, 50/60Hz	147150.00
------------	--	-----------

### Accessories for CMS-350

AAA3B501	Universal platform	19620.00
AAA3B511	Spring wire rack for CMS	29430.00
AAA3B521	Universal Attachment	32373.00



AAA38502	CE-502 Dimple mats	5396.00
AAA38501	CE-501 Rubber mats	5396.00
AAA3B531	Dual stacking tray for Microplate	15696.00
AAA3B532	Large tray for Microplate	11772.00

### Microplate Shaker

AAH3C1115K	CPS-350 Microplate Shaker KR Plug ,100~240VAC, 50/60Hz	137340.00
------------	--	-----------

### Accessories for CPS-350


00CPS0000011	Conical tube rack for CPS-350 (ABS, 15ml, 30 holes)	4905.00
00CPS0000012	Conical tube rack for CPS-350 (ABS, 50ml, 12 holes)	4905.00
AAAJ2311	Micro-tube rack with Cap (PC, 1.5ml, 80 holes) for CPS-350	9810.00

### Heating Shaker

AAHJ4015K	CBS-350 Heating Shaker KR Plug ,230V, 50/60Hz	156960.00
-----------	---	-----------

### Accessories for CBS-350

AAAJ4501	Block set with Cover for CBS-350 (0.5ml x 48 holes)	16677.00
AAAJ4502	Block set with Cover for CBS-350 (1.5ml x 24 holes)	21582.00
AAAJ4503	Block set with Cover for CBS-350 (50ml x 6 holes)	21582.00
AAAJ4504	Block set with Cover for CBS-350 (0.2ml x 96 holes, 96 well tube rack)	34335.00
AAAJ4505	Block set with Cover for CBS-350 (15ml x 15 holes)	21582.00
AAAJ4506	Block set with Cover for CBS-350 (ø12 x 24)	21582.00
AAAJ4507	Block set with Cover for CBS-350 (ø13 x 24)	21582.00



### Rotator

AAH3E115K	CRT-350 Rotator KR Plug ,100~240VAC, 50/60Hz	127530.00
-----------	--	-----------

### Accessories for CRT-350

AAA3E501	1.5ml Tube (ø10mm) Tube holder set with disk	29430.00
AAA3E502	5ml Tube (ø12mm) Tube holder set with disk	17658.00
AAA3E503	15ml Tube (ø16.5mm) Tube holder set with disk	17658.00
AAA3E504	50ml Tube (ø29mm) Tube holder set with disk	11772.00
AAA3E511	Disk for Flask Clamp	7848.00
AAA3E521	Post	7848.00



### Stirrers

#### Magnetic Stirrers(Scale) without heater

AAH330115BK	MS-12BB Magnetic Stirrer(Scale, ø120mm, Percian Blue), KR Plug ,100~240VAC, 50/60Hz	16677.00
AAH330215BK	MS-17BB Magnetic Stirrer(Scale, ø170mm, Percian Blue), KR Plug ,100~240VAC, 50/60Hz	18639.00
AAH330315BK	MS-22BB Magnetic Stirrer(Scale, ø220mm, Percian Blue), KR Plug ,100~240VAC, 50/60Hz	ON APPLICATION

#### Magnetic Stirrers(Digital) without heater

AAH331215BK	MS-17GB Magnetic Stirrer(Digital, ø170mm, Percian Blue), KR Plug ,100~240VAC, 50/60Hz	ON APPLICATION
AAH331315BK	MS-22GB Magnetic Stirrer(Digital, ø220mm, Percian Blue), KR Plug ,100~240VAC, 50/60Hz	39240.00

**Accessories for MS-12B, 17B, 22B**

00MTT0000001	MSA-101 Power Adapter for MS-12 & MS-17	ON APPLICATION
00MTT0000002	MSA-201 Plate Cover(White, Silicone) for MS-12	ON APPLICATION
00MTT0000003	MSA-202 Plate Cover(White, Silicone) for MS-17	ON APPLICATION
00MTT0000004	MSA-203 Plate Cover(White, Silicone) for MS-22	ON APPLICATION
00MTT0000005	MSA-204 Plate Cover(Black, Silicone) for MS-12	ON APPLICATION
00MTT0000006	MSA-205 Plate Cover(Black, Silicone) for MS-17	ON APPLICATION
00MTT0000007	MSA-206 Plate Cover(Black, Silicone) for MS-22	ON APPLICATION
00MTT0000144	Plate cover (White color, Silicone $\varnothing$ 115mm / $\varnothing$ 4.53") MS-12T	ON APPLICATION
00MTT0000146	Plate cover (White color, Silicone $\varnothing$ 165mm / $\varnothing$ 6.49") MS-17T	ON APPLICATION
00MTT0000143	Plate cover (Black color, Silicone $\varnothing$ 115mm / $\varnothing$ 4.53") MS-12T	ON APPLICATION
00MTT0000145	Plate cover (Black color, Silicone $\varnothing$ 165mm / $\varnothing$ 6.49") MS-17T	ON APPLICATION
AAH33501	PD-5 Power Divider	ON APPLICATION
00MTT0000132	Support Rod (M10, $\varnothing$ 12x400mm / $\varnothing$ 0.47x15.75") MS-17G/22G	ON APPLICATION

BCW001513	MSA-501 Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x13mm)	ON APPLICATION
BCW001515	MSA-502 Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x15mm)	ON APPLICATION
BCW001522	MSA-503 Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x22mm)	ON APPLICATION
BCW001525	MSA-504 Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x25mm)	ON APPLICATION
BCW001528	MSA-505 Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x28mm)	ON APPLICATION
BCW001538	MSA-506 Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x38mm)	ON APPLICATION
BCW001541	Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x41mm)	ON APPLICATION
BCW001551	MSA-507 Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 8x51mm)	ON APPLICATION
BCW00155110	Magnetic stirring bar for MS-B, G, M, T Series(Octahedral, 10x51mm)	ON APPLICATION

BCW0011138	Magnetic stirring bar for MS-B, G, M, T Series(Cylindrical, 8x13mm)	ON APPLICATION
BCW0011156	MSA-512 Magnetic stirring bar for MS-B, G, M, T Series(Cylindrical, 6x15mm)	ON APPLICATION
BCW0011208	MSA-513 Magnetic stirring bar for MS-B, G, M, T Series(Cylindrical, 8x20mm)	ON APPLICATION

BCW0011258	MSA-514 Magnetic stirring bar for MS-B, G, M, T Series(Cylindrical, 8x25mm)	ON APPLICATION
BCW0011308	MSA-515 Magnetic stirring bar for MS-B, G, M, T Series(Cylindrical, 8x30mm)	ON APPLICATION
BCW001140	MSA-516 Magnetic stirring bar for MS-B, G, M, T Series(Cylindrical, 8x40mm)	ON APPLICATION
BCW001150	MSA-517 Magnetic stirring bar for MS-B, G, M, T Series(Cylindrical, 8x50mm)	ON APPLICATION

BCW001610	Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 5x10mm)	ON APPLICATION
BCW001615	MSA-521 Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 6x15mm)	ON APPLICATION
BCW001620	MSA-522 Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 10x20mm)	ON APPLICATION
BCW00162510	MSA-523 Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 10x25mm)	ON APPLICATION
BCW001630	MSA-524 Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 16x30mm)	ON APPLICATION
BCW001635	Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 16x35mm)	ON APPLICATION
BCW001640	MSA-525 Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 20x40mm)	ON APPLICATION
BCW001650	Magnetic stirring bar for MS-B, G, M, T Series(Oval, Round flask, 20x50mm)	ON APPLICATION

BCW0041300	MSA-601 Plastic Retriever(PP, 10x300mm)	ON APPLICATION
BCW0041350	Plastic Retriever(PP, 10x350mm)	ON APPLICATION
BCW0041450	MSA-602 Plastic Retriever(PP, 10x450mm)	ON APPLICATION

#### Multi Position Magnetic Stirrers

AAH332115K	MS-23M Multi Position Magnetic Stirrer(HorizontalxVertical, 3x2), KR Plug , 100~240VAC, 50/60Hz	117720.00
AAH332215K	MS-32M Multi Position Magnetic Stirrer(HorizontalxVertical, 2x3), KR Plug , 100~240VAC, 50/60Hz	117720.00
AAH332315K	MS-33M Multi Position Magnetic Stirrer(HorizontalxVertical, 3x3), KR Plug , 100~240VAC, 50/60Hz	166770.00
AAH332415K	MS-51M Multi Position Magnetic Stirrer(HorizontalxVertical, 5x1), KR Plug , 100~240VAC, 50/60Hz	93195.00
AAH332515K	MS-52M Multi Position Magnetic Stirrer(HorizontalxVertical, 5x2), KR Plug , 100~240VAC, 50/60Hz	176580.00
AAH332615K	MS-53M Multi Position Magnetic Stirrer(HorizontalxVertical, 5x3), KR Plug , 100~240VAC, 50/60Hz	235440.00

#### Optional Accessories for MS-51M, 52M, 53M

00MTS0000015	Silicone Cover for MS-53M	2747.00
00MTS0000016	Silicone Cover for MS-52M	2747.00
00MTS0000017	Silicone Cover for MS-51M	2747.00
00MTS0000041	Silicone Cover for MS-32M	2747.00
00MTS0000042	Silicone Cover for MS-33M/23M	2747.00

Hotplate Stirrers		
AAH34445K	TS-14SG Hotplate & Magnetic Stirrer (Digital, $\Phi$ 140mm), KR plug , 230V, 50/60Hz	ON APPLICATION
AAH34475K	TS-17SG Hotplate & Magnetic Stirrer (Digital, $\Phi$ 170mm) , KR plug , 230V, 50/60Hz	ON APPLICATION
AAH34485K	TS-18QG Hotplate & Magnetic Stirrer (Digital, 180mm) , KR plug , 230V, 50/60Hz	ON APPLICATION
AAH34245K	TM-14SG Hotplate & Magnetic Stirrer (Basic, $\Phi$ 140mm), KR plug , 230V, 50/60Hz	ON APPLICATION
AAH34275K	TM-17SG Hotplate & Magnetic Stirrer (Basic, $\Phi$ 170mm), KR plug , 230V, 50/60Hz	ON APPLICATION
AAH34285K	TM-18QG Hotplate & Magnetic Stirrer (Basic, 180mm), KR plug, 230V, 50/60Hz	ON APPLICATION
AAH35045K	T-14SG Hotplate (Digital, $\Phi$ 140mm), KR plug , 230V, 50/60Hz	ON APPLICATION
AAH35075K	T-17SG Hotplate (Digital, $\Phi$ 170mm), KR plug , 230V, 50/60Hz	ON APPLICATION
AAH35085K	T-18QG Hotplate (Digital, 180mm, handle), KR plug , 230V, 50/60Hz	ON APPLICATION
Accessories for TM/T/TS Series		
00HPS0000012	Heating Bath for 14 series	ON APPLICATION
00HPS0000015	Heating Bath for 17 series	ON APPLICATION
00HPS0000059	Transparency Shield PC for 14 series	ON APPLICATION
00HPS0000039	Transparency Shield PC for 17 series	ON APPLICATION
AAA37511	C-20, Clamp Holder (Al body, $\Phi$ 27mm)	3434.00
AAA37512	C-10, Clamp Holder (Al body, $\Phi$ 17mm)	2747.00
AAA37513	C-7, Clamp Holder (Al body, $\Phi$ 12mm)	ON APPLICATION
AAA37514	C-5, Clamp Holder (PP body, $\Phi$ 12mm)	1177.00
AAA34501	External Temp. Sensor (PT100, 250°C)	ON APPLICATION
AAA34502	External Temp. Sensor (PT100, 400°C)	ON APPLICATION
00MTT0000132	Support Rod (M10 ( $\Phi$ 12x400mm / $\Phi$ 0.47"x15.74"))	ON APPLICATION
BEA1000014	2 Prong Clamp ( 60mm grip)	3238.00
00HPS0000137	Sensor Holder (PP body, Hole 1: $\Phi$ 11mm / $\Phi$ 0.43", Hole 2: $\Phi$ 10mm / $\Phi$ 0.39", Hole 3: $\Phi$ 4.2mm / $\Phi$ 0.16")	ON APPLICATION
AAA34511	RBP-100, Round flask heating block plate 100ml	ON APPLICATION
AAA34512	RBP-500, Round flask heating block plate 500ml	ON APPLICATION
AAA34513	RBP-1000, Round flask heating block plate 1,000ml	ON APPLICATION
AAA34514	RBP-2000, Round flask heating block plate 2,000ml	ON APPLICATION
AAA34521	RBI-25, Round flask heating block insert 25ml (for Plate 100ml)	ON APPLICATION
AAA34522	RBI-50, Round flask heating block insert 50ml (for Plate 100ml)	ON APPLICATION
AAA34523	RBI-100, Round flask heating block insert 100ml (for Plate 500ml)	ON APPLICATION
AAA34524	RBI-250, Round flask heating block insert 250ml (for Plate	ON



	500ml)	APPLICATION
AAA34525	RBI-500, Round flask heating block insert 500ml (for Plate 1,000ml)	ON APPLICATION
AAA34526	RBI-1000, Round flask heating block insert 1,000ml (for Plate 2,000ml)	ON APPLICATION
AAA34531	VBP, Vial heating block plate, 190x190x20mm	ON APPLICATION
AAA34541	VBI-1D, Vial heating block insert 1dram (4ml), $\Phi$ 15x17mm, 16holes	ON APPLICATION
AAA34542	VBI-2D, Vial heating block insert 2dram (8ml), $\Phi$ 17x23mm, 16holes	ON APPLICATION
AAA34543	VBI-4D, Vial heating block insert 4dram (15ml), $\Phi$ 21x30mm, 16holes	ON APPLICATION
AAA34544	VBI-20S, Vial heating block insert scintillation 20ml, $\Phi$ 28x22mm, 4holes	ON APPLICATION
AAA34545	VBI-30S, Vial heating block insert scintillation 30ml, $\Phi$ 28x32mm, 4holes	ON APPLICATION
AAA34546	VBI-40S, Vial heating block insert scintillation 40ml, $\Phi$ 28x42mm, 4holes	ON APPLICATION

### Multi Position Hotplate & Magnetic Stirrer



AAHK34015K	MS-33MH Multi Position Hotplate & Magnetic Stirrer , 230V, 50/60Hz	313920.00
AAHK34025K	MS-53MH Multi Position Hotplate & Magnetic Stirrer , 230V, 50/60Hz	ON APPLICATION

### Overhead Stirrers

AAH373325K	MSA-0420 Mechanical Stirrer(Analog) KR Plug , 230V 50/60HZ	68670.00
AAH373225K	MSD-0420 Mechanical Stirrer(Digital) KR Plug , 230V 50/60HZ	78480.00
AAH371415K	MSH-0512 Mechanical Stirrer(LCD, Digital) KR Plug , 100~240VAC, 50/60Hz	107910.00
AAH371515K	MSH-0520 Mechanical Stirrer(LCD, digital) KR Plug , 100~240VAC, 50/60Hz	107910.00



### Optional Accessories for MSA, MSD, MSH Series

AAA37501	DS-01 Dial Stand(WXDXH, 400X400X700)	88290.00
AAA37502	BS-01 Basic Stand(WXDXH, 400X400X700)	43164.00
AAA37503	BS-02 Basic Stand(WXDXH, 300X400X700)	19620.00
AAA37504	BS-03 Basic Stand(WXDXH, 250X350X700)	19620.00
AAA37521	Propeller-Type Impeller(50mm 3-Bladed, 8mm Shaft, 400mm Length)	4316.00
AAA37522	Propeller-Type Impeller(70mm 3-Bladed, 8mm Shaft, 400mm Length)	5396.00
AAA37523	Propeller-Type Impeller(100mm 3-Bladed, 8mm Shaft, 400mm Length)	7848.00
AAA37531	Propeller-Type Impeller(50mm 4-Bladed, 8mm Shaft, 400mm Length)	4316.00
AAA37532	Propeller-Type Impeller(70mm 4-Bladed, 8mm Shaft, 400mm Length)	4905.00
AAA37533	Propeller-Type Impeller(100mm 4-Bladed, 8mm Shaft, 400mm Length)	7848.00
AAA37541	Half-Moon Type Impeller(65/20mm , 8mm Shaft, 300mm Length)	7848.00
AAA37542	Half-Moon Type Impeller(90/25mm , 8mm Shaft, 500mm Length)	8829.00

BEA0570031	Dissolver Type(55mm, 8mm Shaft, 350mm Length)	8829.00
BEA0570032	Dissolver Type(75mm, 8mm Shaft, 350mm Length)	10791.00
AAA37551	Centrifugal Type (50/15mm, 8mm Shaft, 500mm Length)	8829.00
AAA37552	Centrifugal Type (80/15mm, 8mm Shaft, 500mm Length)	10791.00
AAA37561	Turbine Type (40mm, 8mm Shaft, 500mm Length)	19620.00
AAA37562	Turbine Type (70mm, 8mm Shaft, 500mm Length)	19620.00
AAA37571	Anchor Type (45 x 45mm, 8mm Shaft, 300mm Length)	7848.00
AAA37572	Anchor Type (60 x 60mm, 8mm Shaft, 500mm Length)	10791.00
AAA37581	Paddle A Type (70 x 70mm, 8mm Shaft, 500mm Length)	21582.00
BEA0570081	Propeller-Type PTFE Impeller(50mm 4-Bladed, 8mm Shaft, 500mm Length)	29430.00
BEA0570082	Propeller-Type PTFE Impeller(70mm 4-Bladed, 8mm Shaft, 500mm Length)	35316.00
BEA0570091	Half-Moon Type PTFE Impeller(60/18mm , 8mm Shaft, 500mm Length)	19620.00
BEA0570101	Centrifugal Type PTFE Impeller(76/17mm, 8mm Shaft, 500mm Length)	8829.00
BEA0570111	Anchor(square) type PTFE Impeller (80 x 50 x 5mm, 8mm Shaft, 500mm Length)	19620.00
BEA0570121	Anchor(round) type PTFE (80 x 40mm, 8mm Shaft, 500mm Length)	19620.00
BEA0570131	Turbine Type PTFE Impeller(70mm, 8mm Shaft, 500mm Length)	43164.00
BEA0570141	Paddle Type PTFE Impeller(70mm, 8mm Shaft, 500mm Length)	27468.00
BEA0570151	Paddle A Type PTFE Impeller(78 x 80mm, 8mm Shaft, 500mm Length)	29430.00
BEA0570161	PTFE Stirring seals(24/40)	8829.00
BEA0570162	PTFE Stirring seals(29/42)	9810.00
BEA0570163	PTFE Stirring seals(34/45)	14715.00
AAA37512	C-10, Clamp Holder (Al body, Ø17mm)	2747.00
AAA37511	C-20, Clamp Holder (Al body, Ø27mm)	3434.00
BEA1000001	Utility Clamp 3 Prong	2943.00
BEA1000002	Utility Clamp Plat (2P)	2943.00
BEA1000011	3 Prong Clamp ( 80mm grip)	2943.00
BEA1000012	3 Prong Clamp ( 60mm grip)	2943.00
BEA1000013	3 Prong Clamp ( 20mm grip)	2943.00
BEA1000014	2 Prong Clamp ( 60mm grip)	3237.00
BEA0570181	Fixing Clamp	14715.00
BEA0570191	Flexible Coupling	24525.00
AAA37591	External controller (3m cable)	19620.00

### Aspirators

AAH71015K	VE-11 Electric Aspirator ,230V, 50Hz	107910.00
<b>Accessories for VE-11</b>		
AAA71501	VC-10 Cooling coil	14715.00
AAA71531	VC-20 Vacuum gauge with regulator	32373.00
00EFA0009111	ET-02 Aspirator, Nickel coated brass (1 ea)	24525.00
AAH71122	ET-02 Aspirator, Nickel coated brass (10ea)	34335.00



**SPECTROPHOTOMETERS, ULTRASONIC CLEANERS & STIRRING LINE  
BRAND ANTECH**



Order Code	Description	Price (INR)
<b>Spectrophotometers</b>		
AN-V-600N	Economical Single beam Visible spectrophotometer with 1 cm glass cuvette ( 4 pcs), power cord 220V 50Hz	37440.00
AN-V-1000N	Single beam Vis Spectrophotometer with 1 cm glass cuvette ( 4 pcs), power cord AC 220V/50Hz , dust cover and software	74880.00
AN-UV-1500N	Single beam UV/Vis spectrophotometer with 1 cm glass cuvette ( 4 pcs), 1 cm quartz cuvette(2 pcs) , power cord AC 220V/50Hz , dust cover and software	121680.00
AN-UV-2500N	Single beam UV/Vis spectrophotometer with 1 cm glass cuvette ( 4 pcs), 1 cm quartz cuvette(2 pcs) , power cord AC 220V/50Hz , dust cover and software	ON APPLICATION
AN-UV-6500N	UV- Vis Spectrophotometer, double beam with 1cm glass cuvette (4 pcs), 1 cm quartz cuvette (2 pcs), power cord AC 220V/50Hz and software	ON APPLICATION
AN-UV-7000N	Double Beam UV/Vis spectrophotometer with 1 cm glass cuvette ( 4 pcs), 1 cm quartz cuvette (2 pcs) , power cord AC 220V/50Hz dust cover and software	ON APPLICATION
AN-UV-7000N WITH 8 CELL HOLDER	Double Beam UV/Vis spectrophotometer with 8 cell holder ,1 cm glass cuvette ( 4 pcs), 1 cm quartz cuvette (2 pcs) , power cord AC 220V/50Hz dust cover and software	ON APPLICATION



Order Code	Description	Price (INR)
<b>Ultra Sonic Cleaners</b>		
AN - SS - 2L	Ultra sonic cleaner with basket ,2 liter,AC220~240V,50Hz	15912.00
AN - SS - 3L	Ultra sonic cleaner with basket ,3 liter,AC220~240V,50Hz	23400.00
AN - SS - 6L	Ultra sonic cleaner with basket ,6 liter,AC220~240V, 50Hz	37440.00
AN - SS - 9L	Ultra sonic cleaner with basket ,9 liter,AC220~240V, 50Hz	ON APPLICATION
AN - SS - 13L	Ultra sonic cleaner with basket ,13 liter,AC220~240V,50Hz	ON APPLICATION
AN - SS - 20L	Ultra sonic cleaner with basket ,20 liter,AC220~240V,50Hz	ON APPLICATION
AN - SS - 27L	Ultra sonic cleaner with basket ,27 liter,AC220~240V,50Hz	ON APPLICATION



Order Code	Description	Price (INR)
<b>Hotplate Magnetic Stirrer - 340°C &amp; 550°C</b>		
AN-MSH-610	LCD Digital Hotplate Magnetic Stirrer, stainless steel with ceramic coated hotplate, heating temperature up to 340°C , 220v/50Hz/60Hz	ON APPLICATION
AN-MSH-500	Classic Hotplate Magnetic Stirrer, stainless steel with ceramic coated hotplate, heating temperature up to 340°C , 220v/50Hz/60Hz	ON APPLICATION

<b>Hotplate Magnetic Stirrer - 280°C</b>		
AN-MSH-680	Double LED Digital Hotplate Magnetic Stirrer ,stainless steel with ceramic coated hotplate, heating temperature up to 280°C, 220v/50Hz/60Hz	ON APPLICATION

<b>Magnetic Stirrer</b>		
AN-MS-210	LED Digital Magnetic Stirrer, plastic plate, 100V-240V/50Hz/60Hz	ON APPLICATION
AN-MS-200	Classic Magnetic Stirrer, stainless steel with ceramic coated plate , 220v/50Hz/60Hz	ON APPLICATION

<b>Overhead Stirrers</b>		
AN-OST-850	LCD Digital Overhead Stirrer with universal plate stand, crossed stirrer, Max. stirring quantity 20L, ,100V-220V/50Hz/60Hz	ON APPLICATION

<b>Accessories Of Overhead Stirrers AN-OST-850</b>		
AN-18900075	Crossed stirrer, shaft length 35cm, stirrer diameter 6.5cm, PTFE coated	ON APPLICATION
AN-18900076	Straight stirrer, shaft length 35cm, stirrer diameter 7cm, PTFE coated	ON APPLICATION
AN-18900077	Blade stirrer, shaft length 35cm, stirrer diameter 6.8cm, PTFE coated	ON APPLICATION
AN-18900078	Centrifugal stirrer, shaft length 35cm, stirrer diameter 8.5cm, PTFE coated	ON APPLICATION

<b>Mini Centrifuge</b>		
AN-C-1008	Mini Centrifuge with lid, including two rotors of A08-2 & A02-PCR8 , 100-240V/50Hz/60Hz	ON APPLICATION

<b>Accessories For Mini Centrifuge AN-C-1008</b>		
AN-19400015	A08-2 ,Plastic rotor ,7000rpm, 2ml/1.5ml*8, used with AN-C-1008	ON APPLICATION
AN-19400017	A02-PCR8,Plastic rotor ,7000rpm, PCR8*2, used with AN-C-1008	<b>ON APPLICATION</b>
AN-19400029	SA02P2,2ml to 0.2ml rotor adapter, used with AN-C-1008 rotor,8pcs/pk	ON APPLICATION
AN-19400026	SA05P2,2ml to 0.5ml rotor adapter, used with AN-C-1008	ON

	rotor,8pcs/pk	APPLICATION
--	---------------	-------------

### Vortex Mixer

AN-MX-100	Vortex Mixer (adjustable speed) , 220v/50Hz/60Hz	ON APPLICATION
-----------	--	----------------

### Accessories For Vortex Mixer

AN-18900505	Universal top plate, 100mm plate attachment, free of Rubber vacuum suction foot (AN-18900158, 4pcs)	ON APPLICATION
AN-18900044	Tube holding rod, used with VT1.3.1 to VT1.3.5 ;VT1.2	ON APPLICATION
AN-18900020	Tube adapter, for 48 holes test tubes, Ø6mm, used with VT1.3/VT1.2/PS1.1; VT1.3.1	ON APPLICATION
AN-18900021	Tube adapter, for 15 holes test tubes, Ø10mm, used with VT1.3/VT1.2/PS1.1 ;VT1.3.2	ON APPLICATION
AN-18900022	Tube adapter, for 12 holes test tubes, Ø12mm , used with VT1.3/VT1.2/PS1.1; VT1.3.3	ON APPLICATION
AN-18900023	Tube adapter, for 8 holes test tubes, Ø16mm, used with VT1.3/VT1.2/PS1.1 ;VT1.3.4	ON APPLICATION
AN-18900024	Tube adapter, for 8 holes test tubes, Ø20mm, used with VT1.3/VT1.2/PS1.1 ;VT1.3.5	ON APPLICATION
AN-18900043	Platform pad, for <Ø99mm tubes and small vessels ; VT1.3.6	ON APPLICATION
AN-18900158	Rubber vacuum suction foot with screw, 1pc ;VT1.3.7	ON APPLICATION

## **ANtech** Stirrers, Hotplates, Mixers, Centrifuges



## Lumiso Expert

*A robust multi-parameter photometer  
with an extensive range of testing parameters  
for those needing to obtain accurate and reliable results*



- ✚ With an intuitive and accessible touchscreen navigation
- ✚ Scratch and chemical resistant coating IP67 waterproof design - Designed for use in wet and humid environments
- ✚ Large touchscreen interface - Intuitive and accessible with easy navigation, also works with wet and gloved hands
- ✚ Data logging - Results are saved automatically, including test data, user, labels, and notes for audit and compliance
- ✚ Data retrieval - Easy access to data via Palintest Connect



### Technical Specification

Instrument Type Multiparameter Photometer  
Wavelengths 430 nm, 465 nm, 530 nm, 575 nm, 620 nm Peak  
Wavelengths  $\pm 2$ nm Accuracy  $\pm 1\%$ T  
Power Supply 6 x AA 1.5V Batteries or Standalone USB  
Connectivity Via Windows App (USB) or Mobile App (QR Code)  
Memory Capacity Access 1,000 results via device's screen  
Certifications EN61326, EN61010, IP67 and EN60068-2-78

Order Code	Description	Price (INR)
<b>Multi-parameter Photometers and Kits</b>		
<b>Lumiso Expert</b>		
LUM7210	<b>Photometer Lumiso Expert</b> Lumiso Expert Benchtop Kit	ON APPLICATION



<b>Photometer 7500 Bluetooth®</b>		
PTBH 7500	<b>Photometer 7500 Bluetooth® Standard Kit</b> Photometer 7500 Bluetooth® instrument and light cap, 8 glass cuvettes (PT 595), dilution tube/sample container (PT 512), Standard USB lead (PT 747), cuvette brush (PT 663), 10 crush/stirring rods (PT 502), lint free cloth (PT 399), 10ml syringe (PT 369), instrument instruction manual, Palintest System method book. Supplied in a hard case	ON APPLICATION
<b>Photometer 7100</b>		
PTH 7100	<b>Photometer 7100 Standard Kit</b> Photometer 7100 instrument and light cap, 8 glass cuvettes (PT 595), dilution tube/sample container (PT 512), 10ml syringe (PT 369), test tube brush (PT 663), 10 crush/stirring rods (PT 502), lint free cloths (PT 399), instrument instruction manual, Palintest System method book. Supplied in a hard case	ON APPLICATION
PT 804	<b>Photometer 7100/7500 Check Standards</b> Validation standards for Photometer 7100/Photometer 7500 with certificate. Supplied in hard transport/storage case	ON APPLICATION



<b>Accessories</b>		
PT 595/5	10 mL Photometer Tubes (Glass Cuvettes) 20mm Diameter. (pack of 5)	7957.00
<b>Reagents</b>		
AP 011	DPD 1 (250 tests) Range 0 – 5 mg/l Cl <sub>2</sub>	4905.00
AP 021	DPD 2 (250 tests) Range 0 - 5 mg/l Cl <sub>2</sub>	5396.00
AP 041	DPD 4 (250 tests) Range 0 - 5 mg/l Cl <sub>2</sub>	5396.00

<b>Replacement Tablet Reagent Packs For Photometers</b>				
Reagent	Order Code (250 tablets)	Price (INR)	Order Code (50 tablets)	Price (INR)
Alkalinity M (Alkaphot M) Range 0-500 mg/l (CaCO <sub>3</sub> )	AP 250	15696.00	PM 250	6475.00
Alkalinity P (Alkaphot P) Range 0-500 mg/l (CaCO <sub>3</sub> )	AP 251	15696.00	PM 251	6475.00
Alkalinity Total (Alkaphot) Range 0 – 500 mg/l (CaCO <sub>3</sub> )	AP 188	13734.00	PM 188	6475.00

Aluminium Range 0-0.5 mg/l Al	AP 166	19620.00	PM 166	6475.00
Bromine Range 0 - 10.0 mg/l Br <sub>2</sub>	AP 060	46107.00	PM 060	9320.00
Calcium Hardness (Calcicol) Range 0 - 500 mg/l CaCO <sub>3</sub>	AP 252	15696.00	PM 252	6867.00
Chloride (Chloridol) Range 0 - 50,000 mg/l NaCl	AP 268	22563.00	PM 268	9810.00
Chlorine - Free (DPD 1) Range 0 - 5 mg/l Cl <sub>2</sub>	AP 011	4905.00	PM 011	2747.00
Chlorine – Free, extended range (DPD 1) Range 0 - 10.0 mg/l Cl <sub>2</sub>	AP 013	5396.00	PM 013	2747.00
DPD No 2 Phot (250F) Range 0 - 5 mg/l Cl <sub>2</sub>	AP 021	5396.00	PM 021	2453.00
Chlorine – Free, Combined and Total (DPD 1 and DPD 3) Range 0 - 5 mg/l Cl <sub>2</sub>	AP 031	5396.00	PM 031	4316.00
Chlorine – Free, Combined and Total, extended range (DPD No 1 and No 3) Range 0 -10.0 mg/l Cl <sub>2</sub>	AP 033	10791.00	PM 033	4905.00
Chlorine – Total (DPD 4) Range 0 - 5 mg/l Cl <sub>2</sub>	AP 041	5396.00	PM 041	2943.00
Chlorine HR Range 0-250 mg/l Cl <sub>2</sub>	AP 162	19620.00	PM 162	6867.00
Chlorine Dioxide and Chlorite (DPD method) 0 - 10.0 mg/l ClO <sub>2</sub>	AP 052	46107.00	PM 052	21582.00
Chromium VI (Chromicol) Range 0 1.0 mg/l Cr	AP 281	25506.00	PM 281	11772.00
Colour/Turbidity Range 10 – 500 mg/L Pt Co (Hazen)	-		PM 269	16677.00
Copper – Free, Total and Combined Range 0 - 5 mg/l Cu	AP 186	29430.00	PM 186	10791.00
Copper (Coppercol) Free only Range 0 - 5 mg/l Cu	AP 187	21582.00	-	
Cyanuric Acid Range 0 - 200 mg/l CYA	AP 087	11772.00	PM 087	5886.00
Fluoride Range 0 - 1.5 mg/l F	AP 179*	27468.00	PM 179	9810.00
Hardness (Hardicol) Range 0 - 500 mg/l CaCO <sub>3</sub>	AP 254	27468.00	PM 254	9810.00
Hydrogen Peroxide LR Range 0 - 2.0 mg/l H <sub>2</sub> O <sub>2</sub>	AP 104	11772.00	PM 104	4905.00
Hydrogen Peroxide HR Range 0 - 100 mg/l H <sub>2</sub> O <sub>2</sub>	AP 105	21582.00	PM 105	6475.00
Iron LR Range 0 - 1.0 mg/l Fe	AP 155	26487.00	PM 155	7358.00
Iron HR Range 0 - 10 mg/l Fe	AP 156	11772.00	PM 156	5396.00
Iron MR Range 0 - 5.0 mg/l Fe	AP 292	28449.00	PM 292	12753.00
Magnesium Hardness (Magnecol) Range 0 - 500 mg/l CaCO <sub>3</sub>	AP 193	16677.00	PM 193	6867.00
Manganese Range 0 - 0.03 mg/l Mn	AP 173	23544.00	PM 173	8339.00
Manganese HR Range 0 - 5 mg/l Mn	AP 174	23544.00	PM 174	8339.00
Molybdate LR Range 0 - 20.0 mg/l MoO <sub>4</sub>	AP 258*	23544.00	PM 258	8829.00
Molybdate HR Range 0 - 100 mg/l MoO <sub>4</sub>	AP 175	23544.00	PM 175	8829.00

Nickel (Nickeltest) Range 0 - 10.0 mg/l Ni	AP 284*	49050.00	PM 284	21582.00
Nitrate (Nitratetest) Range 0 - 20.0 mg/l N	AP 163*	27468.00	PM 163	11772.00
Nitrite (Nitriphot) Range 0 - 1500 mg/l NaNO <sub>2</sub>	AP 260	18639.00	PM 260	7848.00
Nitrite (Nitricol) Range 0 - 0.5 mg/l N	AP 109	11772.00	PM 109	4316.00
Ozone Range 0 - 2.0 mg/l O <sub>3</sub>	AP 056	5396.00	PM 056	11772.00
pH (Phenol Red) Range pH 6.8 - 8.4	AP 130	2943.00	PM 130	2453.00
Phosphate LR Range 0 - 4 mg/l PO <sub>4</sub>	AP 177*	19620.00	PM 177	5396.00
Phosphate HR Range 0 - 100 mg/l PO <sub>4</sub>	AP 114	23544.00	PM 114	6867.00
Potassium Range 0 - 12 mg/l K	AP 189	23544.00	PM 189	7848.00
Silica Range 0 - 4.0 mg/l SiO <sub>2</sub>	AP 181*	32373.00	PM 181	13734.00
Silica HR Range 0 - 150 mg/l SiO <sub>2</sub>	AP 290*	32373.00	PM 290	11772.00
Sulphate Range 0 - 200 mg/l SO <sub>4</sub>	AP 154	9810.00	PM 154	3924.00
Sulphide Range 0 - 0.5 mg/l S	AP 168*	32373.00	PM 168	7848.00
Sulphite (Sulphitest) Range 0 - 500 mg/l SO <sub>3</sub>	AP 266	19620.00	PM 266	7848.00
Zinc Range 0 - 4 mg/l Zn	AP 148	32373.00	PM 148	9810.00
<b>*200 tests</b>				

### Lumiso Handheld Photometer

#### Lumiso Chlorine Meter

LUM051	<b>Lumiso Chlorine Hard Case Kit</b> Hard Case Kit containing: Lumiso Chlorine Photometer, 5 Photometer Tubes, Photometer Tube Brush, Lint Free Cloth, 10 mL Syringe, 4 Crush/stirring rods, USB Cable, Reagent Storage Box, User Manual. <b>(NB: This kit does not contain any reagents)</b>	73575.00
LMC005D	<b>NDF Check Standards for Lumiso Chlorine, Chlorine Dioxide or Ozone Photometer</b> Neutral Density Filters for Verifying Calibration of Lumiso Chlorine, Chlorine Dioxide or Ozone Photometers. Blank plus three standards mounted in specially designed holders. Supplied in hard case with Certificate	17658.00
<b>Reagents</b>		
AP 011	Chlorine - Free (DPD 1) Range 0 - 5 mg/l Cl <sub>2</sub> ( 250 tests)	4905.00
AP 031	Chlorine – Free, Combined and Total (DPD 1 and DPD 3))Range 0 - 5 mg/l Cl <sub>2</sub> ( 250 tests)	5396.00
AP 041	Chlorine – Total (DPD 4)Range 0 - 5 mg/l Cl <sub>2</sub> ( 250 tests) *	5396.00
AP 021	DPD No 2 Phot (250F) Range 0 - 5 mg/l Cl <sub>2</sub> - - use with DPD 1 *	5396.00
AP 162	Chlorine HR Range 0 - 250 mg/l Cl <sub>2</sub>	19620.00
	*To use these reagents additional test instructions may be needed	
<b>Lumiso Chlorine Dioxide Hard Case Kit</b>		
LUM052	<b>Lumiso Chlorine Dioxide Hard Case Kit</b> Hard Case Kit containing: Lumiso Chlorine Dioxide Photometer, 5 Photometer Tubes, Photometer Tube Brush, Lint Free Cloth, 10 mL	73575.00



	Syringe, 4 Crush/stirring rods, USB Cable, Reagent Storage Box with reagents for 100 tests, User Manual	
LMC005D	<b>NDF Check Standards for Lumiso Chlorine, Chlorine Dioxide or Ozone Photometer</b> Neutral Density Filters for Verifying Calibration of Lumsio Chlorine, Chlorine Dioxide or Ozone Photometers. Blank plus three standards mounted in specially designed holders. Supplied in hard case with Certificate	17658.00
<b>Reagents</b>		
AP 011	Chlorine - Free (DPD 1) Range 0 - 5 mg/l Cl <sub>2</sub> ( 250 tests)	4905.00
AP 031	Chlorine – Free, Combined and Total (DPD 1 and DPD 3))Range 0 - 5 mg/l Cl <sub>2</sub> ( 250 tests)	5396.00
AP 041	Chlorine – Total (DPD 4)Range 0 - 5 mg/l Cl <sub>2</sub> ( 250 tests) *	5396.00
AP 021	DPD No 2 Phot (250F) Range 0 - 5 mg/l Cl <sub>2</sub> - - use with DPD 1 *	5396.00
	*To use these reagents additional test instructions may be needed	
<b>Compact Ozone Meter</b>		
LUM053	<b>Compact Ozone Meter Kit, Hard Case</b> Hard Case Kit containing: Lumiso Ozone Photometer, 5 Photometer Tubes, Photometer Tube Brush, Lint Free Cloth, 10 mL Syringe, 4 Crush/stirring rods, USB Cable, Reagents for 100 tests supplied in reusable storage box, User Manual	68670.00
LMC005D	<b>NDF Check Standards for Lumiso Chlorine, Chlorine Dioxide or Ozone Photometer</b> Neutral Density Filters for Verifying Calibration of Lumsio Chlorine, Chlorine Dioxide or Ozone Photometers. Blank plus three standards mounted in specially designed holders. Supplied in hard case with Certificate.	17658.00
<b>Reagents</b>		
AP 056	Ozone ( 250 tests )Range 0 - 2.0 mg/l	5396.00
<b>Lumiso Ammonia Meter</b>		
LUM050	<b>Lumiso Ammonia, Hard Case Kit</b> Hard Case Kit containing: Lumiso Ammonia Photometer, 2 Photometer Tubes, Photometer Tube Brush, Lint Free Cloth, 5 mL Syringe, 4 Crush/stirring rods, USB Cable, Reagent Storage Box, User Manual <b>(NB: This kit does not contain any reagents)</b>	73575.00
LMC005N	<b>NDF Check Standards for Lumiso Ammonia Photometer</b> Neutral Density Filters for Verifying Calibration of Lumsio Ammonia. Blank plus two standards mounted in specially designed holders . Supplied in hard case with Certificate and Instructions	17658.00
<b>Reagents</b>		
AP 152	Ammonia ( 250 tests )Range 0 - 1.0 mg/l N	ON APPLICATION
<b>Turbimeter Plus</b>		
PTH 092	<b>Turbimeter Plus Kit, Hard Case</b> Turbimeter Plus instrument, 4 SDVB calibration standards, 4 sample cuvettes (PT555), silicone oil (PT120), dilution tube (PT512), cleaning cloths, USB cable, instructions. Supplied in a hard case	120663.00
PTC 092	<b>Turbimeter Plus Calibration Set</b> Replacement SDVB calibration standard set for the Turbimeter Plus supplied in a hard case with certificate.	43164.00
<b>Accessories</b>		
PT555	Compact Cuvettes Replacement cuvettes for Compact meter and Turbimeter Plus, pack of 5	9810.00
PT545	Compact Cuvette Rack Cuvette rack, holds up to 8 Compact Cuvettes	8829.00



PT530	250 mL Graduated Bottle, polypropylene	8339.00
PT663	Sample Tube Brush	4905.00

### Arsenator Digital Arsenic Test System

PT 981	<b>Palintest Arsenator Digital Arsenic Test Kit, Hard Case</b> Arsenator Digital Arsenic Tester, tri-filter arsenic trap, 100ml reaction vessel, destruction filter holder (5 off), detection filter holder (5 off), hydrogen sulphide filter (10 off), reagents for 420 tests, visual comparison chart, forceps, gloves, dilution tube, cuvette brush, 9V battery, screwdriver, instructions	ON APPLICATION
PT 1003	<b>Arsenator/VCDK Reagent Refill Pack</b> Reagents for 200 tests. Includes 200 arsenic detection filters, 200 arsenic destruction filters, 2 off destruction filter holders, 2 off detection filter holders, T1 Powder Reagent+ Spoon, A2 Powder Reagent+Spoon, 5 off hydrogen sulphide filters	ON APPLICATION

### VCDK Visual Arsenic Detection Kit

PTH 10605	<b>VCDK Visual Arsenic Detection Kit</b> Tri-filter arsenic trap, 100ml reaction vessel, destruction filter holder (4 off), detection filter holder (4 off), hydrogen sulphide filter (4 off), reagents for 200 tests, visual comparison chart, forceps, dilution tube, cuvette brush, instructions	ON APPLICATION
PT 1003	<b>Arsenator/VCDK Reagent Refill Pack</b> Reagents for 200 tests. Includes 200 arsenic detection filters, 200 arsenic destruction filters, 2 off destruction filter holders, 2 off detection filter holders, T1 Powder Reagent+ Spoon, A2 Powder Reagent+Spoon, 5 off hydrogen sulphide filters	ON APPLICATION

### Kemio Heavy Metals & Sensors

KEMS10HM	Kemio Heavy Metals in soft carry case. Contains instrument, protective carry case, check standards, micro USB, international adaptor, stylus and quick start instructions. Sensors to be ordered separately	ON APPLICATION
KEM22MAS	<b>Total Arsenic</b> -Pack of 30 sensors, total arsenic (2 - 125 µg/L) with tablets, crushing rods and disposable vessels, a 10mL syringe and a pre-packed, re-useable cation exchange column	ON APPLICATION
KEM22MPB	<b>Lead</b> - Pack of 10 sensors, lead (0 - 10 µg/L) with tablets, crushing rods and disposable vessels	ON APPLICATION
KEM22MCD	<b>Cadmium</b> - Pack of 10 sensors, cadmium (0 - 10 µg/L) with tablets, crushing rods and disposable vessels	ON APPLICATION
KEM22MCU	<b>Copper</b> - pack of 10 Sensors, copper (100-2000 µg/L). With tablets, crushing rods and disposable test vessels	ON APPLICATION

### Kemio Disinfection & Sensors

KEMR10DIS	Kemio Disinfection benchtop kit in recyclable container. Contains instrument, check standards, micro USB, international adaptor, stylus, and quick start instructions. Sensors to be ordered separately	ON APPLICATION
KEMS10DIS	Kemio Disinfection in soft carry case. Contains instrument,	ON

	protective carry case, check standards, micro USB, international adaptor, stylus, and quick start instructions. Sensors to be ordered separately	APPLICATION
KEMH10DIS	Kemio Disinfection chlorite hard case kit. Contains instrument, accessories for chlorite test including 200 CDX sensors and 100 CLO sensors. Required for chlorite measurement. Sensors to be ordered separately	ON APPLICATION
KEMS10MUL	Kemio Multi in soft carry case. Contains instrument, 2x sample vessels, protective carry case, check standards, micro USB, international adaptor, stylus and quick start instructions. Sensors to be ordered separately	ON APPLICATION
<b>Accessories</b>		
KEMC10	Kemio Check Standards	ON APPLICATION
KEM306	Kemio Stylus	ON APPLICATION
KEM307	Kemio Protective Case	ON APPLICATION
KEM308	Replacement Sample Vessel (Disinfection)	ON APPLICATION
KEM309	USB Cable	ON APPLICATION
KEM313	Replacement Sample Vessel (Heavy Metals)	ON APPLICATION
PT553	Degassing Equipment	ON APPLICATION
PT556	Degassing replacement filter	ON APPLICATION
PT554	Degassing pump	ON APPLICATION
<b>Replacement Sensors (Disinfection)</b>		
KEM21BRS	<b>Bromine</b> - Pack of 100 Sensors, Bromine (0.2 -10 mg/L)	ON APPLICATION
KEM25BRS	<b>Bromine</b> - Pack of 500 Sensors, Bromine (0.2 -10 mg/L)	ON APPLICATION
KEM21CLO	<b>Chlorine</b> - Pack of 100 sensors, Free chlorine (0 - 10 mg/L) and total chlorine (0 - 75 mg/L)	ON APPLICATION
KEM25CLO	<b>Chlorine</b> - Pack of 500 sensors, Free chlorine (0 - 10 mg/L) and total chlorine (0 - 75 mg/L)	ON APPLICATION
KEM21CHR	<b>Chlorine</b> - Pack of 100 sensors, Free chlorine (0 - 25 mg/L) and total chlorine (0 - 500 mg/L)	ON APPLICATION
KEM25CHR	<b>Chlorine</b> - Pack of 500 sensors, Free chlorine (0 - 25 mg/L) and total chlorine (0 - 500 mg/L)	ON APPLICATION
KEM21CLT	<b>Chlorine</b> - Pack of 100 sensors, Free chlorine (0 - 25 mg/L) and total chlorine (0 - 500 mg/L) in low temperature applications (2 - 15°C)	ON APPLICATION
KEM25CLT	<b>Chlorine</b> - Pack of 500 sensors, Free chlorine (0 - 25 mg/L) and total chlorine (0 - 500 mg/L) in low temperature applications (2 - 15°C)	ON APPLICATION
KEM20CDX	<b>Chlorine Dioxide</b> - Starter Pack of 100 sensors, Chlorine dioxide (0 - 50 mg/L), with glycine reagent bottle	ON APPLICATION
KEM21CDX	<b>Chlorine Dioxide/Chlorite</b> - Pack of 100 sensors, Chlorine dioxide (0 - 50 mg/L) and chlorite (0 - 50 mg/L)	ON APPLICATION
KEM25CDX	<b>Chlorine Dioxide/Chlorite</b> - Pack of 500 sensors, Chlorine dioxide (0 - 50 mg/L) and chlorite (0 - 50 mg/L)	ON APPLICATION
KEM21PAA	<b>Peracetic Acid</b> - Pack of 100 sensors, Peracetic acid (0 - 2000 mg/L)	ON APPLICATION
KEM25PAA	<b>Peracetic Acid</b> - Pack of 500 sensors, Peracetic acid (0 - 2000	ON

	mg/L)	APPLICATION
KEM21PAL	<b>Peracetic Acid</b> - Pack of 100 sensors, Peracetic acid (0 - 50 mg/L)	ON APPLICATION
KEM25PAL	<b>Peracetic Acid</b> - Pack of 500 sensors, Peracetic acid (0 - 50 mg/L)	ON APPLICATION

### Soil Test Kits

Order Code	Description	Price (INR)
<b>Soil Kits</b>		
<b>Soil kits contain sufficient reagents for 50 tests of included parameters.</b>		
SKW 500	<p><b>Complete Soil Kit</b></p> <p><b>Includes:</b></p> <p>Soiltest 10 Bluetooth photometer and light cap, waterproof USB cable, Check Standard set with certificate, 8 photometer cuvettes, cuvette rack  Multi-parameter Pocket Sensor, pH 4.0/7.0/10.0 buffers, Mid Range Conductivity standard  De-ion pack, 4 dilution tubes/sample containers, cuvette brush, crush/stir rods, 2 filter funnels, filter papers, 20 ml syringe, 2 ml syringe, 1 ml syringe, soil sample bags (100), 2 ml soil scoop, 10 ml soil scoop, 2.5 ml Extract Scoop  Extract A, Extract C, Extract K, Extract N, Extract P, Acidifying S tablets  Ammonia S, Aluminium S, Calcium S, Coppercol S, Iron MR S, Lime Requirement, Magnecol S, Manganese S, Nitricol/Nitratest N, Phosphate P, Potassium K, Sulphur S  Supplied in an IP67 rugged case</p>	ON APPLICATION
SKW 400	<p><b>Professional Soil Management Kit</b></p> <p><b>Includes:</b></p> <p>Soiltest 10 Bluetooth photometer and light cap, waterproof USB cable, Check Standard set with certificate, 8 photometer cuvettes, cuvette rack  Multiparameter Pocket Sensor, pH 4.0/7.0/10.0 buffers, Mid Range Conductivity standard  De-ion pack, 4 dilution tubes/sample containers, cuvette brush, crush/stir rods, 2 filter funnels, filter papers, 20 ml syringe, 2 ml syringe, 1 ml syringe, soil sample bags (100), 2 ml soil scoop, 10 ml soil scoop, 2.5 ml Extract scoop  Extract A, Extract C, Extract K, Extract N, Extract P, Acidifying S tablets.  Calcium S, Lime Requirement, Magnecol S, Nitricol/Nitratest N, Phosphate P, Potassium K.  Supplied in an IP67 rugged case</p>	ON APPLICATION
SK 300	<p><b>Soil Management Kit</b></p> <p><b>Includes:</b></p> <p>Soiltester pH, Soiltester N/Mg/P, Double Tube Assembly.  Pocket Conductivity Sensor, Mid Range Conductivity standard.  De-ion pack, 2 dilution tubes/sample containers, cuvette brush, crush/stir rods, filter funnel, filter papers, 1 ml syringe, soil sample bags (100), 2 ml soil scoop, 10 ml soil scoop, 2.5 ml Extract scoop.  Extract A, Extract K, Extract N, Extract P, Acidifying S tablets.</p>	ON APPLICATION



	Calcium S, Magnecol S, Nitricol/Nitratetest N, Phosphate S, Potassium S, Soil pH, Lime Buffer. Supplied in a soft shoulder case and hard case..	
SK 200	<b>Soil Fertility Kit</b>  <b>Includes:</b>  Soiltester pH, Soiltester N/Mg/P, Double Tube Assembly De-ion pack, 2 dilution tubes/sample containers, cuvette brush, crush/stir rods, filter funnel, filter papers, soil sample bags (100), 2 ml soil scoop, 10 ml soil scoop, 2.5 ml Extract scoop Extract K, Extract N, Extract P, Acidifying S tablets Calcium S, Magnecol S, Nitricol/Nitratetest N, Phosphate S, Potassium S, Soil pH, Lime Buffer Supplied in a soft shoulder case	ON APPLICATION
SK 100	<b>Soil pH &amp; Lime Requirement Kit</b>  <b>Includes:</b>  Soiltester pH 2 ml soil scoop, Mini De-ion bottle, crush rod, cuvette brush. Soil pH, Lime Buffer tablets Supplied in a hard case	ON APPLICATION
<b>Combination Reagent Packs</b>		
<b>Packs contain sufficient reagents for 50 tests. Includes extraction and colorimetric/photometric reagents</b>		
SKR 001	<b>Soil Nitrogen Pack</b> Contains ST-2106 Extract N, ST-2237 Nitratetest N powder, ST-2240 Nitricol tablets	ON APPLICATION
SKR 002	<b>Soil Phosphorus Pack (V)</b> Contains ST-2116 Extract P, ST-2276 Acidifying S, ST-2260 Phosphate P tablets. For SK 200/SK 300	ON APPLICATION
SKR 003	<b>Soil Phosphorus Pack (P)</b> Contains ST-2116 Extract P, ST-2275 Acidifying S, ST-2260 Phosphate P tablets. For SK 400/SK 500 and SKW 400/SKW 500	ON APPLICATION
SKR 004	<b>Soil Potassium Pack</b> Contains ST-2127 Extract K, ST-2280 Potassium K tablets	ON APPLICATION
SKR 005	<b>Soil Magnesium/Calcium Pack</b> Contains ST-2136 Extract A, ST-2440 Magnecol S, ST-2297 Calcium S	ON APPLICATION
SKR 006	<b>Soil Aluminium Pack</b> Contains ST-2136 Extract A, ST-2345 Aluminium S	ON APPLICATION
SKR 007	<b>Soil Ammonia Pack</b> Contains ST-2136 Extract A, ST-2320 Ammonia S	ON APPLICATION
SKR 008	<b>Soil Copper Pack</b> Contains ST-2146 Extract C, ST-2455 Coppercol S	ON APPLICATION
SKR 009	<b>Soil Iron Pack</b> Contains ST-2146 Extract C, ST-2370 Iron MR S	ON APPLICATION
SKR 010	<b>Soil Manganese Pack</b> Contains ST-2106 Extract N, ST-2237 Nitratetest N, ST-2395 Manganese S	ON APPLICATION
<b>Individual Reagent Packs</b>		
<b>Packs contain sufficient reagent for 50 tests unless otherwise stated</b>		
ST-2200	Soil pH	ON
ST-2210	Lime Buffer	APPLICATION
ST-2106	Extract N Powder	ON
ST-2116	Extract P	APPLICATION
ST-2127	Extract K Powder	ON

ST-2136	Extract A	APPLICATION
ST-2146	Extract C	ON
ST-2237	Nitratetest N Powder	APPLICATION
ST-2240	Nitricol	ON
ST-2260	Phosphate P	APPLICATION
ST-2275	Acidifying S	ON
ST-2276	Acidifying S	APPLICATION
ST-2280	Potassium K	ON
ST-2297	Calcium S	APPLICATION
ST-2320	Ammonia S	ON
ST-2345	Aluminium S	APPLICATION
ST-2370	Iron MR S	ON
ST-2395	Manganese S	APPLICATION
ST-2410	Sulphate S	ON
ST-2440	Magnecol S	APPLICATION
ST-2455	Coppercol S	ON

#### Contour Comparator Kits and Spares : Single Parameter Kits

**Kits contain Contour Comparator, Contour disc with instructions, 3 cuvettes, cuvette brush, crush/stirring rods, reagents for 30 tests supplied in a hard case**

CKH 1001	Contour Comparator Kit, Free and Total Chlorine Range 0 - 5 mg/l Cl <sub>2</sub>	10791.00
CKH 1002	Contour Comparator Kit, Free and Total Chlorine Range 0 - 2 mg/l Cl <sub>2</sub>	10791.00
CKH 1003	Contour Comparator Kit, Free and Total Chlorine Range 0 - 1 mg/l Cl <sub>2</sub>	10791.00
CKH 1005	Contour Comparator Kit, Bromine Range 0 - 8 mg/l Br <sub>2</sub>	10791.00
CKH 1192	Contour Comparator Kit, Alkalinity (Alkavis) Range 0 - 250 mg/l CaCO <sub>3</sub>	10791.00
CKH 1166	Contour Comparator Kit, Aluminium Range 0 - 0.5 mg/l Al	10791.00
CKH 1152	Contour Comparator Kit, Ammonia Range 0 - 1 mg/l N	10791.00
CKH 162/50	Contour Comparator Kit, Chlorine HR Range 0 - 50 mg/ Cl <sub>2</sub>	10791.00
CKH 162/250	Contour Comparator Kit, Chlorine HR Range 0 - 250 mg/l Cl <sub>2</sub>	10791.00
CKH 1186	Contour Comparator Kit, Copper (Coppercol) Range 0 - 5 mg/l Cu	10791.00
CKH 1179	Contour Comparator Kit, Fluoride Range 0 - 1.5 mg/l F	10791.00
CKH 1104	Contour Comparator Kit, Hydrogen Peroxide LR Range 0 - 1 mg/l H <sub>2</sub> O <sub>2</sub>	10791.00
CKH 1105	Contour Comparator Kit, Hydrogen Peroxide HR Range 0 - 100 mg/l H <sub>2</sub> O <sub>2</sub>	10791.00
CKH 1292	Contour Comparator Kit, Iron MR Range 0 - 10 mg/l Fe	10791.00
CKH 1173	Contour Comparator Kit, Manganese Range 0 - 0.03 mg/l Mn	10791.00
CKH 1174	Contour Comparator Kit, Manganese HR Range 0 - 5 mg/l Mn	10791.00
CKH 1175	Contour Comparator Kit, Molybdate HR Range 0 - 100 mg/l MoO <sub>4</sub>	10791.00
CKH 1163	Contour Comparator Kit, Nitrate (Nitratetest) Range 0 - 15 mg/l N	10791.00
CKH 1109	Contour Comparator Kit, Nitrite (Nitricol) Range 0 - 0.4 mg/l N	10791.00
CKH 1056	Contour Comparator Kit, Ozone Range 0 - 1.0 mg/l O <sub>3</sub>	10791.00
CKH 1177	Contour Comparator Kit, Phosphate LR Range 0 - 4 mg/l PO <sub>4</sub>	10791.00
CKH 1114	Contour Comparator Kit, Phosphate HR Range 0 - 100 mg/l PO <sub>4</sub>	10791.00
CKH 1181	Contour Comparator Kit, Silica Range 0 - 4 mg/l SiO <sub>2</sub>	10791.00
CKH 1168	Contour Comparator Kit, Sulphide Range 0 - 0.5 mg/l S	10791.00
CKH 1148	Contour Comparator Kit, Zinc Range 0 - 4 mg/l Zn	10791.00

CKH 1128	Contour Comparator Kit, pH Bromocresol Purple Range pH 5.2 - 6.8	10791.00
CKH 1129	Contour Comparator Kit, pH Bromothymol Blue Range pH 6.0 - 7.6	10791.00
CKH 1131	Contour Comparator Kit, pH Phenol Red Range pH 6.8 - 8.4	10791.00
CKH 1135	Contour Comparator Kit, pH Thymol Blue Range pH 8.0 - 9.6	10791.00
CKH 1006	Contour Comparator Kit, Universal pH Range pH 4 - 11	10791.00

#### Water Test Kits

SP 600	Chlorine/pH Pooltest Minikit	1472.00
SP 610	Chlorine/pH Pooltester	1962.00
SP 612	Chlorine/pH/Alk Pooltester (0 - 5)	2747.00
SP 614	Chlorine/pH/Alk Pooltester (0 - 3)	2747.00
SP 616	Bromine/pH/Alk Pooltester	2943.00
SP 620	Cyanuric Acid	6867.00

#### Pocket Kits : All kits contain sufficient reagents for up to 50 tests

PK 072	Total Alkalinity Pocket Kit Range 0 – 500 mg/l CaCO <sub>3</sub>	8339.00
PK 166	Aluminium Pocket Kit Range 0 – 0.5 mg/l Al	8339.00
PK 152	Ammonia Pocket Kit Range 0 – 1.0 mg/l N	8339.00
PK 077	Calcium Hardness Pocket Kit Range 0 – 500 mg/l CaCO <sub>3</sub>	8339.00
PK 011	Free and Total Chlorine Pocket Kit Range 0 – 2 mg/l Cl <sub>2</sub>	8339.00
PK 080	Chlorine (Chlorocol) Pocket Kit Range 0 – 50 mg/l Cl <sub>2</sub>	7848.00
PK 162	Chlorine HR Pocket Kit Range 0 – 250 mg/l Cl <sub>2</sub>	8339.00
PK 078	Cleaning Acid Strength Pocket Kit Range 0 – 10%	8339.00
PK 096	Hardness Pocket Kit Range 0 – 500 mg/l CaCO <sub>3</sub>	8339.00
PK 101	Hardness Yes/No Pocket Kit Range Up to 4, 8 or 20 mg/l CaCO <sub>3</sub>	8339.00
PK 131	pH Phenol Red Pocket Kit Range pH 6.8 – 8.4	8339.00
PK 114	Phosphate HR Pocket Kit Range 0 – 100 mg/l PO <sub>4</sub>	8339.00
PK 165	QAC (Quatest) Pocket Kit Range 0 – 500 mg/l	8339.00
PK 154	Sulphate Pocket Kit Range 0 – 200 mg/l SO <sub>4</sub>	8339.00
PK 149	Zinc Pocket Kit Range 0 – 2 mg/l Zn	8339.00

#### Wagtech Potatest Go

Designed for water testing in emergency situations, this kit features an upright kit design which has been adapted for increased portability, as well as incase charging for added security



Digital pH



Visual Combined Chlorine,



Microbiological Thermotolerant

Order Code	Description	Price (INR)
<b>Potalab + Advanced Portable Water Quality Laboratory</b>		
PTW 10010	<p><b>Potalab® + Advanced Portable Water Quality Laboratory</b></p> <p><b>Wagtech Potalab® + (M) Case contains:</b> Dual Potalab Incubators, each with petri dish rack and 20 petri dishes. High performance Lead Acid battery with capacity for at least 5 cycles per incubator. Mains charger with international adaptors, vehicle charger and external battery clips; Membrane Filtration Unit, bronze disc, pistol grip vacuum pump with no-kink silicone tubing, 5 Media Measuring Devices (MMDs), 38.1g Membrane Lauryl Sulphate Broth, 5 Pasteur pipettes, hand lens, forceps, 200 sterile membrane filters, 200 absorbent pads, absorbent pad dispenser, steel sampling cup, sampling cable Polypropylene 250ml beaker, quick start prompt cards, full microbiological instruction manual.</p> <p><b>Wagtech Potalab® + (C) Case contains:</b> Photometer and light cap, 6 photometer cuvettes, photometer reagents for 200 tests for Free and Total Chlorine, Ammonia, Fluoride, Nitrite, Nitrate Turbimeter Plus, SDVB calibration standards, 4 Compact Turbimeter sample cuvettes, silicone oil, cleaning/oiling cloth Palintest Arsenator Digital Arsenic Test System, tri-filter assembly, reaction vessel, consumables for 200 Arsenic tests Micro 800 pH/Temperature Meter with pH calibration buffers Micro 800 Conductivity/TDS Meter with conductivity calibration standard Cuvette brush, Dilution tubes, crush/stir rods, De-ion pack, User Manual</p>	ON APPLICATION
<b>Potatech + Intermediate Portable Water Quality Laboratory</b>		
PTW 10480	<p><b>Wagtech Potatech® + Intermediate Portable Water Quality Laboratory</b></p> <p>Wagtech Incubator with standard test protocols and audible prompts, petri dish rack and 20 petri dishes, high performance Lead Acid battery with capacity for at least 5 cycles per charge, mains charger with international adaptors, vehicle charger and external battery leads; Membrane Filtration Unit, bronze disc, pistol grip vacuum pump with no-kink silicone tubing, 5 Media Measuring Devices (MMDs), 38.1g Membrane Lauryl Sulphate Broth, 5 Pasteur pipettes, hand lens, forceps, 200 sterilised and sealed membrane filters, 200 absorbent pads, absorbent pad dispenser, steel sampling cup, sampling cable Polypropylene 250ml beaker, quick start prompt cards. Photometer and light cap, 6 photometer cuvettes, photometer reagents for 200 tests for Free and Total Chlorine, Ammonia, Nitrite, Nitrate Turbimeter Plus, SDVB calibration standards, 4 Compact Turbimeter sample cuvettes, silicone oil, cleaning/oiling cloth Pocket Meter for pH and calibration buffers Pocket Meter for Conductivity with calibration standard Cuvette brush, dilution tube, crush/stir rods, De-ion pack, User Manual.</p>	ON APPLICATION
<b>Potakit + Basic Portable Water Quality Laboratory</b>		
PTW 10030	<p><b>Wagtech Potakit® + Intermediate Portable Water Quality Laboratory</b></p> <p>Wagtech Incubator with standard test protocols and audible</p>	ON APPLICATION



	<p>prompts, petri dish rack and 20 petri dishes, high performance Lead Acid battery with capacity for at least 5 cycles per charge, mains charger with international adaptors, vehicle charger and external battery leads; Membrane Filtration Unit, bronze disc, pistol grip vacuum pump with no-kink silicone tubing, 5 Media Measuring Devices (MMDs), 38.1g Membrane Lauryl Sulphate Broth, 5 Pasteur pipettes, hand lens, forceps, 200 sterilised and sealed membrane filters, 200 absorbent pads, absorbent pad dispenser, steel sampling cup, sampling cable Polypropylene 250ml beaker. Contour Comparator and discs, 4 comparator cuvettes, comparator reagents for 200 tests for Free and Total Chlorine, Ammonia, Fluoride, Nitrite and Nitrate Visual Arsenic Detection Kit with consumables for 100 tests Double length Turbidity Tube Pocket Meter for pH and calibration buffers Pocket Meter for Conductivity with calibration standard Cuvette brush, Dilution tube, crush/stir rods, De-ion pack, User Manual, quick start prompt cards</p>	
--	---	--

**Potatest Classic Portable Water Quality Laboratory**

PTW 10005	<p><b>Wagtech Potatest Classic Portable Water Quality Laboratory</b></p> <p>Wagtech Incubator with standard test protocols and audible prompts, petri dish rack and 20 petri dishes, high performance Lead Acid battery with capacity for at least 5 cycles per charge, mains charger with international adaptors, vehicle charger and external battery leads; Membrane Filtration Unit, bronze disc, pistol grip vacuum pump with no-kink silicone tubing, 5 Media Measuring Devices (MMDs), 38.1g Membrane Lauryl Sulphate Broth, 5 Pasteur pipettes, hand lens, forceps, 200 sterilised and sealed membrane filters, 200 absorbent pads, absorbent pad dispenser, steel sampling cup, sampling cable Polypropylene 250ml beaker, quick start prompt cards. Contour Comparator and discs, 4 comparator cuvettes, comparator reagents for 250 tests for Free and Total Chlorine Double length Turbidity Tube Pocket Meter for pH and calibration buffers Cuvette brush, Dilution tube, crush/stir rods, De-ion pack, User Manual</p>	ON APPLICATION
-----------	---	----------------

**Potatest Dual Portable Microbiological Water**

PTW 10020	<p><b>Wagtech Potatest® Dual Portable Microbiological Water Quality Laboratory</b></p> <p>Dual Potalab Incubators, each with petri dish rack and 20 petri dishes. High performance Lead Acid battery with capacity for at least 5 cycles per incubator. Mains charger with international adaptors, vehicle charger and external battery clips; Membrane Filtration Unit, bronze disc, pistol grip vacuum pump with no-kink silicone tubing, 5 Media Measuring Devices (MMDs), 38.1g Membrane Lauryl Sulphate Broth, 5 Pasteur pipettes, hand lens, forceps, 200 sterile membrane filters, 200 absorbent pads, absorbent pad dispenser, steel sampling cup, sampling cable Polypropylene 250ml beaker, quick start prompt cards, full microbiological instruction manual</p>	ON APPLICATION
-----------	---	----------------

**Spares and Consumables**

**Microbiological Consumables**

PTW 10450	<p><b>Coliform Starter Pack</b></p> <p>200 tests for either Thermo tolerant (Faecal) Coliforms or Total Coliforms including membrane filters, absorbent pads, Membrane Lauryl Sulphate Broth (38.1g)</p>	ON APPLICATION
-----------	--	----------------



PTW 10452	<b>Membrane Lauryl Sulphate Broth, 500g</b> MLSB powder for field preparation of nutrient media. Supplied in sealed pack with tamper seal.	ON APPLICATION
PTW 10454	<b>Membrane Lauryl Sulphate Broth, 38.1g</b> MLSB powder for field preparation of nutrient media. Supplied in sealed pack with tamper seal.	ON APPLICATION
PTW 10459	<b>Membrane Filters, 200 pack</b> White, gridded membrane for simple colony count.0.45µm mesh size, 47mm diameter, supplied in sterile sealed individual pack, 200 packs.	ON APPLICATION
PTW 10460	<b>Absorbent Pads &amp; Membranes, 200 pack</b> White, gridded membrane for simple colony count.0.45µm mesh size, 47mm diameter, supplied in sterile sealed individual pack, 200 packs. Absorbent pads, 2 packs of 100 each for use with Absorbent Pad Dispenser.	ON APPLICATION
PTW 10461	<b>Membrane Filters, 1000 pack</b> White, gridded membrane for simple colony count.0.45µm mesh size, 47mm diameter, supplied in sterile sealed individual pack, 1000 pack.	ON APPLICATION
PTW 10462	<b>Absorbent Pads &amp; Membranes, 1000 pack</b> White, gridded membrane for simple colony count.0.45µm mesh size, 47mm diameter, supplied in sterile sealed individual pack, 5 packs of 200 each. Absorbent pads, 10 packs of 100 each for use with Absorbent Pad Dispenser.	ON APPLICATION
PTW 10463	<b>Absorbent Pads, 100 pack</b> Pack of 100 Absorbent Pads for use with Pad Dispenser.	ON APPLICATION
<b>NutriDisks and Prepared Media</b>		
PTW 10060	<b>NutriDisk Pack for Faecal Streptococci</b> Azide NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION
PTW 10062	<b>NutriDisk Pack for Pseudomonas aeruginosa</b> Cetrimide NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION
PTW 10064	<b>NutriDisk Pack for E.coli and faecal coliforms</b> M-FC NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION
PTW 10065	<b>NutriDisk Pack for Total Coliforms and E. coli</b> Chromo cult NPS NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION
PTW 10066	<b>NutriDisk Pack for Total Colony Forming Units</b> Plate Count NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION
PTW 10067	<b>NutriDisk Pack for Salmonella typhi</b> Bismuth-Sulphite NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION
PTW 10068	<b>NutriDisk Pack for E. coli</b> ECD NPS NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION
PTW 10069	<b>NutriDisk Pack for E. coli and coliforms</b> Endo NPS NutriDisk set, 100 tests, supplied in sealed packs of 10	ON APPLICATION

**AQUAREAD UK & VELP ITALY**  
**LIST OF PRODUCTS \***  
**CONTACT FOR PRICING**



## **Aquaread's AP-6000**

*Advanced multiparameter water quality probe with a self-cleaning mechanism, ideal for comprehensive spot monitoring or permanent deployments*

**The AP-6000 comes with all the common water quality testing sensors pre fitted to the probe:**

**pH • ORP • Conductivity • TDS • SSG • Resistivity • Salinity • Dissolved Oxygen • Depth • Temperature**

Supplied with four empty Aux sockets pre-fitted with removable blanking plugs. These sockets allow you to customise your probe by adding in additional sensors. Each socket can house either an Ion Selective Sensor (ISE) or any of the optical sensors



## **The PRO Series**

Aquaread's AP and AS PRO models allow measurement at far greater depths, The PRO range offers simple sensor exchange in the field. It's kitted out with a unique measurement chamber for improved sensor stability in the most demanding applications



**Smart sensors that hold their calibration data, allowing for simple sensor exchange in the field**

**Measures at extreme depths of up to 1000ft (300m)**



**Measurement Chamber**

Order Code	Description	Price (INR)
<b>Aquameter &amp; Aquaprobe Packages</b>		
AP-700 Package	GPS AQUAMETER, AQUAPROBE AP-700 supplied with DO, EC, pH, ORP and Temperature sensors, a 3m tough cable and various accessories supplied in a Hard Carry Case.	ON APPLICATION
AP-800 Package	GPS AQUAMETER, AQUAPROBE AP-800 supplied with DO, EC, pH, ORP, Temperature and Turbidity sensors, a 3m tough cable and various accessories supplied in a Hard Carry Case	ON APPLICATION
AP-2000 Package	GPS AQUAMETER, AQUAPROBE AP-2000 supplied with Optical DO, EC, pH, ORP and Temperature sensors, a 3m tough cable with connectors at both ends and various accessories all supplied in a Rugged Carry Case.	ON APPLICATION
AP-2000-D Package	GPS AQUAMETER, AQUAPROBE AP-2000-D supplied with Optical DO, EC, pH, ORP, Temperature and Depth sensors, a 3m tough cable with connectors at both ends and various accessories all supplied in a Rugged Carry Case.	ON APPLICATION
AP-5000 Package	GPS AQUAMETER, AQUAPROBE AP-5000 supplied with Optical DO, EC, pH, ORP, Temperature and Depth sensors, a 3m tough cable with connectors at both ends and various accessories all supplied in a Rugged Carry Case.	ON APPLICATION
AP-6000 Package	GPS AQUAMETER, AQUAPROBE AP-6000 supplied with Optical DO, EC, pH, ORP, Temperature and Depth sensors, integrated replaceable self-cleaning system, a 3m tough cable with connectors at both ends and various accessories all supplied in a Rugged Carry Case	ON APPLICATION
AP-7000 Package	GPS AQUAMETER, AQUAPROBE AP-7000 supplied with Optical DO, EC, pH, ORP, Temperature and Depth sensors, integrated self cleaning system, a 3m tough cable with connectors at both ends. Supplied with various accessories.	ON APPLICATION
AP-LITE Package	GPS AQUAMETER, AQUAPROBE AP-LITE body featuring optical sensor socket and rugged AquaCon connector, a 3m tough cable with connectors at both end and various accessories all supplied in a Rugged Carry Case. All goods are supplied in a Rugged Carry Case.	ON APPLICATION



<b>Aquasonde</b>		
AS-2000	AquaSonde-2000, supplied with Optical DO, EC (& calculated parameters), pH, ORP, Depth and Temperature. AquaSonde includes internal memory, requires 2x 3.6V Lithium C cells - not supplied.	ON APPLICATION
AS-5000	AquaSonde-5000, supplied with Optical DO, EC (& calculated parameters), pH, ORP, Depth and Temperature. AquaSonde includes internal memory, requires 2x 3.6V Lithium D cells - not supplied.	ON APPLICATION
AS-7000	AquaSonde-7000, supplied with Optical DO, EC (& calculated parameters), pH, ORP, Depth and Temperature. AquaSonde includes internal memory, requires 2x 3.6V Lithium D cells - not supplied.	ON APPLICATION



<b>Optional ISE For AP-2000 , AP-2000D, AP-5000, AP-6000 , AP-7000</b>		
Ammonium /	Ammonium / Ammonia + electrode	ON

Ammonia †		APPLICATION
Nitrate	Nitrate electrode	ON APPLICATION
Chloride	Chloride electrode	ON APPLICATION
Calcium	Calcium electrode	ON APPLICATION
Fluoride	Fluoride electrode	ON APPLICATION

† Ammonium electrode required. Readings calculated from ammonium, pH and temperature values.

Optional Optical Electrodes For AP-2000 , AP-2000D, AP-5000, AP-6000, AP-7000		
TURB Turbidity	Turbidity optical electrode	ON APPLICATION
BGA-PC Blue green algae, (Phycocyanin, fresh water)	Blue green algae, (Phycocyanin, fresh water)	ON APPLICATION
BGA-PE Blue green algae, (Phycocerythrin, marine water)	Blue green algae, (Phycocerythrin, marine water)	ON APPLICATION
RHOD Rhodamine	Rhodamine WT dye optical electrode	ON APPLICATION
FSCEIN Fluorescein dye	Fluorescein dye optical electrode	ON APPLICATION
CPHYLL Chlorophyll	Chlorophyll optical electrode	ON APPLICATION
REFOIL Refined oils	Refined oils (hydrocarbons) optical electrode	ON APPLICATION
CDOM / FDOM	CDOM electrode	ON APPLICATION

Aquaprobe Cables		
Extension cable for AP-700,800,AP-2000,AP-5000, AP-6000, AP-7000 complete with AquaConn connectors available for 10/20/30 m		ON APPLICATION

Data loggers		
AQUALOGGER-2000	AP-2000 Logger	ON APPLICATION
AQUALOGGER-7000	AP-7000 Logger for using with AP-5000 and AP-7000	ON APPLICATION
BLACKBOX	Probe data converter	ON APPLICATION

=====

Order Code	Description	Price (INR)
<b>Thermo reactors ECO series</b>		
<b>Thermo reactor ECO6</b>		
F10100120	ECO6 Thermo reactor 230V/50-60Hz	ON APPLICATION
<b>Accessories for ECO6</b>		
A00000145*	Test tube COD Ø42x200mm 200ml 3pcs/box	ON APPLICATION
A00001041*	Air refrigerators with ground cone	ON APPLICATION
A00001042*	PTFE sheaths for 29/32 cones	ON APPLICATION
A00001043*	Stainless steel handle for 6 test tubes	ON APPLICATION
A00001045*	Antisplash bell	ON APPLICATION
A00001044	Reducer with 3 Ø 16 mm holes	ON APPLICATION
A00001046	Reducer with 1 hole Ø 22 mm	ON APPLICATION
<b>Thermo reactor ECO8</b>		
F101A0127	ECO8 Thermo reactor 115-230V/50-60Hz	ON APPLICATION
<b>Thermo reactor ECO16</b>		
F10100126	ECO16 Thermo reactor 230V/50-60Hz	ON APPLICATION
<b>Accessories for ECO8-16</b>		
10000002	Absorption attachment for condenser	ON APPLICATION
A00001051*	Safety shield	ON APPLICATION
CA0091636	Holder for 12 round glass cells	ON APPLICATION
CA0091666	Tube for sample decomposition Ø 22mm	ON APPLICATION
CA0091667	Condenser 200 mm, type KS	ON APPLICATION
CM0091680	Set of 20 glass test tube Ø 16 mm	ON APPLICATION
<b>Thermo reactor ECO25</b>		
F101A0125	ECO25 Thermo reactor 115-230V/50-60Hz	ON APPLICATION
<b>Accessories for ECO25</b>		
A00001039	Test tubes extractor	ON APPLICATION
CA0091636	Holder for 12 round glass cells	ON



		APPLICATION N
CM0091680	Set of 20 glass test tube Ø 16 mm	ON APPLICATION
<b>*Essential Accessories</b>		

### BOD Determination Systems

#### B.O.D. Sensor –Single Bottle Set

F102B0134	B.O.D. Sensor Set F102B0133 BOD Sensor (with KOH traps and batteries) 10001107 BOD bottle A00001056 Magnetic stir bar, 6x35 mm	ON APPLICATION
-----------	--	----------------



#### B.O.D. Sensor System 6

SA10200136	BOD Sensor System 6 230V/50Hz Included : F102B0133 BOD Sensor (x6) (with KOH traps and batteries) F10220270 Stirring station, 6 positions 230V/50Hz (with bottles & stirring bars)	ON APPLICATION
------------	---	----------------



#### B.O.D. Sensor System 10

SA10200137	BOD Sensor System 10 230V/50Hz Included F102B0133 BOD Sensor (x10) (with KOH traps and batteries) F10200280 Stirring station, 10 positions 230V/50Hz (with bottles & stirring bars)	ON APPLICATION
------------	--	----------------

#### Accessories for B.O.D. Sensor Systems

F102B0133	B.O.D. Sensor	ON APPLICATION
A00000135	Sensor check	ON APPLICATION
A00000136	Control Test tablets	ON APPLICATION
A00000221	Multi-socket extension cable EU	ON APPLICATION

### RESPIROMETRIC Sensor System 6

SA10200146	RESPIROMETRIC Sensor System 6 Included F102B0153 RESPIROMETRIC Sensor (x6) A00000402 RESPIROsoft and Wireless DataBox F10200270 Stirring station, 6 positions 230V/50-60Hz (with bottles & stirring bars)	ON APPLICATION
------------	--	----------------



#### RESPIROMETRIC Sensor System 6 no data box

SB10200146	RESPIROMETRIC Sensor System 6 - no databox Included F102B0153 RESPIROMETRIC Sensor (x6) F10200270 Stirring station, 6 positions 230V/50-60Hz (with bottles & stirring bars)	ON APPLICATION
------------	---	----------------



Accessories for RESPIROMETRIC Sensor System 6		
A00000135	Sensor check	ON
A00000136	Control Test tablets	APPLICATION
A00000402	RESPIROSoft and Wireless DataBox	ON
A00000410	Complete Glass bottle with 2 necks BMP	APPLICATION
A00000221	Multi-socket extension cable EU	ON
F102B0153	RESPIROMETRIC Sensor	APPLICATION
E00010012	VELP ERMES 1 year Connection	ON
E00010036	VELP ERMES 3 years Connection	APPLICATION

RESPIROMETRIC Sensor System 6 Maxi		
SA10200156	RESPIROMETRIC Sensor System 6 Maxi Included F102B0153 RESPIROMETRIC Sensor (x6) A00000402 RESPIROSoft and Wireless DataBox F10200275 Maxi Stirring Station 6 230V/50-60Hz (with bottles & stirring bars)	ON APPLICATION
RESPIROMETRIC Sensor System 6 Maxi - no databox		
SB10200156	RESPIROMETRIC Sensor System 6 Maxi - no databox Included F102B0153 RESPIROMETRIC Sensor (x6) F10200275 Maxi Stirring Station 6 230V/50-60Hz (with bottles & stirring bars)	ON APPLICATION
Accessories for RESPIROMETRIC Sensor System 6		
A00000135	Sensor check	ON
A00000136	Control Test tablets	APPLICATION
A00000402	RESPIROSoft and Wireless DataBox	ON
A00000410	Complete Glass bottle with 2 necks BMP	APPLICATION
A00000221	Multi-socket extension cable EU	ON
F102B0153	RESPIROMETRIC Sensor	APPLICATION
E00010012	VELP ERMES 1 year Connection	ON
E00010036	VELP ERMES 3 years Connection	APPLICATION



Refrigerated Incubators		
Incubator FOC 120I Connect		
F10400541	FOC 120I Connect Incubator 230V/50-60Hz	ON APPLICATION
Accessories for FOC 120I		
10008040	Bottom Shelf	ON
A00000405	Interconnection cable FOC Connect	APPLICATION
A00000406	IQ/OQ FOC Connect and Manual	ON
A00000221	Multi-socket extension cable EU	APPLICATION
10008039	Shelf	ON
A00000404	TEMPSoft with RS485 cable	APPLICATION



E00010012	VELP ERMES 1 year Connection	ON
E00010036	VELP ERMES 3 years Connection	APPLICATION
<b>Incubator FOC 200I Connect</b>		
F10400543	FOC 200I Connect Incubator 230V/50-60Hz Included 10008039 3 shelves	ON APPLICATION
<b>Accessories for FOC 200I</b>		
A00000405	Interconnection cable FOC Connect	ON
A00000406	IQ/OQ FOC Connect and Manual	APPLICATION
A00000221	Multi-socket extension cable EU	ON
10008039	Shelf	APPLICATION
A00000404	TEMPSoft with RS485 cable	ON
E00010012	VELP ERMES 1 year Connection	APPLICATION
E00010036	VELP ERMES 3 years Connection	ON
<b>Incubator FOC 200E Connect</b>		
F10300542	FOC 200E Connect Incubator 230V/50-60Hz Included 10008039 3 shelves	ON APPLICATION
<b>Accessories for FOC 200E</b>		
A00000405	Interconnection cable FOC Connect	ON
A00000406	IQ/OQ FOC Connect and Manual	APPLICATION
A00000221	Multi-socket extension cable EU	ON
10008039	Shelf	APPLICATION
A00000404	TEMPSoft with RS485 cable	ON
E00010012	VELP ERMES 1 year Connection	APPLICATION
E00010036	VELP ERMES 3 years Connection	ON
<b>Incubator FOC 120E Connect</b>		
F10300540	FOC 120E Connect Incubator 230V/50-60Hz	ON APPLICATION
<b>Accessories for FOC 120E</b>		
10008040	Bottom Shelf	ON
A00000405	Interconnection cable FOC Connect	APPLICATION
A00000406	IQ/OQ FOC Connect and Manual	ON
A00000221	Multi-socket extension cable EU	APPLICATION
10008039	Shelf	ON
A00000404	TEMPSoft with RS485 cable	APPLICATION
E00010012	VELP ERMES 1 year Connection	ON
E00010036	VELP ERMES 3 years Connection	APPLICATION
<b>Incubator FOC 200IL Connect Illuminated</b>		
F10400544	FOC 200IL Connect Incubator 230V/50-60Hz Included 40002722 2 shelves 10008039 shelf	ON APPLICATION
<b>Accessories for FOC 200IL</b>		
A00000405	Interconnection cable FOC Connect	ON





A0000406	IQ/OQ FOC Connect and Manual	APPLICATION
40002722	Lighted shelf	ON
A0000221	Multi-socket extension cable EU	APPLICATION
10008039	Shelf	ON
A0000404	TEMPSoft with RS485 cable	APPLICATION
E00010012	VELP ERMES 1 year Connection	ON
E00010036	VELP ERMES 3 years Connection	APPLICATION

<b>Flocculators /Jar Testers</b>		
<b>Flocculator JLT4</b>		
F105A0108	JLT4 Flocculator/Jar Tester 100-240V / 50-60Hz	ON APPLICATION
<b>Flocculator /Jar Tester JLT6</b>		
F105A0109	JLT6 Flocculator/Jar Tester 100-240V / 50-60Hz	ON APPLICATION
<b>Flocculator /Jar Tester FC4S</b>		
F105A0111	FC4S Flocculator/Jar Tester 100-240V / 50-60Hz	ON APPLICATION
<b>Flocculator /Jar Tester FC6S</b>		
F105A0112	FC6S Flocculator/Jar Tester 100-240V - 50-60Hz	ON APPLICATION
<b>Accessories for Flocculators /Jar Testers JLT4- JLT6 FC4S -FC6S</b>		
A00001000	Plastic beaker 1000 ml	ON APPLICATION
A00001001	Glass beaker 1000 ml	ON APPLICATION
A00001002	Transparent plastic imhoff cone	ON APPLICATION
A00001003	Glass graduated imhoff cone	ON APPLICATION
A00001004	Stand for two imhoff cones	ON APPLICATION



<b>Flocculator /Jar Tester FP4</b>		
F105A0117	FP4 Flocculator/Jar Tester 100-240V/50-60Hz	ON APPLICATION
<b>Accessories for FP4</b>		
A00001000	Plastic beaker 1000 ml	ON APPLICATION
A00001001	Glass beaker 1000 ml	ON APPLICATION
A00001005	Carrying case	ON APPLICATION



**PRICES, MODELS AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**



**International Trade Links Instrumentation Pvt. Ltd.**

332, 3rd Floor, Gundecha Industrial Complex  
Next to Big Bazaar, Akurli Road, Kandivali (E)  
Mumbai - 400 101 Maharashtra

Email : [quotation@itlneels.com](mailto:quotation@itlneels.com); [marketing@itlneels.com](mailto:marketing@itlneels.com)